

---

**Volume 37:  
Ethers**

	<b>Preface</b> .....	V
	<b>Table of Contents</b> .....	IX
	<b>Introduction</b>	
	C. J. Forsyth .....	1
<b>37.1</b>	<b>Product Class 1: Dialkyl Ethers</b> .....	9
<b>37.1.1</b>	<b>Synthesis from Esters, Aldehydes, Ketones, and Acetals by Reduction or Alkylation</b>	
	L. J. Van Orden, R. Jasti, and S. D. Rychnovsky .....	9
<b>37.1.2</b>	<b>Synthesis by Substitution</b>	
	M. Tsukamoto and M. Kitamura .....	47
<b>37.1.3</b>	<b>Synthesis by Addition to Alkenes</b>	
	D. R. Soenen and C. D. Vanderwal .....	99
<b>37.1.4</b>	<b>Synthesis from Other Ethers</b>	
	F. E. McDonald .....	133
<b>37.2</b>	<b>Product Class 2: Epoxides (Oxiranes)</b> .....	227
<b>37.2.1</b>	<b>Synthesis from Alkenes by Metal-Mediated Oxidation</b>	
	H. Adolfsson .....	227
<b>37.2.2</b>	<b>Synthesis from Alkenes with Organic Oxidants</b>	
	D. Goeddel and Y. Shi .....	277
<b>37.2.3</b>	<b>Synthesis by Carbonyl Epoxidation</b>	
	V. K. Aggarwal, M. Crimmin, and S. Riches .....	321
<b>37.2.4</b>	<b>Synthesis by Ring Closure</b>	
	A. K. Yudin and A. Caiazzo .....	407
<b>37.3</b>	<b>Product Class 3: Oxetanes and Oxetan-3-ones</b>	
	A. G. Griesbeck and T. Sokolova .....	433
<b>37.4</b>	<b>Product Class 4: Five-Membered and Larger-Ring Oxacycloalk-3-enes</b> .....	473
<b>37.4.1</b>	<b>Synthesis by Ring-Closure Reactions, Except Ring-Closing Metathesis</b>	
	K. Ding and Z. Wang .....	473
<b>37.4.2</b>	<b>Synthesis by Ring-Closing Metathesis</b>	
	S. W. Roberts and J. D. Rainier .....	531

37.4.3	<b>Synthesis from Other Cyclic Ethers</b> K. Iyer and J. D. Rainier .....	555
37.5	<b>Product Class 5: Five-Membered and Larger-Ring Oxacycloalkanes</b> M. Inoue and S. Yamashita .....	583
37.6	<b>Product Class 6: Oxonium Salts</b> C. J. Forsyth and T. J. Murray .....	631
37.7	<b>Product Class 7: Oligo- and Monosaccharide Ethers</b> I. Robina and P. Vogel .....	645
37.8	<b>Product Class 8: Ethers as Protecting Groups</b> S. Petursson .....	847
	<b>Keyword Index</b> .....	893
	<b>Author Index</b> .....	943
	<b>Abbreviations</b> .....	987

## Table of Contents

	<b>Introduction</b> C. J. Forsyth	
	<b>Introduction</b> .....	1
<b>37.1</b>	<b>Product Class 1: Dialkyl Ethers</b>	
<b>37.1.1</b>	<b>Synthesis from Esters, Aldehydes, Ketones, and Acetals by Reduction or Alkylation</b> L. J. Van Orden, R. Jasti, and S. D. Rychnovsky	
<b>37.1.1</b>	<b>Synthesis from Esters, Aldehydes, Ketones, and Acetals by Reduction or Alkylation</b> .....	9
<b>37.1.1.1</b>	Synthesis of Acyclic Ethers by Reduction of Esters .....	9
<b>37.1.1.1.1</b>	Method 1: Hydrosilylation .....	9
<b>37.1.1.1.1.1</b>	Variation 1: Under Free-Radical Conditions .....	9
<b>37.1.1.1.1.2</b>	Variation 2: With Stoichiometric Lewis Acid .....	10
<b>37.1.1.1.1.3</b>	Variation 3: With a Catalytic Manganese Complex .....	10
<b>37.1.1.1.2</b>	Method 2: Sodium Borohydride Reduction .....	11
<b>37.1.1.1.3</b>	Method 3: Two-Step Reduction Utilizing an $\alpha$ -Acetoxy Ether .....	13
<b>37.1.1.1.4</b>	Method 4: Two-Step Reduction Utilizing an <i>S</i> -Alkyl Thioester .....	14
<b>37.1.1.2</b>	Synthesis of Acyclic Ethers by Alkylation of Esters .....	15
<b>37.1.1.2.1</b>	Method 1: Synthesis by a Two-Step Procedure Utilizing an $\alpha$ -Acetoxy Ether .....	15
<b>37.1.1.2.1.1</b>	Variation 1: Organocuprate Addition .....	16
<b>37.1.1.2.1.2</b>	Variation 2: Allylstannane Addition .....	16
<b>37.1.1.2.1.3</b>	Variation 3: Allylsilane, But-2-enylsilane, and Silyl Ketene Acetal Addition .....	16
<b>37.1.1.2.1.4</b>	Variation 4: Trimethylsilyl Cyanide Addition .....	17
<b>37.1.1.2.1.5</b>	Variation 5: Organozinc Addition .....	18
<b>37.1.1.3</b>	Synthesis of Acyclic Ethers by Reduction of Aldehydes or Ketones .....	18
<b>37.1.1.3.1</b>	Method 1: Hydrosilylation .....	18
<b>37.1.1.3.1.1</b>	Variation 1: With Iodotrimethylsilane .....	18
<b>37.1.1.3.1.2</b>	Variation 2: With Alkoxyhydrosilanes .....	19
<b>37.1.1.3.1.3</b>	Variation 3: With Brønsted Acid Catalysis .....	19
<b>37.1.1.3.2</b>	Method 2: Hydrogenation .....	20
<b>37.1.1.3.3</b>	Method 3: In Situ Formation of Acetals, Followed by Reductive Cleavage .....	20
<b>37.1.1.4</b>	Synthesis of Acyclic Ethers by Alkylation of Aldehydes or Ketones .....	21
<b>37.1.1.4.1</b>	Method 1: Silyl-Modified Sakurai Reaction .....	21
<b>37.1.1.5</b>	Synthesis of Acyclic Ethers by Reduction of Acetals .....	22

37.1.1.5.1	Method 1:	Metal Hydride Reduction	22
37.1.1.5.1.1	Variation 1:	With Diisobutylaluminum Hydride	22
37.1.1.5.1.2	Variation 2:	With Lithium Aluminum Hydride	23
37.1.1.5.1.3	Variation 3:	With Borane–Dimethyl Sulfide Complex	24
37.1.1.5.1.4	Variation 4:	With Triethylsilane	25
37.1.1.5.1.5	Variation 5:	With Zinc(II) Borohydride	26
37.1.1.5.2	Method 2:	Hydrogenation	26
37.1.1.6		Synthesis of Acyclic Ethers by Alkylation of Acetals	27
37.1.1.6.1	Method 1:	Addition of Allylsilane Reagents	27
37.1.1.6.2	Method 2:	Addition of Allylstannane Reagents	30
37.1.1.6.3	Method 3:	Other Alkylation Methods	31
37.1.1.6.4	Method 4:	Addition of Alka-2,3-dienyl- and Propargylsilanes	32
37.1.1.6.5	Method 5:	Addition of Silyl Enol Ethers and Metal Enolates	33
37.1.1.6.6	Method 6:	Addition of Trimethylsilyl Cyanide	37
37.1.1.6.7	Method 7:	Addition of Grignard Reagents	38
37.1.1.6.8	Method 8:	Addition of Organocuprate Reagents	38
37.1.1.6.9	Method 9:	Addition of Organoaluminum Reagents	39
37.1.1.6.10	Method 10:	Cleavage with Lithium Metal	40
37.1.1.7		Synthesis of Acyclic Ethers by Alkylation of $\alpha$ -Halo Ethers	40
37.1.1.7.1	Method 1:	Lithiation	40
37.1.1.7.2	Method 2:	Palladium-Mediated Coupling	42
37.1.1.7.3	Method 3:	Addition of Organometallic Reagents	43
37.1.1.7.4	Method 4:	Synthesis by a Two-Step Procedure from an Acetal	43
37.1.2		<b>Synthesis by Substitution</b>	
		M. Tsukamoto and M. Kitamura	
37.1.2		<b>Synthesis by Substitution</b>	47
37.1.2.1	Method 1:	Oxidation of C–H Bonds	47
37.1.2.2	Method 2:	Intramolecular Oxidative Cyclization of Alcohols	48
37.1.2.3	Method 3:	Ring Opening of Cyclopropanes	49
37.1.2.4	Method 4:	Williamson-Type Reaction of Alkyl Halides	50
37.1.2.4.1	Variation 1:	Using Metal Alkoxides	50
37.1.2.4.2	Variation 2:	With Alcohols in the Presence of Base	53
37.1.2.4.3	Variation 3:	From Halo Alcohols	57
37.1.2.5	Method 5:	Synthesis from Sulfonic and Sulfuric Acid Esters	59
37.1.2.5.1	Variation 1:	Using Dialkyl Sulfates	59
37.1.2.5.2	Variation 2:	Using Trifluoromethanesulfonates	59
37.1.2.5.3	Variation 3:	Using 4-Toluenesulfonates	60
37.1.2.5.4	Variation 4:	Using Methanesulfonates	61
37.1.2.6	Method 6:	Synthesis from Esters of Phosphorus Acids	61
37.1.2.7	Method 7:	Synthesis from Carbonates	63
37.1.2.8	Method 8:	Synthesis from Trichloroacetimidates	65
37.1.2.9	Method 9:	Synthesis from Oxalate Esters	65
37.1.2.10	Method 10:	Synthesis Using Meerwein's Reagent	66

37.1.2.11	Method 11:	Synthesis from Sulfonium and Selenonium Salts	66
37.1.2.12	Method 12:	Synthesis from Ammonium Salts	67
37.1.2.13	Method 13:	Synthesis from Phosphonium Salts	68
37.1.2.14	Method 14:	Synthesis from Diazo Compounds	68
37.1.2.14.1	Variation 1:	From Diazoalkanes	68
37.1.2.14.2	Variation 2:	From Diazo(trimethylsilyl)methane	70
37.1.2.14.3	Variation 3:	From Diazo Carbonyl Compounds	71
37.1.2.15	Method 15:	Synthesis from Alcohols Using Brønsted Acids	72
37.1.2.16	Method 16:	Synthesis from Alcohols Using Pentavalent Phosphorus Reagents	75
37.1.2.17	Method 17:	Synthesis from Alcohols under Mitsunobu Conditions	76
37.1.2.18	Method 18:	Synthesis from Alcohols Using Carbodiimides	80
37.1.2.19	Method 19:	Synthesis of Ethers from Alcohols by Lewis Acids and Transition-Metal Complexes	81
37.1.2.20	Method 20:	Synthesis from Alcohols Using a Catalytic Amount of Base	89
37.1.2.21	Method 21:	Reaction of Di- <i>tert</i> -butyl Peroxide with Grignard or Organolithium Reagents	90
37.1.2.22	Method 22:	Reaction of <i>tert</i> -Butyl Peroxybenzoates with Grignard Reagents	90
37.1.3	<b>Synthesis by Addition to Alkenes</b>		
	D. R. Soenen and C. D. Vanderwal		
37.1.3	<b>Synthesis by Addition to Alkenes</b>		99
37.1.3.1	Method 1:	Electrophilic Haloetherification	99
37.1.3.1.1	Variation 1:	Of Isolated Alkenes	99
37.1.3.1.2	Variation 2:	Of Allenes	100
37.1.3.1.3	Variation 3:	Of Conjugated Alkenes	101
37.1.3.1.4	Variation 4:	Of $\alpha,\beta$ -Unsaturated Carbonyl Compounds	102
37.1.3.2	Method 2:	Electrophilic Alkoxymercuration	104
37.1.3.3	Method 3:	Electrophilic Alkoxyseleenylation	104
37.1.3.3.1	Variation 1:	General Reaction	104
37.1.3.3.2	Variation 2:	Selenium-Reagent-Catalyzed Tandem Alkoxyseleenylation–Oxidative Deseleenylation	106
37.1.3.3.3	Variation 3:	Diastereoselective, Alkene-Controlled Alkoxyseleenylation	106
37.1.3.3.4	Variation 4:	Diastereoselective Additions by Selenium Reagent Control	108
37.1.3.4	Method 4:	Base-Catalyzed Conjugate Addition of Alcohols to Electron-Deficient Alkenes	109
37.1.3.4.1	Variation 1:	General Reaction	109
37.1.3.4.2	Variation 2:	Diastereoselective Reaction Controlled by Resident Stereogenicity of the Alkene	112
37.1.3.4.3	Variation 3:	Diastereoselective Reaction Controlled by Resident Stereogenicity of the Alcohol	113

37.1.3.4.4	Variation 4:	Diastereoselective Reaction Achieved by Selective Protonation	115
37.1.3.5	Method 5:	Acid-Catalyzed Addition of Alcohols to Isolated Alkenes	116
37.1.3.6	Method 6:	Uncatalyzed Addition of Alcohols	116
37.1.3.6.1	Variation 1:	To Conjugated Alkenes	116
37.1.3.6.2	Variation 2:	Diastereoselective Methods: Alkene Controlled	117
37.1.3.7	Method 7:	Palladium-Catalyzed Addition to Alkenes	118
37.1.3.8	Method 8:	Transition-Metal-Catalyzed Allylic Etherification	119
37.1.3.9	Method 9:	Photochemical Alkoxylation	120
37.1.3.9.1	Variation 1:	Of Isolated Alkenes	121
37.1.3.9.2	Variation 2:	Of Conjugated Alkenes	122
37.1.3.9.3	Variation 3:	Of $\alpha,\beta$ -Unsaturated Carbonyl Compounds	124
37.1.3.9.4	Variation 4:	Stereoselective Photoalkoxylation of Alkenes	125
37.1.3.10	Method 10:	Radical Alkoxylation of Alkenes	127
37.1.3.11	Method 11:	Electrochemical Alkoxylation of Alkenes	128
37.1.4	<b>Synthesis from Other Ethers</b>		
	F. E. McDonald		
37.1.4	<b>Synthesis from Other Ethers</b>		133
37.1.4.1	Method 1:	Transetherification	133
37.1.4.1.1	Variation 1:	Substitution of Benzylic Ethers	133
37.1.4.1.2	Variation 2:	Substitution of Allylic Ethers	136
37.1.4.1.3	Variation 3:	Substitution of Pent-4-enyl Ethers	136
37.1.4.2	Method 2:	Substitution of an $\alpha$ -Hydrogen with Carbon	139
37.1.4.2.1	Variation 1:	From Benzylic Ethers	139
37.1.4.2.2	Variation 2:	From Allylic Ethers	145
37.1.4.2.3	Variation 3:	From Propargylic Ethers	148
37.1.4.2.4	Variation 4:	From Alkyl Ethers	149
37.1.4.2.5	Variation 5:	From Enolates of $\beta$ -Carbonyl Ethers	154
37.1.4.3	Method 3:	Ring Opening of Epoxides and Other Cyclic Ethers	157
37.1.4.3.1	Variation 1:	Intermolecular Addition of Alcohols	158
37.1.4.3.2	Variation 2:	Intramolecular Addition of Alcohols	167
37.1.4.3.3	Variation 3:	Multiple Cyclizations of Polyepoxides	178
37.1.4.3.4	Variation 4:	Polymerizations of Epoxides	183
37.1.4.3.5	Variation 5:	Polymerizations of Oxetanes, Tetrahydrofuran, and Oxepane	189
37.1.4.4	Method 4:	Formation of Cyclic Ethers from Other Ethers	191
37.1.4.4.1	Variation 1:	C—O Bond Insertion of Diazo Compounds into Acyclic Ethers	191
37.1.4.4.2	Variation 2:	Ring Expansions and Contractions of Cyclic Ethers	195
37.1.4.5	Method 5:	Synthesis of Alkyl Ethers from Vinylic Ethers	197
37.1.4.5.1	Variation 1:	Reductive Formation of a C—H Bond at the $\alpha$ -Carbon	198

37.1.4.5.2	Variation 2: Reductive Formation of a C—C Bond at the $\alpha$ -Carbon	206
37.1.4.5.3	Variation 3: Reductive Polymerizations of Vinylic Ethers	216
<b>37.2</b>	<b>Product Class 2: Epoxides (Oxiranes)</b>	
<b>37.2.1</b>	<b>Synthesis from Alkenes by Metal-Mediated Oxidation</b> H. Adolffson	
<b>37.2.1</b>	<b>Synthesis from Alkenes by Metal-Mediated Oxidation</b>	227
<b>37.2.1.1</b>	Synthesis Mediated by Group 4 Metals	228
<b>37.2.1.1.1</b>	Method 1: Titanium-Mediated Epoxidation with Alkyl Hydroperoxides	228
<b>37.2.1.1.1.1</b>	Variation 1: With Hydrogen Peroxide	229
<b>37.2.1.1.2</b>	Method 2: Titanium-Mediated Asymmetric Epoxidation with Alkyl Hydroperoxides	229
<b>37.2.1.1.2.1</b>	Variation 1: With Hydrogen Peroxide	234
<b>37.2.1.2</b>	Synthesis Mediated by Group 5 Metals	236
<b>37.2.1.2.1</b>	Method 1: Vanadium-Mediated Epoxidation with Alkyl Hydroperoxides	236
<b>37.2.1.2.1.1</b>	Variation 1: With Hydrogen Peroxide	238
<b>37.2.1.2.2</b>	Method 2: Vanadium-Mediated Asymmetric Epoxidation	238
<b>37.2.1.3</b>	Synthesis Mediated by Group 6 Metals	241
<b>37.2.1.3.1</b>	Method 1: Chromium-Mediated Epoxidation	241
<b>37.2.1.3.1.1</b>	Variation 1: Chromium-Mediated Asymmetric Epoxidation	241
<b>37.2.1.3.2</b>	Method 2: Molybdenum-Mediated Epoxidation with Alkyl Hydroperoxides	242
<b>37.2.1.3.2.1</b>	Variation 1: With Hydrogen Peroxide	242
<b>37.2.1.3.3</b>	Method 3: Molybdenum-Mediated Asymmetric Epoxidation	243
<b>37.2.1.3.4</b>	Method 4: Tungsten-Mediated Epoxidation with Hydrogen Peroxide	244
<b>37.2.1.4</b>	Synthesis Mediated by Group 7 Metals	248
<b>37.2.1.4.1</b>	Method 1: Manganese-Mediated Epoxidation with Hydrogen Peroxide	248
<b>37.2.1.4.2</b>	Method 2: Manganese-Mediated Asymmetric Epoxidation	251
<b>37.2.1.4.3</b>	Method 3: Rhenium-Mediated Epoxidation with Hydrogen Peroxide	256
<b>37.2.1.4.3.1</b>	Variation 1: With Other Oxidants	263
<b>37.2.1.5</b>	Synthesis Mediated by Group 8 Metals	264
<b>37.2.1.5.1</b>	Method 1: Iron-Mediated Epoxidation of Alkenes	264
<b>37.2.1.5.2</b>	Method 2: Ruthenium-Mediated Epoxidation	267
<b>37.2.1.6</b>	Synthesis Mediated by Late Transition Metals (Groups 9–11)	270
<b>37.2.1.6.1</b>	Method 1: Platinum-Mediated Asymmetric Epoxidation	271

<b>37.2.2</b>	<b>Synthesis from Alkenes with Organic Oxidants</b> D. Goeddel and Y. Shi	
<hr/>		
<b>37.2.2</b>	<b>Synthesis from Alkenes with Organic Oxidants</b> .....	277
<b>37.2.2.1</b>	Method 1: Synthesis Using Organic Peroxy-Containing Compounds .....	277
<b>37.2.2.1.1</b>	Variation 1: Using 3-Chloroperoxybenzoic Acid .....	278
<b>37.2.2.1.2</b>	Variation 2: Using Other Peracids .....	281
<b>37.2.2.1.3</b>	Variation 3: Using Peroxyimidic Acids .....	284
<b>37.2.2.1.4</b>	Variation 4: Using Peroxyisoureas .....	286
<b>37.2.2.1.5</b>	Variation 5: Using Peroxycarbonic Acids .....	286
<b>37.2.2.1.6</b>	Variation 6: Using Peroxycarbamic Acids .....	287
<b>37.2.2.1.7</b>	Variation 7: Using Perhydrates/ $\alpha$ -Hydroperoxy Compounds .....	288
<b>37.2.2.1.8</b>	Variation 8: Using Selenium-, Phosphorus-, or Sulfur-Containing Oxidants .....	290
<b>37.2.2.1.9</b>	Variation 9: Intermolecular Hydrogen Peroxide Activation .....	293
<b>37.2.2.2</b>	Method 2: Synthesis Using Oxaziridines and Oxaziridinium Salts .....	293
<b>37.2.2.2.1</b>	Variation 1: Using Oxaziridines .....	294
<b>37.2.2.2.2</b>	Variation 2: Using Oxaziridinium Salts .....	296
<b>37.2.2.3</b>	Method 3: Synthesis Using Dioxiranes .....	299
<b>37.2.2.3.1</b>	Variation 1: Using Dimethyldioxirane .....	300
<b>37.2.2.3.2</b>	Variation 2: Using 3-Methyl-3-(trifluoromethyl)dioxirane .....	303
<b>37.2.2.3.3</b>	Variation 3: Using Other Achiral Dioxiranes .....	305
<b>37.2.2.3.4</b>	Variation 4: Using Oxone and Non-Carbohydrate-Derived Chiral Ketones .....	306
<b>37.2.2.3.5</b>	Variation 5: Using Oxone or Hydrogen Peroxide and Fructose-Derived Chiral Ketones .....	308
<b>37.2.2.3.6</b>	Variation 6: Using Oxone and Oxazolidinone-Containing Chiral Ketones .....	312
<b>37.2.3</b>	<b>Synthesis by Carbonyl Epoxidation</b> V. K. Aggarwal, M. Crimmin, and S. Riches	
<hr/>		
<b>37.2.3</b>	<b>Synthesis by Carbonyl Epoxidation</b> .....	321
<b>37.2.3.1</b>	Method 1: Addition of an Arsonium Ylide .....	323
<b>37.2.3.1.1</b>	Variation 1: By Deprotonation of an Arsonium Salt .....	324
<b>37.2.3.1.2</b>	Variation 2: Ylide Generation by Addition of an Arsine to a Metal Carbenoid .....	326
<b>37.2.3.1.3</b>	Variation 3: Ylide Generation by Transylidation of a Phosphonium Ylide .....	327
<b>37.2.3.2</b>	Method 2: Addition of a Bismuthonium Ylide .....	328
<b>37.2.3.3</b>	Method 3: Addition of a Sulfonium or Sulfoxonium Ylide .....	329
<b>37.2.3.3.1</b>	Variation 1: By Reaction of an Ylide Generated by Deprotonation of a Sulfonium Salt .....	331
<b>37.2.3.3.2</b>	Variation 2: Ylide Generation by Desilylation of a Sulfonium Salt .....	347

37.2.3.3.3	Variation 3:	Ylide Generation by Decarboxylation of a Sulfonium Salt .....	347
37.2.3.3.4	Variation 4:	By Reaction of an Ylide Generated from a Metal Carbenoid and a Sulfide .....	348
37.2.3.3.5	Variation 5:	By Reaction of an Ylide Generated by Addition of a Nucleophile to a Vinylsulfonium Salt .....	353
37.2.3.3.6	Variation 6:	Ylide Generation by Electrochemical Reduction of a Sulfonium Salt .....	355
37.2.3.4	Method 4:	Addition of a Selenonium Ylide .....	356
37.2.3.4.1	Variation 1:	Using Selenonium Ylides Generated by Deprotonation .....	356
37.2.3.4.2	Variation 2:	Using Selenonium Ylides Generated by Addition to (Arylethynyl)diphenylselenonium Trifluoromethanesulfonate .....	357
37.2.3.4.3	Variation 3:	Using Selenonium Ylides Generated by Conjugate Addition to Vinylselenonium Salts .....	358
37.2.3.5	Method 5:	Addition of a Telluronium Ylide .....	359
37.2.3.6	Method 6:	Addition of an Ammonium Ylide .....	363
37.2.3.7	Method 7:	Addition of Heteroatom-Substituted Anions .....	365
37.2.3.7.1	Variation 1:	Addition of an $\alpha$ -Alkoxyallyl Anion .....	365
37.2.3.7.2	Variation 2:	Addition of an $\alpha$ -Sulfanylmethyl Anion .....	367
37.2.3.7.3	Variation 3:	Addition of an $\alpha$ -Sulfimidoylmethyl Anion .....	368
37.2.3.7.4	Variation 4:	Addition of an $\alpha$ -Sulfoximidoylmethyl Anion .....	370
37.2.3.7.5	Variation 5:	Addition of an $\alpha$ -Selanylmethyl Anion .....	372
37.2.3.7.6	Variation 6:	Addition of an $\alpha$ -Selenonylalkyl Anion .....	372
37.2.3.7.7	Variation 7:	Addition an $\alpha$ -Halo Anion .....	373
37.2.3.8	Method 8:	Addition of a Diazo Compound .....	396
37.2.3.8.1	Variation 1:	Transition-Metal-Catalyzed Addition of Diazo Compounds .....	398
37.2.4	<b>Synthesis by Ring Closure</b> A. K. Yudin and A. Caiazza		
37.2.4	<b>Synthesis by Ring Closure</b> .....		407
37.2.4.1	Synthesis from Vicinal Halohydrins .....		409
37.2.4.1.1	Method 1:	Synthesis Using Carbonates as Base .....	410
37.2.4.1.2	Method 2:	Synthesis Using Hydroxides as Base .....	410
37.2.4.1.3	Method 3:	Synthesis Using Alkoxides as Base .....	411
37.2.4.1.4	Method 4:	Synthesis Using Silver(I) Oxide as Base .....	411
37.2.4.2	Synthesis from Vicinal Diols .....		412
37.2.4.2.1	Method 1:	The Sharpless Procedure .....	412
37.2.4.2.2	Method 2:	The Mitsunobu Procedure .....	414
37.2.4.2.2.1	Variation 1:	The Abushanab Modification .....	415
37.2.4.2.3	Method 3:	In Situ Sulfonylation of a Hydroxy Group .....	416
37.2.4.2.3.1	Variation 1:	Using <i>N</i> -Tosylimidazole .....	416
37.2.4.2.3.2	Variation 2:	Using Silver(I) Oxide .....	417
37.2.4.2.3.3	Variation 3:	Using 4-(Dimethylamino)pyridine .....	418

37.2.4.2.4	Method 4: Dehydration with <i>N</i> -(Dimethoxymethyl)- <i>N,N</i> -dimethylamine .....	418
37.2.4.3	Synthesis from Vicinal Hydroxy Sulfonates .....	419
37.2.4.3.1	Method 1: Synthesis Using Carbonates as Base .....	420
37.2.4.3.2	Method 2: Synthesis Using Hydroxides as Base .....	421
37.2.4.3.2.1	Variation 1: Preparation of Volatile Epoxides .....	422
37.2.4.3.3	Method 3: Synthesis Using Alkoxides as Base .....	422
37.2.4.3.4	Method 4: Synthesis Using Hydrides as Base .....	423
37.2.4.3.5	Method 5: Synthesis Using Disilazanides as Base .....	423
37.2.4.3.6	Method 6: Synthesis Using Tertiary Amines as Base .....	424
37.2.4.4	Synthesis from Vicinal Siloxy Sulfonates .....	424
37.2.4.4.1	Method 1: Synthesis Using Tetrabutylammonium Fluoride .....	425
37.2.4.5	Synthesis from Vicinal Acyloxy Sulfonates .....	426
37.2.4.5.1	Method 1: Synthesis Using Base .....	426
37.2.4.6	Synthesis from Vicinal Hydroxy Sulfides and Selenides .....	427
37.2.4.6.1	Method 1: Ring Closure by Chalcogen Alkylation .....	427
<b>37.3</b>	<b>Product Class 3: Oxetanes and Oxetan-3-ones</b> A. G. Griesbeck and T. Sokolova	
<b>37.3</b>	<b>Product Class 3: Oxetanes and Oxetan-3-ones</b> .....	433
<b>37.3.1</b>	<b>Product Subclass 1: Oxetanes</b> .....	434
<b>37.3.1.1</b>	Synthesis of Product Subclass 1 .....	434
<b>37.3.1.1.1</b>	Method 1: Synthesis from 3-Halopropanols (The Williamson Synthesis) .....	434
<b>37.3.1.1.2</b>	Method 2: Synthesis from 1,3-Diols .....	436
<b>37.3.1.1.2.1</b>	Variation 1: Regioselective Activation and Cyclization .....	437
<b>37.3.1.1.2.2</b>	Variation 2: Mitsunobu Reaction .....	439
<b>37.3.1.1.2.3</b>	Variation 3: Proton-Catalyzed Ring Closure .....	441
<b>37.3.1.1.3</b>	Method 3: Synthesis from 3-Amino Alcohols .....	441
<b>37.3.1.1.4</b>	Method 4: Synthesis from Functionalized Enolates .....	442
<b>37.3.1.1.5</b>	Method 5: Synthesis from Allylic Alcohols .....	442
<b>37.3.1.1.6</b>	Method 6: Synthesis from Homoallylic Alcohols .....	443
<b>37.3.1.1.6.1</b>	Variation 1: Induced by Iodine Reagents .....	443
<b>37.3.1.1.6.2</b>	Variation 2: Induced by <i>N</i> -(Phenylselanyl)phthalimide .....	444
<b>37.3.1.1.6.3</b>	Variation 3: Induced by Bis(collidine)bromonium .....	445
<b>37.3.1.1.7</b>	Method 7: Synthesis by Thermal [2 + 2] Cycloaddition .....	446
<b>37.3.1.1.7.1</b>	Variation 1: Metal-Promoted Reaction of Allylsilanes .....	446
<b>37.3.1.1.7.2</b>	Variation 2: Reaction of Ketene Acetals .....	447
<b>37.3.1.1.7.3</b>	Variation 3: Reaction of Fluoroalkenes .....	447
<b>37.3.1.1.7.4</b>	Variation 4: Reaction of Fluorinated Carbonyl Compounds .....	448
<b>37.3.1.1.8</b>	Method 8: Synthesis by Photochemical [2 + 2] Cycloaddition .....	448
<b>37.3.1.1.8.1</b>	Variation 1: Reaction of Aldehydes .....	448

37.3.1.1.8.2	Variation 2: Reaction of Ketones and $\alpha$ -Oxo Esters	450
37.3.1.1.8.3	Variation 3: Reaction of Carboxylic Acid Derivatives and Quinones	455
37.3.1.1.8.4	Variation 4: Intramolecular Reaction	456
37.3.1.1.9	Method 9: Synthesis by Ring Contraction	458
37.3.1.1.9.1	Variation 1: Reaction of Cyclic Acetals	459
37.3.1.1.9.2	Variation 2: Reaction of Lactones	459
37.3.1.1.10	Method 10: Synthesis by Ring Expansion	460
37.3.1.1.10.1	Variation 1: Rearrangement of Oxiranylalkyl Ethers	460
37.3.1.1.10.2	Variation 2: Rearrangement of (Hydroxyethyl)oxiranes	461
37.3.1.1.10.3	Variation 3: Insertion of Methylene into Oxiranes	462
37.3.1.1.11	Method 11: Synthesis by Modification of Oxetanes at the Ring	465
37.3.1.1.12	Method 12: Synthesis by Modification of Oxetanes at the Periphery	465
37.3.1.2	Applications of Product Subclass 1 in Organic Synthesis	466
37.3.1.2.1	Method 1: Ring Opening of Oxetanes	466
37.3.2	<b>Product Subclass 2: Oxetan-3-ones</b>	466
37.3.2.1	Synthesis of Product Subclass 2	466
37.3.2.1.1	Method 1: Synthesis from $\alpha$ -Diazo Ketones	466
37.4	<b>Product Class 4: Five-Membered and Larger-Ring Oxacycloalk-3-enes</b>	
37.4.1	<b>Synthesis by Ring-Closure Reactions, Except Ring-Closing Metathesis</b> K. Ding and Z. Wang	
37.4.1	<b>Synthesis by Ring-Closure Reactions, Except Ring-Closing Metathesis</b>	473
37.4.1.1	2,5-Dihydrofurans	473
37.4.1.1.1	Method 1: Cyclization of 2,3-Allenols with Various Electrophiles as Catalysts	473
37.4.1.1.1.1	Variation 1: Silver(I)-Catalyzed Ring Closure of 2,3-Allenols	473
37.4.1.1.1.2	Variation 2: Silver(I)-Catalyzed Rearrangement–Cyclization of 4-Hydroxypropargyl Esters	476
37.4.1.1.1.3	Variation 3: Intramolecular Cyclization of 2,3-Allenols Using Gold(III) Chloride as Catalyst	477
37.4.1.1.1.4	Variation 4: Rearrangement of Butynediol Monobenzoates Catalyzed by Gold(I)	477
37.4.1.1.1.5	Variation 5: Cyclization of Allenic Hydroxy Esters by Treatment with Hydrogen Chloride in Chloroform	479
37.4.1.1.1.6	Variation 6: Synthesis of 3-Allyl-2,5-dihydrofurans by Palladium(II) Chloride Catalyzed Coupling–Cyclization Reaction of 2,3-Allenols with Allylic Halides	479
37.4.1.1.1.7	Variation 7: Cyclization of $\alpha$ -Allenic Alcohols Using Benzeneselenenyl Chloride as Electrophile	481
37.4.1.1.1.8	Variation 8: Cyclization of 2-(Phenylsulfanyl)buta-2,3-dien-1-ol Derivatives Using Various Electrophiles	482

37.4.1.1.2	Method 2:	Dehydrative Cyclization of ( <i>Z</i> )-Alk-2-ene-1,4-diols	483
37.4.1.1.3	Method 3:	[3 + 2]-Cycloaddition Reactions of Carbonyl Ylides to Alkynes	486
37.4.1.1.4	Method 4:	Synthesis of 3-(Alkoxyethyl)-2,5-Dihydrofurans via Alkylidenecarbene Insertion Reactions	487
37.4.1.1.5	Method 5:	Triphenylphosphine-Induced Ring Contraction of 3,6-Dihydro-1,2-dioxins	488
37.4.1.1.6	Method 6:	Synthesis from $\alpha$ -Hydroxy Ketones and Triphenyl(vinyl)phosphonium Salts	489
37.4.1.1.7	Method 7:	Palladium-Catalyzed Reaction of Cyclic Alkynyl Carbonates with Electron-Deficient Alkenes	491
37.4.1.2		3,6-Dihydro-2 <i>H</i> -pyrans	491
37.4.1.2.1	Method 1:	Lewis Acid Mediated Prins-Type Reactions	491
37.4.1.2.1.1	Variation 1:	Indium(III) Chloride Mediated Tandem Carbonyl Allylation–Prins Cyclization of Tributyl[3-(trimethylsilyl)allyl]-stannane with Aldehydes	493
37.4.1.2.1.2	Variation 2:	The Silyl-Prins Reaction	493
37.4.1.2.1.3	Variation 3:	Synthesis of 2-Alkyl-4-halo-3,6-dihydro-2 <i>H</i> -pyrans by Iron(III) Halide Catalyzed Prins-Type Cyclization of Homopropargylic Alcohols and Aldehydes	495
37.4.1.2.1.4	Variation 4:	Synthesis of Tetra- and Pentasubstituted 4-Halo-3,6-dihydro-2 <i>H</i> -pyrans by Iron(III) Halide Catalyzed Prins Cyclization of Silylated Homopropargylic Alcohols and Aldehydes	496
37.4.1.2.2	Method 2:	Acetal-Initiated Cyclizations of Vinylsilanes	497
37.4.1.2.2.1	Variation 1:	Vinylsilane-Terminated Cyclizations of Ester-Substituted Oxycarbenium Ion Intermediates	498
37.4.1.2.3	Method 3:	Synthesis of Polysubstituted Dihydropyrans via Trimethylsilyl Trifluoromethanesulfonate Mediated Condensation of ( <i>Z</i> )-Trimethyl[4-(trimethylsilyl)but-3-enyloxy]silanes with Aldehydes or Acetals	499
37.4.1.2.4	Method 4:	Synthesis of 4-Halo-3,6-dihydro-2 <i>H</i> -pyrans via Lewis Acid Promoted Cyclization of Acetals of Homopropargylic Alcohols	500
37.4.1.2.5	Method 5:	Stereoselective Synthesis of 3,6-Dihydro-2 <i>H</i> -pyrans by [4 + 2] Annulation between Allylsilanes and Aldehydes	501
37.4.1.2.5.1	Variation 1:	Lewis Acid Promoted [4 + 2] Annulation between Allylsilanes and Aldehydes	503
37.4.1.2.6	Method 6:	Lewis Acid Catalyzed Cyclization of 3,4-Allenols	504
37.4.1.2.6.1	Variation 1:	Synthesis of 5-Allyl-3,6-dihydro-2 <i>H</i> -pyrans via the Palladium-Catalyzed Cyclizative Coupling Reaction of 3,4-Allenols with Allyl Bromide	504
37.4.1.2.7	Method 7:	Enantioselective Synthesis of Sulfinyl Dihydropyrans by Base-Promoted Intramolecular Cyclization of 2-Sulfinyl Dienols	505

37.4.1.2.8	Method 8: Synthesis of Aryldihydropyrans by Phenylselenyletherification–Oxidation	506
37.4.1.3	Larger-Ring Oxacycloalk-3-enes	507
37.4.1.3.1	Method 1: Synthesis of Seven-Membered Oxacycloalk-3-enes	507
37.4.1.3.2	Method 2: Palladium Catalyzed Intramolecular Allylic Alkylation Cyclizations to Eight-, Nine-, and Ten-Membered Oxacycloalk-3-enes	508
37.4.1.4	1,3-Dihydroisobenzofurans	510
37.4.1.4.1	Method 1: Intramolecular Cyclization of 1,2-Bis(halomethyl)benzenes or 1,2-Phenylenedimethanol	510
37.4.1.4.2	Method 2: Transition Metal Complex Catalyzed [2 + 2 + 2] Cyclotrimerization of Alkynes	511
37.4.1.4.2.1	Variation 1: Construction of Tricyclic Fused Benzo-3-oxacycles via Intramolecular [2 + 2 + 2] Cyclotrimerization of Triynes	512
37.4.1.4.3	Method 3: Intramolecular Cyclization of Grignard Reagents Derived from 2-(Chloromethyl)-1-iodobenzenes	513
37.4.1.5	3,4-Dihydro-1 <i>H</i> -2-benzopyrans	514
37.4.1.5.1	Method 1: Synthesis by Acid-Promoted Ring Closure of 1-Substituted 2-(Hydroxymethyl)phenylethanols	514
37.4.1.5.2	Method 2: Thermal Cyclization of Methiodides of 2-[2-(Aminomethyl)phenyl]ethanols to 3,4-Dihydro-1 <i>H</i> -2-benzopyrans	515
37.4.1.5.3	Method 3: Chloromethylation of 2-Phenylethanols Followed by Cyclization	516
37.4.1.5.4	Method 4: Synthesis of 3,4-Dihydro-1 <i>H</i> -2-benzopyrans via Lewis Acid Promoted Cyclization of Acetals of 2-Phenylethanols	517
37.4.1.6	7-Oxabicyclo[2.2.1]hept-2-enes	518
37.4.1.6.1	Method 1: Diels–Alder Cycloaddition of Furan with Highly Reactive Alkene Dienophiles	518
37.4.1.6.1.1	Variation 1: Furan–Maleic Anhydride and Furan–Maleimide Cycloadditions	518
37.4.1.6.1.2	Variation 2: Furan–Phenyl Ethenesulfonate Cycloadditions	520
37.4.1.6.2	Method 2: High-Pressure Diels–Alder Cyclizations of Furans and Activated Alkenes	521
37.4.1.6.3	Method 3: Lewis Acid Mediated Diels–Alder Cyclizations of Furans and Monoactivated Alkenes	523
37.4.2	<b>Synthesis by Ring-Closing Metathesis</b> S. W. Roberts and J. D. Rainier	
37.4.2	<b>Synthesis by Ring-Closing Metathesis</b>	531
37.4.2.1	Enantioselective Desymmetrization	531
37.4.2.1.1	Method 1: Formation of Five-Membered Rings Using Molybdenum Catalysts	534

37.4.2.1.1.1	Variation 1:	Under Solvent-Free Conditions	535
37.4.2.1.2	Method 2:	Formation of Six-Membered Rings Using Molybdenum Catalysts	535
37.4.2.1.3	Method 3:	Formation of Five- and Six-Membered Oxacycloalk-3-enes Using Ruthenium Catalysts	536
37.4.2.2		Tandem Catalytic Ring-Closing Metathesis	539
37.4.2.2.1	Method 1:	Asymmetric Ring-Opening Metathesis/Ring-Closing Metathesis	539
37.4.2.2.1.1	Variation 1:	Synthesis of Cyclic Tertiary Ethers and Spirocycles	540
37.4.2.2.2	Method 2:	Use of Nonchiral Ruthenium and Molybdenum Catalysts	544
37.4.2.3		Alkylation/Acetal/Aldol Ring-Closing Metathesis Strategy	548
37.4.2.3.1	Method 1:	Ring-Closing Metathesis of Allylic Ethers	548
37.4.2.3.2	Method 2:	Ring-Closing Metathesis of Allylic Acetals	549
37.4.2.3.3	Method 3:	Asymmetric Enolate Alkylation/Ring-Closing Metathesis Strategy	550
37.4.2.4		In Situ Prepared Reduced Titanium Ethylidenes for the Synthesis of Six- to Eight-Membered Rings	551
37.4.2.4.1	Method 1:	Ring-Closing Metathesis of Allylic Ethers	551
37.4.3		<b>Synthesis from Other Cyclic Ethers</b> K. Iyer and J. D. Rainier	
37.4.3		<b>Synthesis from Other Cyclic Ethers</b>	555
37.4.3.1		Synthesis by Ferrier Reaction of Oxacycloalk-2-enes	555
37.4.3.1.1	Method 1:	Synthesis Using Arylzinc Reagents	555
37.4.3.1.2	Method 2:	Synthesis Using Alkylzinc Reagents	556
37.4.3.1.3	Method 3:	Synthesis Using Alkylolithium Reagents	557
37.4.3.1.4	Method 4:	Synthesis Using Arylboron Reagents	558
37.4.3.1.5	Method 5:	Lewis Acid Catalyzed Coupling of Allylsilanes and Allylstannanes	559
37.4.3.1.6	Method 6:	Lewis Acid Catalyzed Coupling of Propargylsilanes	561
37.4.3.1.7	Method 7:	Lewis Acid Catalyzed Coupling of But-2-yne-1,4-diylsilanes	562
37.4.3.1.8	Method 8:	Lewis Acid Catalyzed Coupling of Trimethylsilyl Cyanide and Allylic Acetates	563
37.4.3.2		Synthesis of Oxacycloalk-3-enes by Sigmatropic Rearrangement	564
37.4.3.2.1	Method 1:	Tandem Tebbe–Claisen Rearrangement	564
37.4.3.2.2	Method 2:	Claisen Rearrangement of Oxazoles	566
37.4.3.2.3	Method 3:	Claisen Rearrangement of 2,2-Dichlorovinyl Ethers	567
37.4.3.2.4	Method 4:	Claisen Rearrangement of Vinyl Ethers	568
37.4.3.2.5	Method 5:	Ireland–Claisen Rearrangement	569
37.4.3.3		Synthesis of Oxacycloalk-3-enes by Diels–Alder Reactions	570

---

37.4.3.3.1	Method 1: Electrocyclization/Diels–Alder Cycloaddition	570
37.4.3.4	Synthesis of Oxacycloalk-3-enes by Palladium-Mediated Reactions	574
37.4.3.4.1	Method 1: Heck-Type Coupling Reactions	574
37.4.3.4.1.1	Variation 1: Arenediazonium Coupling Reactions	574
37.4.3.4.1.2	Variation 2: Aryl Iodide Coupling Reactions	575
37.4.3.5	Synthesis of Oxacycloalk-3-enes by Elimination/Deoxygenation Reactions	576
37.4.3.5.1	Method 1: Hydrogen Chloride Elimination	576
37.4.3.5.2	Method 2: Selenoxide Elimination	577
37.4.3.5.3	Method 3: Diol Deoxygenation Using Sodium Naphthalenide	577
37.4.3.5.4	Method 4: Deoxygenation Using Zinc and Sodium Iodide	578
37.4.3.5.5	Method 5: Xanthate Deoxygenation	578
37.4.3.5.6	Method 6: Ortho Ester Pyrolysis	579
37.4.3.5.7	Method 7: Ketone Deoxygenations	579
37.5	<b>Product Class 5: Five-Membered and Larger-Ring Oxacycloalkanes</b> M. Inoue and S. Yamashita	
37.5	<b>Product Class 5: Five-Membered and Larger-Ring Oxacycloalkanes</b>	583
37.5.1	Synthesis of Product Class 5	584
37.5.1.1	Synthesis by Ring-Closure Reactions	584
37.5.1.1.1	Method 1: Formation of the C–O Bond	584
37.5.1.1.1.1	Variation 1: Substitution Reactions	584
37.5.1.1.1.2	Variation 2: Addition to Alkenes	589
37.5.1.1.2	Method 2: Formation of the C–C Bond at C2	596
37.5.1.1.2.1	Variation 1: Nucleophilic Addition of C2	596
37.5.1.1.2.2	Variation 2: Electrophilic Addition of C2	598
37.5.1.1.2.3	Variation 3: Radical Addition of C2	600
37.5.1.1.2.4	Variation 4: Radical Addition to C2	601
37.5.1.1.3	Method 3: Formation of the C–C Bond at Other Carbons	602
37.5.1.2	Synthesis from Cyclic Acetals and Derivatives	605
37.5.1.2.1	Method 1: Synthesis from Cyclic Acetals	605
37.5.1.2.1.1	Variation 1: Hydroxy Ketone or Hemiacetal Cyclization	605
37.5.1.2.1.2	Variation 2: Reduction of Acetals	608
37.5.1.2.1.3	Variation 3: Alkylation of Acetals	613
37.5.1.2.2	Method 2: Synthesis from Enol Ethers	617
37.5.1.2.2.1	Variation 1: Suzuki Coupling	617
37.5.1.2.2.2	Variations 2: Other Transformations from Enol Ethers	620
37.5.1.3	Synthesis from Other Cyclic Ethers	621
37.5.1.3.1	Method 1: Ring-Opening/Closing Metathesis	621
37.5.1.3.2	Method 2: Ring Expansion	622
37.5.1.3.3	Method 3: Functional-Group Transformation	624

<b>37.6</b>	<b>Product Class 6: Oxonium Salts</b> C. J. Forsyth and T. J. Murray	
<b>37.6</b>	<b>Product Class 6: Oxonium Salts</b> .....	631
<b>37.6.1</b>	Synthesis of Product Class 6 .....	631
<b>37.6.1.1</b>	Method 1: Synthesis by Nucleophilic Attack on a Mixed Trialkyloxonium Ion .....	631
<b>37.6.1.1.1</b>	Variation 1: Via 2-(Chloromethyl)oxirane .....	631
<b>37.6.1.1.2</b>	Variation 2: Via Triethyloxonium Tetrafluoroborate .....	632
<b>37.6.1.2</b>	Method 2: Synthesis by Nucleophilic Attack on Dimethoxycarbenium Tetrafluoroborate .....	633
<b>37.6.1.3</b>	Method 3: Synthesis by Nucleophilic Attack on Acyldialkyl Cations .....	633
<b>37.6.1.4</b>	Method 4: Synthesis by Nucleophilic Attack on Iodomethane .....	633
<b>37.6.1.5</b>	Method 5: Synthesis by Nucleophilic Attack on Diazomethane .....	633
<b>37.6.1.6</b>	Method 6: Synthesis by Salt Exchange .....	634
<b>37.6.2</b>	Applications of Product Class 6 in Organic Synthesis .....	634
<b>37.6.2.1</b>	Method 1: Carbon Alkylation .....	634
<b>37.6.2.2</b>	Method 2: Nitrogen Alkylation .....	634
<b>37.6.2.2.1</b>	Variation 1: Amine Alkylation .....	634
<b>37.6.2.2.2</b>	Variation 2: Amide Alkylation .....	635
<b>37.6.2.2.3</b>	Variation 3: Imine Alkylation .....	635
<b>37.6.2.2.4</b>	Variation 4: Nitrilium Ion Formation .....	636
<b>37.6.2.2.5</b>	Variation 5: Heterocyclic Aromatic N-Alkylation .....	636
<b>37.6.2.3</b>	Method 3: Oxygen Alkylation .....	636
<b>37.6.2.3.1</b>	Variation 1: Alcohol Alkylation .....	636
<b>37.6.2.3.2</b>	Variation 2: Ketone O-Alkylation .....	636
<b>37.6.2.3.3</b>	Variation 3: Carboxylic Acid Esterification .....	636
<b>37.6.2.3.4</b>	Variation 4: Lactone Functionalization .....	637
<b>37.6.2.3.5</b>	Variation 5: Amide Derivatization .....	637
<b>37.6.2.3.6</b>	Variation 6: O-Alkylation of Metal Complexes .....	638
<b>37.6.2.4</b>	Method 4: Sulfur Alkylation .....	638
<b>37.6.2.4.1</b>	Variation 1: Sulfide Reactions .....	639
<b>37.6.2.4.2</b>	Variation 2: Thioacetal Cleavage .....	639
<b>37.6.2.4.3</b>	Variation 3: Thiocarbonyl S-Alkylation .....	639
<b>37.6.2.5</b>	Method 5: Selenium Alkylation .....	639
<b>37.7</b>	<b>Product Class 7: Oligo- and Monosaccharide Ethers</b> I. Robina and P. Vogel	
<b>37.7</b>	<b>Product Class 7: Oligo- and Monosaccharide Ethers</b> .....	645
<b>37.7.1</b>	<b>Product Subclass 1: Anhydroalditols</b> .....	646
<b>37.7.1.1</b>	Synthesis of Product Subclass 1 .....	646
<b>37.7.1.1.1</b>	1,2-Anhydroalditols .....	646
<b>37.7.1.1.1.1</b>	1,2-Anhydrotetritols .....	646

37.7.1.1.1.1	Method 1: Epoxidation of Aldoses	646
37.7.1.1.1.2	Method 2: 1,3-Elimination of Sulfonic Esters	646
37.7.1.1.1.3	Method 3: Epoxidation of Alkenediols	649
37.7.1.1.2	1,2-Anhydropentitols	650
37.7.1.1.2.1	Method 1: Epoxidation of Allylic Alcohols	650
37.7.1.1.3	1,2-Anhydrohexitols	650
37.7.1.1.3.1	Method 1: 1,3-Elimination of Sulfonic Esters	650
37.7.1.1.3.2	Method 2: Corey's Epoxidation of Aldoses	651
37.7.1.1.2	1,3-Anhydroalditols	652
37.7.1.1.2.1	1,3-Anhydrohexitols	652
37.7.1.1.2.1.1	Method 1: 1,4-Elimination of Sulfonic Esters	652
37.7.1.1.3	1,4-Anhydroalditols	653
37.7.1.1.3.1	1,4-Anhydrotetritols	653
37.7.1.1.3.1.1	Method 1: Acid-Catalyzed Dehydration	653
37.7.1.1.3.1.2	Method 2: 1,5-Elimination of Sulfonic Esters	654
37.7.1.1.3.2	1,4-Anhydropentitols	655
37.7.1.1.3.2.1	Method 1: Acid-Catalyzed Dehydration	655
37.7.1.1.3.2.2	Method 2: Deamination of 1-Amino-1-deoxypentitols	656
37.7.1.1.3.2.3	Method 3: Anomeric Cationic Reduction	657
37.7.1.1.3.2.4	Method 4: Reduction of Furanosyl Bromides by Titanocene Borohydride	659
37.7.1.1.3.2.5	Method 5: Radical Reduction of Anomeric Thiobenzoates and Thiofuranosides	659
37.7.1.1.3.2.6	Method 6: Ring-Closing Metathesis of Diallyl Ethers and Subsequent Alkene Functionalization	659
37.7.1.1.3.2.7	Method 7: Electrochemically Promoted Anomeric Reduction	661
37.7.1.1.3.3	1,4-Anhydrohexitols	661
37.7.1.1.3.3.1	Method 1: Acid-Catalyzed Dehydration of Hexitols	661
37.7.1.1.3.3.2	Method 2: 1,5-Elimination of Sulfonic Esters	663
37.7.1.1.3.3.3	Method 3: Deamination of 1-Amino-1-deoxyhexitols	664
37.7.1.1.3.3.4	Method 4: Anomeric Reduction of Hexofuranose Derivatives	664
37.7.1.1.4	1,5-Anhydroalditols	665
37.7.1.1.4.1	1,5-Anhydropentitols	665
37.7.1.1.4.1.1	Method 1: Anomeric Cationic Reduction of Pentopyranosides	665
37.7.1.1.4.1.2	Method 2: Reduction of Pentopyranosyl Halides, Isothiocyanates, and Thiopyranosides	666
37.7.1.1.4.2	1,5-Anhydrohexitols	667
37.7.1.1.4.2.1	Method 1: 1,6-Elimination of Sulfonic Esters	667
37.7.1.1.4.2.2	Method 2: Anomeric Cationic Reduction	667
37.7.1.1.4.2.3	Method 3: Hydride Reduction of Hexopyranosyl Halides	668
37.7.1.1.4.2.4	Method 4: Radical Reduction of Hexopyranosyl Halides	669

---

37.7.1.1.4.2.5	Method 5:	Reduction of Hexopyranosyl Cyanides and Subsequent Deamination	669
37.7.1.1.4.2.6	Method 6:	Reduction of Anhydrohexoses	671
37.7.1.1.4.2.7	Method 7:	Dehydration of Hexonolactones and Subsequent Reduction	671
37.7.1.1.4.2.8	Method 8:	Hydride Addition to 1,2-Anhydropyranoses (Brigl's Anhydrides)	671
37.7.1.1.4.2.9	Method 9:	Additions to Glycals	672
37.7.1.1.4.2.10	Methods 10:	Miscellaneous Methods	673
37.7.1.1.5		1,6-Anhydrohexitols (Oxepanes)	673
37.7.1.1.5.1	Method 1:	Alkaline Hydrolysis of Dianhydrohexitols	673
37.7.1.1.5.2	Method 2:	Cyclopropanation of Glycals and Subsequent Ring Opening	674
37.7.1.1.5.3	Method 3:	Ring-Closing Metathesis of Dienes	674
37.7.1.1.6		2,3-Anhydroalditols	675
37.7.1.1.6.1		2,3-Anhydrotetritols	675
37.7.1.1.6.1.1	Method 1:	Epoxidation of But-2-ene-1,4-diols	675
37.7.1.1.6.1.2	Method 2:	1,3-Elimination from Halohydrins	676
37.7.1.1.6.2		2,3-Anhydropentitols	677
37.7.1.1.6.2.1	Method 1:	Katsuki–Sharpless Asymmetric Epoxidation	677
37.7.1.1.6.3		2,3-Anhydrohexitols	677
37.7.1.1.6.3.1	Method 1:	Katsuki–Sharpless Asymmetric Epoxidation	677
37.7.1.1.6.3.2	Method 2:	1,3-Elimination of Sulfonic Esters	678
37.7.1.1.7		2,5-Anhydroalditols	679
37.7.1.1.7.1		2,5-Anhydropentitols	679
37.7.1.1.7.1.1	Method 1:	Acid-Catalyzed Dehydration	679
37.7.1.1.7.1.2	Method 2:	Conversion of Pentoses into 2,5-Anhydropentoses	680
37.7.1.1.7.1.3	Method 3:	Rearrangement of Glycals	682
37.7.1.1.7.2		2,5-Anhydrohexitols	683
37.7.1.1.7.2.1	Method 1:	Acid-Catalyzed Dehydration	683
37.7.1.1.7.2.2	Method 2:	1,5-Elimination of Sulfonic Esters	684
37.7.1.1.7.2.3	Method 3:	Anomeric Cationic Reduction	684
37.7.1.1.7.2.4	Method 4:	Reduction of 2,5-Anhydrohexoses	684
37.7.1.1.7.2.5	Method 5:	Synthesis from Dianhydrohexitols	686
37.7.1.1.7.2.6	Method 6:	Cyclization of Enitols	688
37.7.1.1.7.2.7	Methods 7:	Miscellaneous Methods	688
37.7.1.1.8		3,4-Anhydrohexitols	688
37.7.1.1.8.1		Synthesis from Dianhydrohexitols	688
37.7.2		<b>Product Subclass 2: Dianhydroalditols</b>	689
37.7.2.1		Synthesis of Product Subclass 2	690
37.7.2.1.1		1,2:3,4-Dianhydrotetritols	690
37.7.2.1.1.1	Method 1:	Double 1,3-Elimination of Disulfonic Esters	690

37.7.2.1.1.2	Method 2: Sharpless Asymmetric Dihydroxylation	691
37.7.2.1.2	1,2:4,5-Dianhydropentitols	691
37.7.2.1.2.1	Method 1: Double 1,3-Elimination from 1,5-Dibromo-1,5-dideoxypentitols	691
37.7.2.1.2.2	Method 2: Epoxidation of Enepentitol Derivatives	692
37.7.2.1.3	1,2:5,6-Dianhydrohexitols	692
37.7.2.1.3.1	Method 1: Double 1,3-Elimination	692
37.7.2.1.3.2	Method 2: Double Katsuki–Sharpless Epoxidation	693
37.7.2.1.4	1,4:2,3-Dianhydroalditols	693
37.7.2.1.4.1	Method 1: 1,4:2,3-Dianhydrotetritols	693
37.7.2.1.4.2	Method 2: 1,4:2,3-Dianhydropentitols	693
37.7.2.1.4.3	Method 3: 1,4:2,3-Dianhydrohexitols	695
37.7.2.1.5	1,5:2,3-Dianhydrohexitols	695
37.7.3	<b>Product Subclass 3: C-Glycosides</b>	695
37.7.3.1	Synthesis of Product Subclass 3	701
37.7.3.1.1	Oxetan-3-ols	701
37.7.3.1.1.1	Method 1: [2 + 2] Cycloaddition	701
37.7.3.1.1.2	Method 2: Ring Contraction by 1,3-Elimination of Sulfonic Esters	702
37.7.3.1.2	C-Furanosides	703
37.7.3.1.2.1	C-Tetrofuranosides	703
37.7.3.1.2.1.1	Method 1: Synthesis of Aldonic Acid Derivatives	703
37.7.3.1.2.1.2	Method 2: Nucleophilic Additions to Aldoses	704
37.7.3.1.2.1.3	Method 3: Derivation of 2,5-Anhydropentoses	706
37.7.3.1.2.1.4	Method 4: Nucleophilic Displacement of 1-Iodo-1-deoxyalditol Derivatives	708
37.7.3.1.2.1.5	Method 5: Total Asymmetric Synthesis	709
37.7.3.1.2.2	C-Pentofuranosides and C-Nucleosides	712
37.7.3.1.2.2.1	Method 1: Synthesis via Ribofuranosylacetylenes	712
37.7.3.1.2.2.2	Method 2: Synthesis from Pentose Derivatives	715
37.7.3.1.2.2.3	Method 3: Addition to 1,3:2,5-Dianhydrohexitol Derivatives	716
37.7.3.1.2.2.4	Method 4: Pentofuranosyl Cyanides	717
37.7.3.1.2.2.5	Method 5: Addition of Thiazole to $\gamma$ -Pentonolactones	719
37.7.3.1.2.2.6	Method 6: Alkenation of Aldose Derivatives	720
37.7.3.1.2.2.7	Method 7: Radical C-Glycosidation: Synthesis of Showdomycin	723
37.7.3.1.2.2.8	Method 8: 1,2-Wittig Rearrangement	725
37.7.3.1.2.2.9	Method 9: Cationic C-Glycosidation with Pentofuranosyl Derivatives	726
37.7.3.1.2.2.10	Method 10: Total Asymmetric Syntheses Starting from Furan	729
37.7.3.1.2.2.11	Method 11: The “Naked Sugars” as Chirons	730
37.7.3.1.2.2.12	Method 12: Total Syntheses via [4 + 3] Cycloadditions of Furan	737
37.7.3.1.2.3	Aryl C-Pentafuranosides	741
37.7.3.1.2.3.1	Method 1: Aryllithium Addition to $\gamma$ -Pentonolactone Derivatives	741
37.7.3.1.2.3.2	Method 2: Glycallithium Addition to Benzoquinones	744

---

37.7.3.1.2.3.3	Method 3:	Electrophilic Glycosidation of Arene and Heteroarene Derivatives	745
37.7.3.1.2.3.4	Method 4:	Palladium-Catalyzed C–C Couplings	746
37.7.3.1.2.3.5	Method 5:	[2 + 2 + 2] Cycloaddition of Acetylene C-Glycosides	748
37.7.3.1.2.4		Homo-C-nucleosides and Analogues	749
37.7.3.1.2.4.1	Method 1:	Synthesis from 3,6-Anhydroheptonic Derivatives	749
37.7.3.1.2.4.2	Method 2:	Pentofuranose Alkenation	750
37.7.3.1.2.4.3	Method 3:	Alkylation of Silyl Enol Ethers with Epoxides	751
37.7.3.1.3		C-Pyranosides	752
37.7.3.1.3.1		Electrophilic C-Glycosylation	752
37.7.3.1.3.1.1	Method 1:	Synthesis from Unprotected or Semiprotected Pyranoses	754
37.7.3.1.3.1.2	Method 2:	C-Glycosylation Using Activated Pyranosyl Cation Precursors	755
37.7.3.1.3.1.3	Method 3:	C-Glycosylation Using Pyranosyl Halides	758
37.7.3.1.3.1.4	Method 4:	C-Glycosylation Using Methyl Pyranosides	760
37.7.3.1.3.1.5	Method 5:	Fries-Like Rearrangements	761
37.7.3.1.3.1.6	Method 6:	Glycal Derivatives as Electrophiles: Ferrier Rearrangement	764
37.7.3.1.3.1.7	Method 7:	C-Glycosylation Using 2-Nitroglycal Derivatives	769
37.7.3.1.3.1.8	Method 8:	Nucleophilic Addition to Oxoglucal Derivatives	770
37.7.3.1.3.1.9	Method 9:	C-Glycosylation Using Glycal Epoxides (Brigl's Anhydrides)	771
37.7.3.1.3.1.10	Method 10:	C-Glycosylation Using Glycal-Derived Sulfonium Ions	773
37.7.3.1.3.1.11	Method 11:	Organometallic Additions to Aldonolactones	775
37.7.3.1.3.2		Nucleophilic C-Glycosylation	780
37.7.3.1.3.2.1	Method 1:	C-Glycosylation Using Pyranosyllithium Reagents	780
37.7.3.1.3.2.2	Method 2:	C-Glycosylation Using Pyranosylsamarium Diiodides	785
37.7.3.1.3.2.3	Method 3:	C-Glycosylation Using Anomeric Glycalmetals	790
37.7.3.1.3.2.4	Method 4:	Palladium(0)-Catalyzed C–C Coupling Reactions with Glycal Derivatives	792
37.7.3.1.3.2.5	Method 5:	C-Disaccharides through Carbonylative Stille Cross Coupling	793
37.7.3.1.3.2.6	Method 6:	C-Glycosylation Using Sugar-Derived Phosphoranes	796
37.7.3.1.3.3		C-Glycosides via the Ramberg–Bäcklund Reaction	797
37.7.3.1.3.4		Radical C-Glycosidation	800
37.7.3.1.3.4.1	Method 1:	Intermolecular Radical C-Glycosidation	800
37.7.3.1.3.4.2	Method 2:	Intramolecular Radical C-Glycosidation	807
37.7.3.1.3.5		C-Glycosylation Using Glycosylidene Carbene Intermediates and Analogues	809
37.7.3.1.3.6		Sigmatropic Rearrangements of Sugar Derivatives	811
37.7.3.1.3.6.1	Method 1:	Eschenmoser–Claisen Rearrangement	811
37.7.3.1.3.6.2	Method 2:	Ireland–Claisen Rearrangement	813
37.7.3.1.3.6.3	Method 3:	The Tandem Tebbe/Claisen Approach	815

37.7.3.1.3.6.4	Method 4: Butyllithium-Induced Rearrangement of Allyl 2,2-Dichlorovinyl Ethers	817
37.7.3.1.3.7	Alkene Metathesis Routes	818
37.7.3.1.3.8	De Novo Synthesis of C-Pyranosides	820
37.7.3.1.3.8.1	Method 1: Hetero-Diels–Alder Cycloadditions	820
37.7.3.1.3.8.2	Method 2: [4 + 3] Cycloadditions of Furans	822
37.7.3.1.3.8.3	Method 3: Ring-Closing Alkene Metathesis	826
37.7.3.1.4	C-Disaccharides	827
<b>37.8</b>	<b>Product Class 8: Ethers as Protecting Groups</b> S. Petursson	
<b>37.8</b>	<b>Product Class 8: Ethers as Protecting Groups</b>	847
<b>37.8.1</b>	<b>Product Subclass 1: Methyl Ethers</b>	849
<b>37.8.1.1</b>	Synthesis of Methyl Ethers	850
37.8.1.1.1	Method 1: Synthesis Using Sodium Hydroxide, Dimethyl Sulfate, and Tetrabutylammonium Iodide	850
37.8.1.1.2	Method 2: Synthesis Using Silver(I) Oxide and Iodomethane	851
37.8.1.1.3	Method 3: Synthesis Using a Metal Hydride and a Methylating Agent	852
37.8.1.1.4	Method 4: Synthesis Using a Thallium Alkoxide and Iodomethane	853
37.8.1.1.5	Method 5: Synthesis Using Diazomethane	854
<b>37.8.1.2</b>	Deprotection of Methyl Ethers	855
37.8.1.2.1	Method 1: Reaction with Saturated Sodium Iodide, Boron Tribromide, and 15-Crown-5	855
37.8.1.2.2	Method 2: Reaction with Aluminum Trichloride and Tetrabutylammonium Iodide	857
<b>37.8.2</b>	<b>Product Subclass 2: Benzyl Ethers</b>	858
<b>37.8.2.1</b>	Synthesis of Benzyl Ethers	858
37.8.2.1.1	Method 1: Synthesis Using Powdered Potassium Hydroxide in Neat Benzyl Chloride at High Temperature	858
37.8.2.1.2	Method 2: Room-Temperature Benzylation	859
37.8.2.1.2.1	Variation 1: Using Benzyl Halides and Aqueous Potassium Hydroxide Under Phase-Transfer Conditions	859
37.8.2.1.2.2	Variation 2: Using Sodium Hydride and Benzyl Halides with Catalytic Amounts of a Tetraalkylammonium Iodide	860
37.8.2.1.2.3	Variation 3: Using Benzyl Halides and Silver(I) Oxide	860
37.8.2.1.3	Method 3: Synthesis Using Tin Compounds	861
37.8.2.1.3.1	Variation 1: Using Bis(tributyltin) Oxide	862
37.8.2.1.3.2	Variation 2: Using Dibutyltin Oxide	863
37.8.2.1.4	Method 4: Selective Reaction of Primary Alcohols Using a Bis(acetylacetonato)copper(II) Catalyst	864
<b>37.8.2.2</b>	Deprotection of Benzyl Ethers	865

---

37.8.2.2.1	Method 1: Hydrogenolysis with Palladium	865
37.8.2.2.2	Method 2: Selective Hydrogenolysis with Raney Nickel	867
37.8.2.2.3	Method 3: Dissolved-Metal Reduction	868
37.8.2.2.4	Methods 4: Other Methods	869
37.8.3	<b>Product Subclass 3: 4-Methoxybenzyl Ethers</b>	869
37.8.3.1	Synthesis of 4-Methoxybenzyl Ethers	869
37.8.3.1.1	Method 1: Synthesis Using 4-Methoxybenzyl Chloride and Sodium Hydride	869
37.8.3.1.2	Method 2: Synthesis Using 4-Methoxybenzyl Trichloroacetimidate	870
37.8.3.1.3	Method 3: Synthesis Using Dibutyltin Oxide	870
37.8.3.2	Deprotection of 4-Methoxybenzyl Ethers	871
37.8.3.2.1	Method 1: Reaction with 2,3-Dichloro-5,6-dicyanobenzo-1,4-quinone	871
37.8.4	<b>Product Subclass 4: Allyl Ethers</b>	872
37.8.4.1	Synthesis of Allyl Ethers	872
37.8.4.1.1	Method 1: Synthesis Using Allyl Bromide and Sodium Hydride	873
37.8.4.1.2	Method 2: Synthesis Using Allyl Bromide and Potassium Carbonate	873
37.8.4.1.3	Method 3: Synthesis Using Allyl Bromide, Dibutyltin Oxide, and Tetrabutylammonium Iodide	874
37.8.4.2	Deprotection of Allyl Ethers	874
37.8.4.2.1	Method 1: Isomerization–Acidic Hydrolysis	875
37.8.4.2.2	Method 2: Reaction with Palladium on Charcoal	875
37.8.5	<b>Product Subclass 5: Diarylmethyl Ethers</b>	876
37.8.5.1	Synthesis of Diarylmethyl Ethers	876
37.8.5.1.1	Method 1: Acid-Catalyzed Reaction with Phosphates	877
37.8.5.1.2	Method 2: Acid-Catalyzed Dehydration	878
37.8.5.1.3	Method 3: Reaction with Diazo(diphenyl)methane under Reflux	879
37.8.5.1.4	Method 4: Reaction with Diazo(diphenyl)methane and Tin(II) Chloride (the Petrusson Monodiarylmethylation of Vicinal Diols)	880
37.8.5.2	Deprotection of Diarylmethyl Ethers	882
37.8.5.2.1	Method 1: Hydrogenolysis Using a Palladium Catalyst	882
37.8.5.2.2	Method 2: Electrolytic Reduction	883
37.8.5.2.3	Method 3: Simultaneous Deprotection of a Diphenylmethyl Ester and Ether in the Presence of an <i>N</i> -Benzyloxycarbonyl Group	883
37.8.6	<b>Product Subclass 6: Triarylmethyl Ethers</b>	883
37.8.6.1	Synthesis of Triarylmethyl Ethers	883
37.8.6.1.1	Method 1: Reaction with Trityl Chloride and 4-(Dimethylamino)pyridine	884
37.8.6.1.2	Method 2: Reaction with Trityl Chloride and 1,8-Diazabicyclo[5.4.0]undec-7-ene	885

---

<b>37.8.6.1.3</b>	Method 3: Reaction of Trityl Chloride with 2,4,6-Collidine and Tetrabutylammonium Perchlorate .....	885
<b>37.8.6.2</b>	Deprotection of Triarylmethyl Ethers .....	886
<b>37.8.6.2.1</b>	Method 1: Reaction with Formic Acid in Diethyl Ether .....	887
<b>37.8.6.2.2</b>	Method 2: Methanolysis Promoted by Resin-Supported 4-Toluenesulfonic Acid .....	888
<b>37.8.6.2.3</b>	Method 3: Reaction with Carbon Tetrabromide under Reflux .....	889
	<b>Keyword Index</b> .....	893
	<b>Author Index</b> .....	943
	<b>Abbreviations</b> .....	987