
**Volume 20b:
Three Carbon–Heteroatom Bonds:
Esters and Lactones; Peroxy Acids and R(CO)OX
Compounds; R(CO)X, X = S, Se, Te**

	Preface	V
	Volume Editor's Preface	VII
	Table of Contents	XI
20.5	Product Class 5: Carboxylic Acid Esters	
20.5.1	Product Subclass 1: Alkyl Alkanoates	
	M. Yus, C. Nájera, and R. Chinchilla	643
20.5.1.1	Synthesis from Carbonic Acid Derivatives	
	S. J. Collier	665
20.5.1.2	Synthesis from Carboxylic Acids and Derivatives	
	N. F. Jain and C. E. Masse	711
20.5.1.3	Synthesis from Aldehydes, Ketones, and Derivatives (Including Enol Ethers)	
	L. Yan, S. Lin, and P. Liu	725
20.5.1.4	Synthesis from Organometallic Compounds, Alkyl Halides, Primary Alcohols, or Ethers (Excluding Reactions with Carboxylic Acid Derivatives)	
	M. Yus, C. Nájera, and R. Chinchilla	777
20.5.1.5	Synthesis from Alkenes (Excluding Reactions with Carboxylic Acid Derivatives)	
	G. Evano	795
20.5.1.6	Synthesis by Rearrangement	
	A. J. Phillips and C. E. Love	827
20.5.1.7	Synthesis with Retention of the Functional Group	
	M. Zhang and P. R. Hanson	863
20.5.2	Product Subclass 2: Arenedicarboxylic Acid Esters	
	L. R. Subramanian	947
20.5.3	Product Subclass 3: Butenedioic and Butynedioic Acid Esters	
	C. E. Masse	957
20.5.4	Product Subclass 4: Alkanedioic Acid Esters	
	C. E. Masse	987
20.5.5	Product Subclass 5: Alkynyl Alkanoates	
	S. G. Nelson	1047

20.5.6	Product Subclass 6: Aryl Alkanoates S. G. Nelson	1051
20.5.7	Product Subclass 7: Alkenyl Alkanoates S. G. Nelson	1065
20.5.8	Product Subclass 8: 2-Oxo- and 2-Imino-Substituted Alkanoic Acid Esters, and Related Compounds J. A. Westbrook and S. E. Schaus	1091
20.5.9	Product Subclass 9: 2,2-Diheteroatom-Substituted Alkanoic Acid Esters J. A. Westbrook and S. E. Schaus	1115
20.5.10	Product Subclass 10: 2-Aminoalkanoic Acid Esters (α-Amino Acid Esters) R. M. Garbaccio and S. E. Wolkenberg	1131
20.5.11	Product Subclass 11: 2-Heteroatom-Substituted Alkanoic Acid Esters S. R. Chemler and T. P. Zabawa	1203
20.5.12	Product Subclass 12: Alk-2-ynoic Acid Esters G. Evano	1243
20.5.13	Product Subclass 13: Arenecarboxylic Acid Esters T. P. Yoon and E. N. Jacobsen	1285
20.5.14	Product Subclass 14: Alk-2-enoic Acid Esters C. D. Vanderwal and E. N. Jacobsen	1305
20.5.15	Product Subclass 15: 3-Oxo- and 3,3-Diheteroatom-Substituted Alkanoic Acid Esters J. Beignet	1341
20.5.16	Product Subclass 16: 3-Heteroatom-Substituted Alkanoic Acid Esters G. Sartori and R. Maggi	1375
20.6	Product Class 6: Lactones M. E. Maier	1421
20.7	Product Class 7: Peroxy Acids and Derivatives S. Mitra, S. R. Gurralla, and R. S. Coleman	1553
20.8	Product Class 8: Thiocarboxylic S-Acids, Selenocarboxylic Se-Acids, Tellurocarboxylic Te-Acids, and Derivatives S. J. Collier	1597
	Keyword Index	1691
	Author Index	1741
	Abbreviations	1801

Table of Contents

20.5	Product Class 5: Carboxylic Acid Esters	
20.5.1	Product Subclass 1: Alkyl Alkanoates M. Yus, C. Nájera, and R. Chinchilla	
20.5.1	Product Subclass 1: Alkyl Alkanoates	643
20.5.1.1	Synthesis from Carbonic Acid Derivatives S. J. Collier	
20.5.1.1	Synthesis from Carbonic Acid Derivatives	665
20.5.1.1.1	Method 1: Use of Carbonic Acid Diesters	665
20.5.1.1.1.1	Variation 1: Reactions with Enolates	665
20.5.1.1.1.2	Variation 2: Reactions with Carbanions without Stabilizing Electron-Withdrawing α -Heteroatom Groups	670
20.5.1.1.1.3	Variation 3: Reaction with α -Heteroatom-Stabilized Carbanions	673
20.5.1.1.1.4	Variation 4: Intramolecular Rearrangements	675
20.5.1.1.2	Method 2: Use of Haloformates	678
20.5.1.1.2.1	Variation 1: Reactions with Enolates	679
20.5.1.1.2.2	Variation 2: Reaction with Carbanions without Stabilizing Electron-Withdrawing α -Heteroatom Groups	683
20.5.1.1.2.3	Variation 3: Reaction with α -Heteroatom-Stabilized Carbanions	688
20.5.1.1.2.4	Variation 4: Other Syntheses	691
20.5.1.1.3	Method 3: Use of Cyanofornate Esters	693
20.5.1.1.3.1	Variation 1: Reaction with Enolates	694
20.5.1.1.3.2	Variation 2: Using Other Carbon Nucleophiles	698
20.5.1.1.3.3	Variation 3: Novel Reactions	700
20.5.1.1.4	Method 4: Use of Di- <i>tert</i> -butyl Dicarboxate	702
20.5.1.2	Synthesis from Carboxylic Acids and Derivatives N. F. Jain and C. E. Masse	
20.5.1.2	Synthesis from Carboxylic Acids and Derivatives	711
20.5.1.2.1	Method 1: Synthesis from Carboxylic Acids	711
20.5.1.2.1.1	Variation 1: Phosphorus Activation of Alcohols (Mitsunobu Reaction)	711
20.5.1.2.1.2	Variation 2: Dicyclohexylcarbodiimide Activation of Acids	712
20.5.1.2.1.3	Variation 3: Direct Condensation of Acids and Alcohols Catalyzed by a Lewis Acid	713
20.5.1.2.1.4	Variation 4: Direct Condensation of Acids and Alcohols Using Ammonium Salts	714
20.5.1.2.2	Method 2: Synthesis from Acid Halides	715
20.5.1.2.3	Method 3: Synthesis from Acid Anhydrides	715
20.5.1.2.4	Method 4: Synthesis from Amides	717
20.5.1.2.5	Method 5: Synthesis from 2-Alkyl-4,5-dihydrooxazoles	717

20.5.1.2.6	Method 6: Synthesis from Nitriles	718
20.5.1.2.7	Method 7: Synthesis from Ketenes	719
20.5.1.2.7.1	Variation 1: Nucleophilic Addition of Alcohols	719
20.5.1.2.7.2	Variation 2: Asymmetric Chlorination	722
20.5.1.3	Synthesis from Aldehydes, Ketones, and Derivatives (Including Enol Ethers) L. Yan, S. Lin, and P. Liu	
20.5.1.3	Synthesis from Aldehydes, Ketones, and Derivatives (Including Enol Ethers)	725
20.5.1.3.1	Synthesis from Aldehydes	725
20.5.1.3.1.1	Oxidative Processes	725
20.5.1.3.1.1.1	Method 1: Using Manganese(IV) Oxide and Sodium Cyanide	725
20.5.1.3.1.1.2	Method 2: Using Bromine	727
20.5.1.3.1.1.2.1	Variation 1: Using Pyridinium Tribromide	729
20.5.1.3.1.1.3	Method 3: Using Iodine	730
20.5.1.3.1.1.4	Method 4: Using Pyridinium Dichromate	731
20.5.1.3.1.1.5	Method 5: Using Sodium or Calcium Hypochlorites	732
20.5.1.3.1.1.6	Method 6: Using <i>N</i> -Bromosuccinimide	734
20.5.1.3.1.1.6.1	Variation 1: Using <i>N</i> -Bromosuccinimide and Alkoxytrimethylsilanes or Alkoxytrialkylstannanes	734
20.5.1.3.1.1.7	Method 7: Using <i>N</i> -Iodosuccinimide	735
20.5.1.3.1.1.8	Method 8: Using Caro's Acid	736
20.5.1.3.1.1.9	Method 9: Using Oxone	736
20.5.1.3.1.1.10	Method 10: Using Trichloroisocyanuric Acid	737
20.5.1.3.1.1.11	Method 11: Using Transition-Metal Catalysts	738
20.5.1.3.1.1.12	Method 12: Using Electrochemical Oxidation	739
20.5.1.3.1.1.13	Method 13: Using Ozone	741
20.5.1.3.1.1.14	Method 14: Using Hydrogen Peroxide	742
20.5.1.3.1.2	Oxidation/Reduction Processes	743
20.5.1.3.1.2.1	Method 1: Using the Tishchenko Reaction	743
20.5.1.3.1.2.1.1	Variation 1: Using the Homo Aldol–Tishchenko Reaction	745
20.5.1.3.1.2.1.2	Variation 2: Using the Hetero Aldol–Tishchenko Reaction	745
20.5.1.3.1.2.1.3	Variation 3: Using the Evans–Tishchenko Reaction	747
20.5.1.3.1.2.2	Method 2: Intramolecular Hydroacylation Reactions	749
20.5.1.3.2	Synthesis from Ketones via the Baeyer–Villiger Reaction	750
20.5.1.3.2.1	Method 1: Using Pertrifluoroacetic Acid	751
20.5.1.3.2.2	Method 2: Using Peroxybenzoic Acids	752
20.5.1.3.2.3	Method 3: Using Hydrogen Peroxide	753
20.5.1.3.2.4	Method 4: Using Bis(trimethylsilyl) Peroxide	754
20.5.1.3.2.5	Method 5: Using Enzymes	755
20.5.1.3.3	Synthesis from Acetals	755
20.5.1.3.3.1	Method 1: Using Ozone	755
20.5.1.3.3.2	Method 2: Using Hypochlorous Acid	757

20.5.1.3.3.3	Method 3: Using <i>N</i> -Bromosuccinimide	758
20.5.1.3.3.4	Method 4: Using Peroxy Acids	759
20.5.1.3.3.5	Method 5: Using Oxone	760
20.5.1.3.3.6	Method 6: Using Caro's Acid	761
20.5.1.3.3.7	Method 7: Using <i>tert</i> -Butyl Hydroperoxide and a Catalyst	762
20.5.1.3.3.8	Method 8: Photochemical Oxidation	763
20.5.1.3.3.9	Method 9: Using Potassium Permanganate	763
20.5.1.3.4	Synthesis from Enol Ethers	764
20.5.1.3.4.1	Method 1: Using Ozone	764
20.5.1.3.4.2	Method 2: Using 3-Chloroperoxybenzoic Acid	765
20.5.1.3.4.3	Method 3: Using Chromium(VI) Oxide	766
20.5.1.3.4.4	Method 4: Using Pyridinium Chlorochromate	767
20.5.1.3.5	Synthesis from α -Hydroxy Carbonyl Compounds and 1,2-Diones	768
20.5.1.3.5.1	Method 1: Using Lead(IV) Acetate	768
20.5.1.3.5.2	Method 2: Using Oxone or Potassium Peroxymonosulfate	769
20.5.1.3.5.3	Method 3: Using Dioxygen	771
20.5.1.3.5.4	Method 4: Using Electrochemistry	772
20.5.1.4	Synthesis from Organometallic Compounds, Alkyl Halides, Primary Alcohols, or Ethers (Excluding Reactions with Carboxylic Acid Derivatives) M. Yus, C. Nájera, and R. Chinchilla	
20.5.1.4	Synthesis from Organometallic Compounds, Alkyl Halides, Primary Alcohols, or Ethers (Excluding Reactions with Carboxylic Acid Derivatives)	777
20.5.1.4.1	Alkoxy carbonylation of Organometallic Compounds	777
20.5.1.4.1.1	Method 1: Alkoxy carbonylation of Organolithium Compounds	777
20.5.1.4.1.2	Method 2: Alkoxy carbonylation of Organomagnesium Compounds	778
20.5.1.4.1.3	Method 3: Alkoxy carbonylation of Organotransition-Metal Compounds	779
20.5.1.4.2	Alkoxy carbonylation of Alkyl Halides	781
20.5.1.4.2.1	Method 1: Alkoxy carbonylation of Alkyl Halides Promoted by Acids	781
20.5.1.4.2.2	Method 2: Alkoxy carbonylation of Alkyl Halides Promoted by Transition-Metal Catalysts	782
20.5.1.4.2.3	Method 3: Alkoxy carbonylation of Alkyl Iodides Promoted by Photolysis	784
20.5.1.4.3	Oxidation of Primary Alcohols	784
20.5.1.4.3.1	Method 1: Oxidation by Halonium-Generating Combinations	785
20.5.1.4.3.2	Method 2: Oxidation by Chromium(IV) Oxide	786
20.5.1.4.3.3	Method 3: Transition-Metal-Catalyzed Oxidations	786
20.5.1.4.4	Oxidation of Ethers, Silyl Ethers, or Stannyl Ethers	787
20.5.1.4.4.1	Method 1: Oxidation of Ethers	788
20.5.1.4.4.1.1	Variation 1: Oxidation by Halonium-Generating Combinations	788
20.5.1.4.4.1.2	Variation 2: Oxidation by Stoichiometric Transition-Metal Reagents	788
20.5.1.4.4.1.3	Variation 3: Transition-Metal-Catalyzed Oxidation	789
20.5.1.4.4.2	Method 2: Oxidation of Silyl and Stannyl Ethers Using <i>N</i> -Bromosuccinimide	790

20.5.1.5	Synthesis from Alkenes (Excluding Reactions with Carboxylic Acid Derivatives) G. Evans	
<hr/>		
20.5.1.5	Synthesis from Alkenes (Excluding Reactions with Carboxylic Acid Derivatives)	795
20.5.1.5.1	Method 1: Oxidative C=C Bond Cleavage	795
20.5.1.5.2	Method 2: Hydroesterification with Carbon Monoxide (Repe Carbonylation)	797
20.5.1.5.3	Method 3: Hydroesterification with Formate Esters	802
20.5.1.5.4	Method 4: Cross Metathesis with Conjugated Esters	806
20.5.1.5.5	Method 5: Synthesis via Hydroboration with Two-Carbon Homologation	808
20.5.1.5.6	Method 6: Addition of Acetate Esters to Alkenes	811
20.5.1.5.7	Method 7: Hydroacyloxylation	813
20.5.1.5.7.1	Variation 1: Markovnikov Hydroacyloxylation Using Carboxylic Acids	814
20.5.1.5.7.2	Variation 2: Anti-Markovnikov Hydroacyloxylation via Hydroboration	818
20.5.1.5.8	Method 8: Allylic Acyloxylation	818
20.5.1.5.8.1	Variation 1: Allylic Acyloxylation without Double-Bond Migration	818
20.5.1.5.8.2	Variation 2: Allylic Acyloxylation with Double-Bond Migration	821
20.5.1.5.9	Method 9: The Prévost Reaction	822
20.5.1.6	Synthesis by Rearrangement A. J. Phillips and C. E. Love	
<hr/>		
20.5.1.6	Synthesis by Rearrangement	827
20.5.1.6.1	Method 1: Baeyer–Villiger Oxidation	827
20.5.1.6.2	Method 2: Cope Rearrangement	831
20.5.1.6.2.1	Variation 1: Cope Rearrangement of Silyl Cyanohydrins	831
20.5.1.6.2.2	Variation 2: Cope Rearrangement of Divinylcyclopropanes	833
20.5.1.6.3	Method 3: Rearrangement of Vinylcyclopropanes	836
20.5.1.6.4	Method 4: Rearrangement of Ketene Acetals	839
20.5.1.6.4.1	Variation 1: Rearrangement of Ketene Acetals Derived from Ortho Esters (The Johnson Protocol)	840
20.5.1.6.4.2	Variation 2: Rearrangement of Ketene Acetals Derived from Selenoxides	843
20.5.1.6.5	Method 5: [2,3]-Wittig Rearrangement of α -(Alkenyloxy) Esters	845
20.5.1.6.5.1	Variation 1: Via Lithium Enolates	845
20.5.1.6.5.2	Variation 2: Via Tin, Titanium, and Zirconium Enolates	848
20.5.1.6.6	Method 6: [3,3] Rearrangements of Allylic Esters	849
20.5.1.6.7	Method 7: The Pummerer Rearrangement	852
20.5.1.6.8	Method 8: Palladium-Catalyzed Carbonylation with Rearrangement	854
20.5.1.6.9	Method 9: Favorskii Rearrangement	855
20.5.1.6.10	Method 10: Arndt–Eistert and Related Reactions	857

20.5.1.7	Synthesis with Retention of the Functional Group M. Zhang and P. R. Hanson	
20.5.1.7	Synthesis with Retention of the Functional Group	863
20.5.1.7.1	Conjugate Addition of α,β -Unsaturated Esters	863
20.5.1.7.1.1	Method 1: Addition of Organocopper Reagents	863
20.5.1.7.1.2	Method 2: Addition of Organoborane Reagents	865
20.5.1.7.1.3	Method 3: Addition of Nitroalkanes	868
20.5.1.7.1.4	Method 4: Hydrohalogenation Reactions of Substituted Allenates	869
20.5.1.7.1.5	Method 5: Addition of Alkyl Radicals	870
20.5.1.7.1.6	Method 6: Addition of Organomanganese(II) Reagents	871
20.5.1.7.1.7	Method 7: Addition of Grignard Reagents	871
20.5.1.7.1.8	Method 8: Nickel(0)-Catalyzed Conjugate Additions	872
20.5.1.7.1.9	Method 9: Reductive C—C Bond Formation of α,β -Unsaturated Esters	873
20.5.1.7.1.10	Method 10: Addition of Allyltrimethylsilane	874
20.5.1.7.2	Alkylations of Alkyl Alkanoates	875
20.5.1.7.2.1	Method 1: α -Alkylation	875
20.5.1.7.2.1.1	Variation 1: Alkylation with Strong Base and an Alkylating Agent	875
20.5.1.7.2.1.2	Variation 2: Metal-Complex-Catalyzed α -Alkylation	877
20.5.1.7.2.1.3	Variation 3: Michael Addition of Ester Enolates	878
20.5.1.7.2.2	Method 2: Deconjugate Alkylation	879
20.5.1.7.2.3	Method 3: Reductive Alkylation	880
20.5.1.7.2.4	Method 4: Ene Reaction	881
20.5.1.7.2.5	Method 5: Asymmetric Alkylation	882
20.5.1.7.3	Cross-Coupling Reactions Catalyzed by Transition-Metal Complexes	883
20.5.1.7.3.1	Method 1: Sonogashira Coupling	883
20.5.1.7.3.2	Method 2: Hydrovinylation	884
20.5.1.7.3.3	Method 3: Hydroformylation	885
20.5.1.7.3.4	Method 4: Other Palladium-Complex-Catalyzed Cross Couplings	886
20.5.1.7.4	Cleavage Reactions	889
20.5.1.7.4.1	Method 1: Cleavage of Oxalates	889
20.5.1.7.4.2	Method 2: Cleavage of Malonates by Decarboxylation	890
20.5.1.7.4.3	Method 3: Cleavage of α -Cyano Esters by Decyanation	891
20.5.1.7.4.4	Method 4: Cleavage of β -Oxo Esters	893
20.5.1.7.5	Oxidation Reactions	894
20.5.1.7.5.1	Method 1: Ozonolysis	894
20.5.1.7.5.2	Method 2: Photooxygenation	895
20.5.1.7.6	Conjugate Reduction of α,β -Unsaturated Esters	895
20.5.1.7.6.1	Method 1: Use of Aluminum Hydride Reducing Agents	896
20.5.1.7.6.2	Method 2: Use of Borohydride Reducing Agents	896
20.5.1.7.6.3	Method 3: Reduction Using Samarium(II) Iodide	898
20.5.1.7.6.4	Method 4: Use of Metals in Protic Solvents as Reducing Agents	899
20.5.1.7.6.5	Method 5: Hydrostannation	900
20.5.1.7.6.6	Method 6: Use of Hydrosilane Reducing Agents	900

20.5.1.7.6.7	Method 7: Use of Sodium Dithionite Reducing Agents	902
20.5.1.7.6.8	Method 8: Asymmetric Conjugate Reduction	902
20.5.1.7.7	Selective Reduction of Distant Multiple Bonds in Unsaturated Esters	903
20.5.1.7.7.1	Method 1: Reduction of Triple Bonds	904
20.5.1.7.7.2	Method 2: Reduction of Double Bonds	905
20.5.1.7.8	Chemoselective Hydrogenations	905
20.5.1.7.8.1	Method 1: Heterogeneous Hydrogenations	906
20.5.1.7.8.2	Method 2: Homogeneous Hydrogenations	907
20.5.1.7.8.3	Method 3: Asymmetric Hydrogenations	909
20.5.1.7.9	Synthesis from Lactones by Ring Opening	911
20.5.1.7.9.1	Method 1: Ring Opening under Basic Conditions	911
20.5.1.7.9.2	Method 2: Ring Opening under Acidic Conditions	912
20.5.1.7.9.3	Method 3: Enzyme-Catalyzed Ring Opening	913
20.5.1.7.10	Synthesis from Alkyl Formates	914
20.5.1.7.10.1	Method 1: Hydroesterifications Catalyzed by Transition-Metal Complexes	914
20.5.1.7.10.2	Method 2: Free-Radical Addition	915
20.5.1.7.10.3	Method 3: Palladium-Catalyzed Reaction with Nitrobenzene	916
20.5.1.7.10.4	Method 4: Carbonylation Reactions of Formates with Organic Halides ...	917
20.5.1.7.11	Isomerizations	917
20.5.1.7.11.1	Method 1: Deconjugation	917
20.5.1.7.11.2	Method 2: Other Isomerizations	919
20.5.1.7.12	Alkene Metathesis	920
20.5.1.7.12.1	Method 1: Metathesis with Tungsten-Based Catalysts	920
20.5.1.7.12.2	Method 2: Metathesis with Molybdenum-Based Catalysts	921
20.5.1.7.12.3	Method 3: Metathesis with Ruthenium-Based Catalysts	923
20.5.1.7.12.4	Method 4: Metathesis with Rhenium-Based Catalysts	925
20.5.1.7.13	Transesterification	926
20.5.1.7.13.1	Method 1: Transesterification without Catalysis	926
20.5.1.7.13.2	Method 2: Transesterification with Chemical Catalysis	927
20.5.1.7.13.2.1	Variation 1: By Brønsted Acids	927
20.5.1.7.13.2.2	Variation 2: By Lewis Acids	928
20.5.1.7.13.2.3	Variation 3: By Solid Acids	930
20.5.1.7.13.2.4	Variation 4: By Bases	931
20.5.1.7.13.3	Method 3: Transesterification with Enzymes	932
20.5.1.7.14	Kinetic Resolution	934
20.5.1.7.14.1	Method 1: Resolution with Enzymatic Catalysis	934
20.5.1.7.14.2	Method 2: Non-Enzymatic Resolution	936
20.5.2	Product Subclass 2: Arenedicarboxylic Acid Esters L. R. Subramanian	
20.5.2	Product Subclass 2: Arenedicarboxylic Acid Esters	947
20.5.2.1	Synthesis of Product Subclass 2	947

20.5.2.1.1	Method 1:	Direct Esterification of Arenedicarboxylic Acids Using Alkyl Halides	947
20.5.2.1.2	Method 2:	Direct Esterification of Arenedicarboxylic Acids and Anhydrides Using Alcohols	948
20.5.2.1.2.1	Variation 1:	Using a Morpholinium Salt as Catalyst	948
20.5.2.1.2.2	Variation 2:	Using Heteropolyacids as Catalysts	949
20.5.2.1.3	Method 3:	Direct Esterification of Arenedicarboxylic Acids Using Pentafluorophenol and <i>N,N'</i> -Dicyclohexylcarbodiimide	950
20.5.2.1.4	Method 4:	Synthesis of Arene-1,2-dicarboxylic Acid Esters by Diels–Alder Reaction Followed by Aromatization	950
20.5.2.1.4.1	Variation 1:	From 2 <i>H</i> -Pyran-2-ones	950
20.5.2.1.4.2	Variation 2:	From 4-Nitrostyrene	952
20.5.2.1.4.3	Variation 3:	From Substituted Benzo[<i>c</i>]furan	953
20.5.2.1.5	Methods 5:	Miscellaneous Methods	953
20.5.3	Product Subclass 3: Butenedioic and Butynedioic Acid Esters		
	C. E. Masse		
20.5.3	Product Subclass 3: Butenedioic and Butynedioic Acid Esters		957
20.5.3.1	Synthesis of Product Subclass 3		957
20.5.3.1.1	Method 1:	Anhydride Cleavage	957
20.5.3.1.1.1	Variation 1:	Solvolysis of Maleic Anhydride	957
20.5.3.1.1.2	Variation 2:	Using Lactam Acetals	958
20.5.3.1.2	Method 2:	Carbenoid Dimerization	959
20.5.3.1.2.1	Variation 1:	Ruthenium-Mediated Reactions	959
20.5.3.1.2.2	Variation 2:	Rhodium-Mediated Reactions	961
20.5.3.1.2.3	Variation 3:	Copper-Mediated Reactions	961
20.5.3.1.3	Method 3:	Phosphorus-Based Alkenations	962
20.5.3.1.3.1	Variation 1:	From Thiiranes	962
20.5.3.1.3.2	Variation 2:	From Lithiophosphoranes	964
20.5.3.1.4	Method 4:	1,4-Addition of Alcohols	965
20.5.3.1.4.1	Variation 1:	Organic Base Mediated Reactions	965
20.5.3.1.4.2	Variation 2:	Titanium-Mediated Reactions	965
20.5.3.1.4.3	Variation 3:	Lead-Mediated Reactions	966
20.5.3.1.4.4	Variation 4:	Silver-Mediated Reactions	967
20.5.3.1.5	Method 5:	Elimination Protocols	968
20.5.3.1.5.1	Variation 1:	From Aspartate Esters	968
20.5.3.1.5.2	Variation 2:	From Monohalosuccinic Acid Esters	969
20.5.3.1.5.3	Variation 3:	From Hydroxysuccinic Acid Esters	970
20.5.3.1.5.4	Variation 4:	From Dibromosuccinic Acid Esters with Dimethylformamide ..	970
20.5.3.1.5.5	Variation 5:	From Tartrates via Phosphinate Activation	971
20.5.3.1.5.6	Variation 6:	From Tartrates via Cyclic Sulfates	972
20.5.3.1.5.7	Variation 7:	From Bromosuccinic Acid Esters	973
20.5.3.1.5.8	Variation 8:	From Dibromosuccinates with Sodium Dithionite	974
20.5.3.1.5.9	Variation 9:	From <i>vic</i> -Diols via 1,3-Dioxolanes	975
20.5.3.1.5.10	Variation 10:	From <i>vic</i> -Diols via Phosphonium Sulfates	976
20.5.3.1.5.11	Variation 11:	From <i>vic</i> -Diols with Sodium Sulfide	978

20.5.3.1.5.12	Variation 12: From <i>vic</i> -Diols via Thermal Elimination	978
20.5.3.1.6	Method 6: Semihydrogenation	979
20.5.3.1.6.1	Variation 1: Using Homogeneous Palladium Catalysts	979
20.5.3.1.6.2	Variation 2: Using Hydrosilane Reagents	980
20.5.3.1.6.3	Variation 3: Using Nickel Boride Catalysts	981
20.5.3.1.6.4	Variation 4: Using a Polymer-Supported Palladium Catalyst	982
20.5.3.1.6.5	Variation 5: Using a Rhodium Hydride Complex	982
20.5.3.1.6.6	Variation 6: Using an Indium Hydride Complex	983
20.5.3.1.7	Methods 7: Other Methods	984
20.5.3.1.7.1	Variation 1: Phosphine Additions to Butynedioates	984
20.5.3.1.7.2	Variation 2: Carbene Additions to Maleic Anhydride Derivatives	985
20.5.4	Product Subclass 4: Alkanedioic Acid Esters	
	C. E. Masse	
20.5.4	Product Subclass 4: Alkanedioic Acid Esters	987
20.5.4.1	Synthesis of Product Subclass 4	987
20.5.4.1.1	Method 1: Esterification of Oxalic Acid by the Fischer Method	987
20.5.4.1.2	Method 2: Oxalate Esters by Nucleophilic Acyl Substitution on Activated Oxalyl Derivatives	988
20.5.4.1.2.1	Variation 1: From Oxalyl Chloride	988
20.5.4.1.2.2	Variation 2: From Ethyl Cyano(oxo)acetate	988
20.5.4.1.3	Method 3: Oxalate Esters by Oxidative Methods	989
20.5.4.1.3.1	Variation 1: Palladium-Mediated Oxidative Coupling of Carbon Monoxide	989
20.5.4.1.3.2	Variation 2: Oxidative Cleavage of 2-Chlorobuta-1,3-diene	990
20.5.4.1.4	Method 4: Esterification of Malonic Acids	990
20.5.4.1.4.1	Variation 1: Using Isobutene	990
20.5.4.1.4.2	Variation 2: Via the Monoacid Chloride	991
20.5.4.1.4.3	Variation 3: Via Mixed Carbonic Anhydrides	992
20.5.4.1.5	Method 5: Malonate Esters by Alkylation of Malonate Derivatives	993
20.5.4.1.5.1	Variation 1: Via Monoalkylation of Malonate Diesters	993
20.5.4.1.5.2	Variation 2: Phase-Transfer-Catalyzed Dialkylation of Malonates	994
20.5.4.1.5.3	Variation 3: Intramolecular Cyclization of ω -(Bromoalkyl)malonates	995
20.5.4.1.5.4	Variation 4: Transition-Metal-Mediated Alkylations	996
20.5.4.1.5.5	Variation 5: Alkylation-Decarboxylation of Methanetricarboxylates	996
20.5.4.1.5.6	Variation 6: Via Alkylation of Meldrum's Acid	997
20.5.4.1.6	Method 6: Malonate Esters by Acylation of Malonate Derivatives	998
20.5.4.1.6.1	Variation 1: Via Ethoxymagnesium Malonates	998
20.5.4.1.6.2	Variation 2: C-Acylation Using Magnesium Oxide	999
20.5.4.1.6.3	Variation 3: C-Acylation Using Soft Enolization	1000
20.5.4.1.7	Method 7: Malonate Esters by Conjugate Additions to Malonate Derivatives	1001
20.5.4.1.7.1	Variation 1: Reduction of Alkylidenemalonates with Sodium Cyanoborohydride	1001
20.5.4.1.7.2	Variation 2: Grignard Additions to Alkylidenemalonates	1001
20.5.4.1.7.3	Variation 3: Phase-Transfer-Catalyzed Michael Addition of Malonate Enolates	1002

20.5.4.1.8	Method 8:	Malonate Esters by Knoevenagel Condensation of Malonates	1003
20.5.4.1.8.1	Variation 1:	With Acetaldehyde and Acetic Anhydride	1003
20.5.4.1.8.2	Variation 2:	With Paraformaldehyde and Copper(II) Acetate	1003
20.5.4.1.8.3	Variation 3:	From Pyrolysis of Malonate Diels–Alder Adducts	1004
20.5.4.1.9	Method 9:	Malonate Esters by Claisen Condensations with Oxalic Acid Esters	1005
20.5.4.1.10	Method 10:	Malonate Esters by Arylation of Malonate Derivatives	1006
20.5.4.1.10.1	Variation 1:	Via Electrophilic Aromatic Substitution	1006
20.5.4.1.10.2	Variation 2:	Via Nucleophilic Aromatic Substitution on Malonyl–Iron–Arene Complexes	1008
20.5.4.1.11	Method 11:	Malonate Esters by Addition of Allylsilanes to Activated Cyclopropanes	1008
20.5.4.1.12	Method 12:	Malonate Esters by Dichlorination of Malonates with Trifluoromethanesulfonyl Chloride	1009
20.5.4.1.13	Method 13:	Esterification of Succinic Acid	1010
20.5.4.1.14	Method 14:	Succinate Esters by Reduction of Butenedioates	1010
20.5.4.1.14.1	Variation 1:	Lewis Acid Mediated Reduction of Maleates	1010
20.5.4.1.14.2	Variation 2:	Ruthenium-Mediated Hydrogenation of 2-Methylenesuccinate Esters	1011
20.5.4.1.14.3	Variation 3:	Rhodium-Mediated Hydrogenation of 2-Methylenesuccinate Esters	1012
20.5.4.1.15	Method 15:	Succinate Esters by Alkene Dimerization	1013
20.5.4.1.15.1	Variation 1:	Radical-Based Methods	1013
20.5.4.1.15.2	Variation 2:	Oxidative Dimerization of Titanium Enolates	1014
20.5.4.1.15.3	Variation 3:	Oxidative Dimerization of Organocuprates	1015
20.5.4.1.16	Method 16:	Succinate Esters by Rearrangement Reactions	1016
20.5.4.1.16.1	Variation 1:	Ring Opening of Cyclopropanes	1016
20.5.4.1.16.2	Variation 2:	Malonate Displacements	1017
20.5.4.1.16.3	Variation 3:	Allylmalonate Rearrangement	1018
20.5.4.1.17	Method 17:	Succinate Esters by Carbonylation	1019
20.5.4.1.17.1	Variation 1:	Dicarbonylation of But-2-enes	1019
20.5.4.1.17.2	Variation 2:	Dicarbonylation of Terminal Alkenes and Cycloalkenes	1020
20.5.4.1.17.3	Variation 3:	Monocarbonylation of Acrylates	1022
20.5.4.1.17.4	Variation 4:	From Allylic Carbonates	1023
20.5.4.1.18	Method 18:	Succinate Esters by Conjugate Additions	1023
20.5.4.1.18.1	Variation 1:	Reaction of Thiols with Butenedioates	1023
20.5.4.1.18.2	Variation 2:	Reaction of Enamines with Nitroalkenes	1024
20.5.4.1.18.3	Variation 3:	Reaction of Cyanohydrins with Butenedioates	1025
20.5.4.1.19	Method 19:	Succinate Esters by Stobbe Condensations	1026
20.5.4.1.20	Method 20:	Succinate Esters by α -Alkylation of Succinoyl Derivatives	1027
20.5.4.1.20.1	Variation 1:	Using an Organometallic Auxiliary	1027
20.5.4.1.20.2	Variation 2:	Using Malate Esters	1028
20.5.4.1.21	Method 21:	Succinate Esters by Asymmetric Nucleophilic Addition Using a Chiral Ketone Auxiliary	1029
20.5.4.1.22	Method 22:	Succinate Esters by Stereoselective [2,3]-Wittig Rearrangement	1030
20.5.4.1.23	Method 23:	Succinate Esters by Asymmetric Alkylation Using <i>N</i> -Acylloxazolidinones (Evans Asymmetric Alkylation)	1031

20.5.4.1.23.1	Variation 1:	Application to the Synthesis of a Pharmaceutical Agent	1032
20.5.4.1.24	Method 24:	Succinate Esters by Aldol Approaches	1033
20.5.4.1.24.1	Variation 1:	Using Chiral Imines	1033
20.5.4.1.24.2	Variation 2:	2-Substituted 2-Hydroxysuccinates Using a Stoichiometric Chiral Tin Lewis Acid	1034
20.5.4.1.24.3	Variation 3:	2,3-Disubstituted 2-Hydroxysuccinates Using a Stoichiometric Chiral Tin Lewis Acid	1035
20.5.4.1.24.4	Variation 4:	Using Chiral <i>N</i> -Acylhydrazones	1036
20.5.4.1.24.5	Variation 5:	Using a Catalytic Chiral Titanium Lewis Acid	1037
20.5.4.1.24.6	Variation 6:	Using a Catalytic Chiral Copper Lewis Acid	1038
20.5.4.1.24.7	Variation 7:	Use of a Fluorous Lewis Acid Catalyst	1039
20.5.4.1.24.8	Variation 8:	Use of a Catalytic Tin Lewis Acid	1041
20.5.4.1.24.9	Variation 9:	Application of a Chiral Tin Lewis Acid in Total Synthesis	1042
20.5.4.1.24.10	Variation 10:	Use of a Cationic Scandium Lewis Acid	1043
20.5.5	Product Subclass 5: Alkynyl Alkanoates		
	S. G. Nelson		
20.5.5	Product Subclass 5: Alkynyl Alkanoates		1047
20.5.5.1	Synthesis of Product Subclass 5		1047
20.5.5.1.1	Method 1:	Metalation and Rearrangement of α,α -Dihalo Ketones (Alkynolate Anions)	1047
20.5.5.1.2	Method 2:	Reaction of Carboxylic Acids with Alkynyliodonium Salts	1048
20.5.5.1.2.1	Variation 1:	Using Preformed Alkynyliodonium Ions	1048
20.5.5.1.2.2	Variation 2:	Using (Diacylido)arenes	1049
20.5.6	Product Subclass 6: Aryl Alkanoates		
	S. G. Nelson		
20.5.6	Product Subclass 6: Aryl Alkanoates		1051
20.5.6.1	Synthesis of Product Subclass 6		1052
20.5.6.1.1	Method 1:	Acylation of Phenols	1052
20.5.6.1.1.1	Variation 1:	Direct Acylation	1052
20.5.6.1.1.2	Variation 2:	Lewis Acid Catalyzed Acylation	1057
20.5.6.1.1.3	Variation 3:	Lewis Base Catalyzed Acylation	1059
20.5.6.1.2	Method 2:	Oxidation of Arenes	1060
20.5.6.1.2.1	Variation 1:	Acyl Peroxide Mediated Oxidation	1060
20.5.6.1.2.2	Variation 2:	Lead(IV) Acetate Mediated Oxidation	1062
20.5.6.1.3	Method 3:	Displacement of Diazonium Groups by Nucleophiles (The Sandmeyer Reaction)	1062
20.5.7	Product Subclass 7: Alkenyl Alkanoates		
	S. G. Nelson		
20.5.7	Product Subclass 7: Alkenyl Alkanoates		1065
20.5.7.1	Synthesis of Product Subclass 7		1069

20.5.7.1.1	Method 1:	O-Acylation of Enolates	1069
20.5.7.1.1.1	Variation 1:	Kinetic Deprotonation	1069
20.5.7.1.1.2	Variation 2:	Fluoride-Catalyzed O-Acylation of Enolates	1072
20.5.7.1.1.3	Variation 3:	O-Acylation of Enolates and Enols Generated under Equilibrating Conditions	1074
20.5.7.1.2	Method 2:	O-Acylation of Aldehyde Enolates Derived from Alkynoate Anions	1076
20.5.7.1.3	Method 3:	Metal-Catalyzed Alkoxyacylation of Alkynes	1077
20.5.7.1.4	Method 4:	Cross-Coupling of Alkenylmercury Halides or Alkenyl Halides with Metal Acetate Salts	1084
20.5.7.1.5	Method 5:	Coupling of Fischer Carbenes with Acid Chlorides	1086
20.5.7.1.6	Method 6:	Alkenation Reactions	1086
20.5.8	Product Subclass 8: 2-Oxo- and 2-Imino-Substituted Alkanoic Acid Esters, and Related Compounds J. A. Westbrook and S. E. Schaus		
20.5.8	Product Subclass 8: 2-Oxo- and 2-Imino-Substituted Alkanoic Acid Esters, and Related Compounds		
20.5.8.1	Synthesis of Product Subclass 8		
20.5.8.1.1	Method 1:	Esterification of 2-Heteroatom-Substituted Acids	1091
20.5.8.1.2	Method 2:	Hydrolysis of 2-Heteroatom-Substituted Esters	1094
20.5.8.1.3	Method 3:	Alcoholysis of 2-Heteroatom-Substituted Nitriles	1097
20.5.8.1.4	Method 4:	Oxidation Reactions	1098
20.5.8.1.4.1	Variation 1:	Oxidation of α -Hydroxy Esters	1098
20.5.8.1.4.2	Variation 2:	Oxidation of α -Diazo Esters	1100
20.5.8.1.4.3	Variation 3:	Oxidation of 3-Oxo-2-(triphenylphosphoranylidene)- propanoates	1101
20.5.8.1.4.4	Variation 4:	Oxidation of 2-Alkylidene Esters	1102
20.5.8.1.5	Method 5:	Addition of Organometallic Reagents to Oxalates	1103
20.5.8.1.6	Method 6:	Friedel–Crafts Acylation of Buta-1,3-dienes, Arenes, and Hetarenes	1106
20.5.8.1.7	Method 7:	Sigmatropic Rearrangements	1108
20.5.8.1.7.1	Variation 1:	Claisen Rearrangement of Allyl Vinyl Ethers	1108
20.5.8.1.7.2	Variation 2:	Stevens Rearrangement of <i>N,N</i> -Dimethyl- <i>N</i> -(phenylethynyl)- glycinium Bromides	1109
20.5.8.1.8	Method 8:	Hetero-Diels–Alder Reactions	1110
20.5.8.1.9	Method 9:	Aldol Condensations	1110
20.5.9	Product Subclass 9: 2,2-Diheteroatom-Substituted Alkanoic Acid Esters J. A. Westbrook and S. E. Schaus		
20.5.9	Product Subclass 9: 2,2-Diheteroatom-Substituted Alkanoic Acid Esters		
20.5.9.1	Synthesis of Product Subclass 9		
20.5.9.1.1	Method 1:	Esterification of 2,2-Diheteroatom-Substituted Acids	1115
20.5.9.1.2	Method 2:	Synthesis by Acetal Formation	1117
20.5.9.1.2.1	Variation 1:	Formation of Acetals and Hemiacetals	1117

20.5.9.1.2.2	Variation 2:	Formation of α,α -Diamino Esters	1119
20.5.9.1.2.3	Variation 3:	Formation of Thioacetals	1120
20.5.9.1.3	Method 3:	Alcoholysis of 2,2-Diheteroatom-Substituted Nitriles	1120
20.5.9.1.4	Method 4:	Oxidation of Alkene Derivatives	1121
20.5.9.1.5	Method 5:	Synthesis by Nucleophilic Attack of the α -Carbon of Esters	1123
20.5.9.1.5.1	Variation 1:	Nucleophilic Substitution at the α -Carbon of 2,2-Diheteroatom-Substituted Esters	1123
20.5.9.1.5.2	Variation 2:	Nucleophilic Substitution at the α -Carbon of Diesters and β -Oxo Esters	1124
20.5.9.1.5.3	Variation 3:	Metal-Mediated C—C Bond Formation	1125
20.5.9.1.6	Method 6:	Radical-Mediated Transformations of 2-Halo-Substituted Esters	1126
20.5.9.1.7	Method 7:	1,3-Allylic Rearrangement of a Chiral Acetal	1127
20.5.9.1.8	Method 8:	Rearrangement of (<i>ortho</i> -Nitroarylidene)malonates	1127
20.5.10	Product Subclass 10: 2-Aminoalkanoic Acid Esters (α-Amino Acid Esters) R. M. Garbaccio and S. E. Wolkenberg		
20.5.10	Product Subclass 10: 2-Aminoalkanoic Acid Esters (α-Amino Acid Esters)		1131
20.5.10.1	Synthesis of Product Subclass 10		1131
20.5.10.1.1	α,β -Didehydroamino Acid Esters		1131
20.5.10.1.1.1	Synthesis of α,β -Didehydroamino Acid Esters through Palladium(0)-Catalyzed Cross-Coupling Reactions		1131
20.5.10.1.1.1.1	Method 1:	Suzuki Coupling of β -Bromoamidoacrylates with Aryl- and Vinylboronic Acids	1131
20.5.10.1.1.1.2	Method 2:	Heck Coupling of Amidoacrylates with Aryl and Vinyl Halides	1132
20.5.10.1.1.2	Synthesis of α,β -Didehydroamino Esters through Elimination		1133
20.5.10.1.1.2.1	Method 1:	Erlenmeyer Condensation	1133
20.5.10.1.1.2.2	Method 2:	Horner–Emmons Condensation	1134
20.5.10.1.2	2-Aminoalkanoic Acid Esters		1135
20.5.10.1.2.1	Introduction of the Side Chain: Alkylation of Glycine and Related Chiral Enolates		1136
20.5.10.1.2.1.1	Method 1:	Alkylation of Chiral Cyclic Enolates	1136
20.5.10.1.2.1.1.1	Variation 1:	Alkylation of Chiral Bis-lactim Ethers	1136
20.5.10.1.2.1.1.2	Variation 2:	Alkylation of Chiral Oxazinones	1138
20.5.10.1.2.1.2	Method 2:	Alkylation of Chiral Acyclic Schiff Bases	1139
20.5.10.1.2.1.3	Method 3:	Alkylation Utilizing Chiral Phase-Transfer Reagents	1141
20.5.10.1.2.1.4	Method 4:	Metal-Mediated Glycine Enolate Alkylation	1143
20.5.10.1.2.1.4.1	Variation 1:	Palladium-Catalyzed Allylation of Glycine Derivatives	1143
20.5.10.1.2.1.4.2	Variation 2:	Gold-Catalyzed Aldol Reactions	1146
20.5.10.1.2.1.4.3	Variation 3:	Titanium-Mediated Aldol Reactions	1147
20.5.10.1.2.1.4.4	Variation 4:	Aluminum–Salen-Catalyzed Aldol Reactions of 5-Alkoxyoxazoles	1149
20.5.10.1.2.2	Introduction of the α -Amino Group: Nucleophilic Amination		1150

20.5.10.1.2.2.1	Method 1:	Intermolecular Nucleophilic Addition to Chiral Epoxides	1150
20.5.10.1.2.2.2	Method 2:	Intramolecular Nucleophilic Addition to Epoxides	1151
20.5.10.1.2.2.3	Method 3:	Nucleophilic Displacement of Halides	1153
20.5.10.1.2.2.4	Method 4:	Nucleophilic Displacement of Sulfonic Esters and Cyclic Sulfates	1154
20.5.10.1.2.2.4.1	Variation 1:	Displacement of Trifluoromethanesulfonates	1154
20.5.10.1.2.2.4.2	Variation 2:	Opening Cyclic Sulfates	1155
20.5.10.1.2.2.5	Method 5:	Mitsunobu Displacement of an α -Hydroxy Group	1156
20.5.10.1.2.2.6	Method 6:	Nucleophilic Addition to π -Allylpalladium Intermediates	1156
20.5.10.1.2.3		Introduction of the α -Amino Group: Electrophilic Amination of Enolates	1158
20.5.10.1.2.3.1	Method 1:	Proline Organocatalysis	1158
20.5.10.1.2.4		Introduction of the α -Hydrogen: Asymmetric Hydrogenation of α,β -Didehydroamino Acid Esters	1159
20.5.10.1.2.4.1	Method 1:	Homogeneous Catalysis	1159
20.5.10.1.2.4.1.1	Variation 1:	Cationic Rhodium Complexes of Chiral C_2 -Symmetric Bisphosphines	1162
20.5.10.1.2.4.1.2	Variation 2:	Cationic Rhodium Complexes of Chiral C_2 -Symmetric Bisphosphinites	1163
20.5.10.1.2.4.1.3	Variation 3:	Cationic Rhodium Complexes of P-Chirogenic Phosphines	1164
20.5.10.1.2.5		Introduction of the α -Hydrogen: Asymmetric Michael Addition	1164
20.5.10.1.2.5.1	Method 1:	Enantioselective Michael Addition–Hydrogen Atom Transfer	1164
20.5.10.1.2.5.2	Method 2:	Diastereoselective Organocuprate Michael Addition to Chiral Piperazine-2,5-dione Acceptors	1165
20.5.10.1.2.6		Introduction of Carboxylate: Asymmetric Addition of Nitriles to Imines (Strecker Synthesis)	1167
20.5.10.1.2.6.1	Method 1:	Chiral Binuclear Zirconium-Complex-Catalyzed Strecker Synthesis	1167
20.5.10.1.2.6.2	Method 2:	Chiral Aluminum–Salen Complex Catalyzed Strecker Synthesis	1168
20.5.10.1.2.7		Introduction of the Side Chain: Asymmetric Addition to Imino Esters	1170
20.5.10.1.2.7.1	Method 1:	Proline-Catalyzed Mannich Additions to Imino Esters	1170
20.5.10.1.2.7.2	Method 2:	Copper-Catalyzed Alkylations of Imino Esters	1171
20.5.10.1.2.7.3	Method 3:	Catalytic Asymmetric Mannich Additions to Imino Esters	1171
20.5.10.1.2.7.4	Method 4:	Catalytic Asymmetric Aza-Henry Addition to Imino Esters	1172
20.5.10.1.2.7.5	Method 5:	Palladium-Catalyzed Silyl Enol Ether Additions of Imino Esters	1174
20.5.10.1.2.7.6	Method 6:	Catalytic Asymmetric Aromatic Additions to Imino Esters	1175
20.5.10.1.2.7.7	Method 7:	Organometallic Additions to Chiral Imino Esters	1176
20.5.10.1.2.7.8	Method 8:	Mannich-Type Reaction of Electron-Rich Aromatic Compounds with Chiral Imino Lactones	1177
20.5.10.1.2.7.9	Method 9:	Rhodium-Catalyzed Addition of Arylboronic Acids to <i>N</i> -(<i>tert</i> -Butylsulfinyl)imino Esters	1178
20.5.10.1.2.8		Introduction of the Side Chain: Diels–Alder Cycloaddition Reactions	1180
20.5.10.1.2.8.1	Method 1:	Catalytic Asymmetric Diels–Alder Addition to Chiral Imino Esters	1180

20.5.10.1.2.8.2	Method 2:	Asymmetric Diels–Alder Addition to Chiral Imino Esters; Chiral Menthyl Derivatives	1181
20.5.10.1.2.8.3	Method 3:	Asymmetric Diels–Alder Addition to Chiral Imino Esters; Chiral 1-Phenylethylamine Derivatives	1181
20.5.10.1.2.9		Introduction of the α -Nitrogen: Sigmatropic Rearrangements	1182
20.5.10.1.2.9.1	Method 1:	Rearrangement of Allylic Trichloroacetimidates	1182
20.5.10.1.2.9.1.1	Variation 1:	Thermal Rearrangement of Chiral Allylic Trichloro- acetimidates	1183
20.5.10.1.2.9.1.2	Variation 2:	Enantioselective Palladium-Catalyzed Rearrangement of Prochiral Allylic Trichloroacetimidates	1184
20.5.10.1.2.10		Addition of the Carboxylate Group: Rearrangements	1185
20.5.10.1.2.10.1	Method 1:	Photolysis of Chromium–Carbene Complexes	1185
20.5.10.1.3		α -Alkyl- α -aminoalkanoic Acid Esters	1186
20.5.10.1.3.1		Introduction of the Side Chain: Alkylation of Chiral Amino Acid Enolates	1187
20.5.10.1.3.1.1	Method 1:	Alkylation of Bis-lactim Ethers	1187
20.5.10.1.3.1.2	Method 2:	Alkylation of Schiff Bases	1188
20.5.10.1.3.1.2.1	Variation 1:	Alkylation of Galactodialdehyde Aldimines	1188
20.5.10.1.3.1.2.2	Variation 2:	Alkylation of Camphor-Derived Sultams	1189
20.5.10.1.3.1.3	Method 3:	Transition-Metal-Catalyzed Asymmetric Allylic Alkylation of Azlactones	1190
20.5.10.1.3.1.3.1	Variation 1:	Palladium-Catalyzed Asymmetric Allylic Alkylation of Azlactones	1191
20.5.10.1.3.1.3.2	Variation 2:	Molybdenum-Catalyzed Asymmetric Allylic Alkylation of Azlactones	1192
20.5.10.1.3.2		Introduction of the Side Chain: Rearrangements	1193
20.5.10.1.3.2.1	Method 1:	Rearrangement of O-Acylated Azlactones	1193
20.5.10.1.3.3		Introduction of the α -Amino Group: Rearrangement of α,α -Dialkyl- β -carbonyl Carboxylic Acid Esters	1194
20.5.10.1.3.3.1	Method 1:	Curtius Rearrangement of α,α -Dialkyl β -Ester Carboxylic Acids	1195
20.5.10.1.3.3.2	Method 2:	Hofmann Rearrangement of α,α -Dialkyl- β -amido Esters	1195
20.5.10.1.3.3.3	Method 3:	Schmidt Rearrangement of β -Oxo Esters	1196
20.5.10.1.3.3.4	Method 4:	Beckmann Rearrangement of β -Oxime Esters	1197
20.5.11	Product Subclass 11: 2-Heteroatom-Substituted Alkanoic Acid Esters S. R. Chemler and T. P. Zabawa		
20.5.11	Product Subclass 11: 2-Heteroatom-Substituted Alkanoic Acid Esters ...		1203
20.5.11.1	Synthesis of Product Subclass 11		1203
20.5.11.1.1	2-Haloalkanoates		1203
20.5.11.1.1.1	2-Fluoroalkanoates		1203
20.5.11.1.1.1.1	Method 1:	Electrophilic Fluorination of Alkanoates	1204
20.5.11.1.1.1.1.1	Variation 1:	Fluorination with <i>N</i> -Fluorobis(trifluoromethylsulfonyl)amine	1204

20.5.11.1.1.1.2	Variation 2:	Fluorination with 2-Fluoro-1,3,2-benzodithiazole 1,1,3,3-Tetraoxide	1205
20.5.11.1.1.1.3	Variation 3:	Catalytic Asymmetric Fluorination of α -Cyano Esters by Treatment with Chiral Palladium Complexes and <i>N</i> -Fluorobis(phenylsulfonyl)amine	1206
20.5.11.1.1.1.4	Variation 4:	Catalytic Asymmetric Fluorination of β -Oxo Esters	1207
20.5.11.1.1.2	Method 2:	Kinetic Enzymatic Resolution of Racemic 2-Fluoroalkanoates	1207
20.5.11.1.2		2-Chloroalkanoates	1208
20.5.11.1.2.1	Method 1:	Chlorination of Ester Enolates	1208
20.5.11.1.2.1.1	Variation 1:	Catalytic Asymmetric Chlorination of β -Oxo Esters Using Chiral Titanium Lewis Acids	1209
20.5.11.1.2.1.2	Variation 2:	Tandem Chlorination/Esterification of Acid Halides	1209
20.5.11.1.2.2	Method 2:	Nucleophilic Displacement of a Hydroxy Group	1211
20.5.11.1.3		2-Bromoalkanoates	1211
20.5.11.1.3.1	Method 1:	Electrophilic Bromination of Carbon Nucleophiles	1212
20.5.11.1.3.1.1	Variation 1:	Catalytic Asymmetric Bromination with Chiral Bis(dihydrooxazole)-Copper(II) Complexes	1212
20.5.11.1.3.1.2	Variation 2:	Asymmetric Tandem Bromination/Esterification of Acid Chlorides	1213
20.5.11.1.4		2-Iodoalkanoates	1213
20.5.11.1.4.1	Method 1:	Formation of 2-Iodoalkanoates with <i>N</i> -Iodosuccinimide under Microwave Conditions	1214
20.5.11.1.2		2-Hydroxyalkanoates	1214
20.5.11.1.2.1	Method 1:	Catalytic Asymmetric Hydrogenation of 2-Oxoalkanoates ...	1214
20.5.11.1.2.1.1	Variation 1:	Homogeneous Catalytic Asymmetric Hydrogenation of 2-Oxoalkanoates	1215
20.5.11.1.2.1.2	Variation 2:	Heterogeneous Catalytic Asymmetric Hydrogenation of 2-Oxoalkanoates	1216
20.5.11.1.2.1.3	Variation 3:	Examples of Industrially Important Enantioselective Hydrogenations	1217
20.5.11.1.2.2	Method 2:	Catalytic Asymmetric C—C Bond-Forming Reactions	1218
20.5.11.1.2.2.1	Variation 1:	Asymmetric Alkylation of 2-Hydroxyacetates	1219
20.5.11.1.2.2.2	Variation 2:	Enantioselective Addition of Silyl Enol Ethers to Ethyl Glyoxylate and 2-Oxoalkanoates	1220
20.5.11.1.2.3	Method 3:	Asymmetric Oxidations	1221
20.5.11.1.2.3.1	Variation 1:	Oxidation of Enolates with Oxaziridines	1221
20.5.11.1.2.3.2	Variation 2:	Sharpless Catalytic Asymmetric Dihydroxylation of α,β -Unsaturated Esters	1222
20.5.11.1.2.3.3	Variation 3:	Synthesis of the Taxol Side Chain Using the Sharpless Catalytic Asymmetric Aminohydroxylation of Cinnamate Esters	1224
20.5.11.1.2.4	Method 4:	Resolution	1224
20.5.11.1.3		2-Alkoxyalkanoates	1226
20.5.11.1.3.1	Method 1:	O-Alkylation of a 2-Hydroxyalkanoate	1226
20.5.11.1.3.2	Method 2:	2-Alkoxyalkanoates by C—C Bond-Forming Reactions	1226

20.5.11.1.4	2,3-Epoxyalkanoates	1227
20.5.11.1.4.1	Method 1: Asymmetric Epoxidation of α,β -Unsaturated Esters with Chiral Dioxiranes	1228
20.5.11.1.4.2	Method 2: Chiral Manganese(III)–Salen Catalyzed Enantioselective Epoxidation of <i>cis</i> - α,β -Unsaturated Esters	1229
20.5.11.1.4.3	Method 3: Catalytic Enantioselective Epoxidation of α,β -Unsaturated Esters Using a Lanthanide Lewis Acid Catalyst and <i>tert</i> -Butyl Hydroperoxide	1229
20.5.11.1.5	2-Sulfanylalkanoates	1230
20.5.11.1.5.1	Method 1: Sulfanylation of Enolates	1231
20.5.11.1.5.1.1	Variation 1: Sulfanylation of Ester Enolates	1231
20.5.11.1.5.1.2	Variation 2: Catalytic Enantioselective Sulfanylation of β -Oxo Esters	1231
20.5.11.1.5.2	Method 2: Nucleophilic Displacement with Thiolates	1232
20.5.11.1.5.2.1	Variation 1: Direct Displacement of a Chiral Methanesulfonate	1232
20.5.11.1.5.2.2	Variation 2: Dynamic Resolution of 2-Bromoalkanoic Acid <i>N</i> -Methyl-pseudoephedrine Esters with Triphenylmethanethiol	1233
20.5.11.1.6	2-Selanylalkanoates	1234
20.5.11.1.6.1	Method 1: Selanylation of Enolates	1234
20.5.11.1.6.2	Method 2: Synthesis Using the Selenide Anion	1235
20.5.11.1.6.2.1	Variation 1: Opening of Epoxides	1235
20.5.11.1.6.2.2	Variation 2: Synthesis of Selenides by Nucleophilic Substitution	1235
20.5.11.1.7	2-Tellanylalkanoates	1236
20.5.11.1.7.1	Method 1: Synthesis Using the Telluride Anion	1236
20.5.11.1.7.2	Method 2: Synthesis from Iodotelluride	1237
20.5.12	Product Subclass 12: Alk-2-ynoic Acid Esters G. Evano	
20.5.12	Product Subclass 12: Alk-2-ynoic Acid Esters	1243
20.5.12.1	Synthesis of Product Subclass 12	1243
20.5.12.1.1	Method 1: Esterification of Alk-2-ynoic Acids or Derivatives	1243
20.5.12.1.1.1	Variation 1: Direct Esterification of Alk-2-ynoic Acids	1243
20.5.12.1.1.2	Variation 2: Alkylation of Alk-2-ynoic Acids or Their Salts	1249
20.5.12.1.1.3	Variation 3: Alcoholysis of Alk-2-ynoic Acid Derivatives	1253
20.5.12.1.2	Method 2: Carboxylation of Alk-1-ynes	1255
20.5.12.1.2.1	Variation 1: Carboxylation of Alk-1-ynes by Deprotonation–Carboxylation	1255
20.5.12.1.2.2	Variation 2: Carboxylation of Lithium Acetylides Derived from 1,1-Dihaloalkenes Produced from Aldehydes by Corey–Fuchs Alkenation	1259
20.5.12.1.2.3	Variation 3: Carboxylation of Lithium Acetylides Derived from 1-Haloalkenes	1261
20.5.12.1.2.4	Variation 4: Palladium-Catalyzed Carboxylation of Alk-1-ynes with Chloroformates	1261
20.5.12.1.2.5	Variation 5: Palladium-Catalyzed Carboxylation of Alk-1-ynes with Carbon Monoxide and Alcohols	1262

20.5.12.1.2.6	Variation 6:	Copper-Catalyzed Carboxylation of Alk-1-yne with Carbon Dioxide and Alkyl Bromides	1264
20.5.12.1.3	Method 3:	Synthesis from Alk-2-enoic Acid Esters by Bromination–Dehydrobromination	1264
20.5.12.1.4	Method 4:	Using Wittig-Type Reactions	1265
20.5.12.1.4.1	Variation 1:	Reaction of [(Alkoxy carbonyl)methylene]triphenylphosphoranes with Acyl Chlorides, Anhydrides, or Carboxylic Acids ..	1265
20.5.12.1.4.2	Variation 2:	Reaction of [(Ethoxy carbonyl)iodomethyl]triphenylphosphonium Iodide with Aldehydes	1269
20.5.12.1.5	Method 5:	Modifications of Propynoic Acid Esters or Derivatives	1270
20.5.12.1.5.1	Variation 1:	Coupling of Propynoic Acid Esters	1270
20.5.12.1.5.2	Variation 2:	Coupling of Bromopropynoic Acid Esters	1274
20.5.12.1.5.3	Variation 3:	Addition of Metalated Propynoic Acid Esters to Electrophiles ..	1275
20.5.12.1.6	Method 6:	Dehydration of β -Oxo Esters	1279
20.5.12.1.7	Method 7:	Deaminative Dehydration of α -Diazo- β -hydroxy Esters Derived from Aldehydes	1279
20.5.13	Product Subclass 13: Arenecarboxylic Acid Esters T. P. Yoon and E. N. Jacobsen		
20.5.13	Product Subclass 13: Arenecarboxylic Acid Esters		1285
20.5.13.1	Synthesis of Product Subclass 13		1285
20.5.13.1.1	Method 1:	Friedel–Crafts Acylation	1285
20.5.13.1.2	Method 2:	Oxidation of Benzylic Ethers	1286
20.5.13.1.3	Method 3:	Radical Benzyloxylation	1287
20.5.13.1.4	Method 4:	Metalation/Carbonylation of Arenes	1288
20.5.13.1.4.1	Variation 1:	Direct Metalation	1288
20.5.13.1.4.2	Variation 2:	Reductive Metalation of Haloarenes	1289
20.5.13.1.4.3	Variation 3:	Lithium–Halogen Exchange with Haloarenes	1290
20.5.13.1.4.4	Variation 4:	Metalation of Tricarbonylchromium- η^6 -Arene Complexes ..	1291
20.5.13.1.5	Method 5:	Palladium-Mediated C–H Activation and Carbonylation	1292
20.5.13.1.6	Method 6:	Palladium-Catalyzed Carbonylation of Main-Group Arylmatal Species	1293
20.5.13.1.6.1	Variation 1:	Stille Coupling of Alkyl Chloroformates with Arylstannanes ..	1293
20.5.13.1.6.2	Variation 2:	Carbonylation of Arylboranes with Carbon Monoxide	1294
20.5.13.1.7	Method 7:	Transition-Metal-Catalyzed Carbonylation of Haloarenes	1294
20.5.13.1.8	Method 8:	Construction of the Aromatic Ring by Anionic Methods	1295
20.5.13.1.8.1	Variation 1:	Anionic [3 + 3] Aromatic Ring Formation with Chan’s Diene ..	1295
20.5.13.1.8.2	Variation 2:	Anionic [4 + 2] Aromatic Ring Formation by Phthalide Annulation	1296
20.5.13.1.8.3	Variation 3:	Anionic [5 + 1] Aromatic Ring Formation by Addition to Perylium Salts	1297
20.5.13.1.9	Method 9:	Construction of the Aromatic Ring by Radical Cyclizations of β -Oxo Esters	1298
20.5.13.1.10	Method 10:	Construction of the Aromatic Ring by Cycloadditions	1298
20.5.13.1.10.1	Variation 1:	[4 + 2] Diels–Alder Cycloadditions and Aromatization	1298

20.5.13.1.10.2	Variation 2:	Transition-Metal-Catalyzed [2 + 2 + 2] Cyclotrimerization of Alkynes	1300
20.5.13.1.11	Method 11:	Construction of the Aromatic Ring by Electrocyclization and Elimination	1300
20.5.13.1.12	Method 12:	Oxidative Rearrangement of 2-(Hydroxyaryl) Acylhydrazones	1301
20.5.13.1.13	Method 13:	Lithiation and Alkylation of Benzoate Esters	1301
20.5.14	Product Subclass 14: Alk-2-enoic Acid Esters		
	C. D. Vanderwal and E. N. Jacobsen		
20.5.14	Product Subclass 14: Alk-2-enoic Acid Esters		1305
20.5.14.1	Synthesis of Product Subclass 14		1305
20.5.14.1.1	Method 1:	Alkoxy carbonylation of Alkenyl Organometallics	1305
20.5.14.1.1.1	Variation 1:	Metalation/Alkoxy carbonylation of Alkenyl Ethers, Sulfides, and Enecarbamates	1305
20.5.14.1.1.2	Variation 2:	Reductive Metalation/Alkoxy carbonylation of Haloalkenes ..	1306
20.5.14.1.1.3	Variation 3:	Reductive Alkoxy carbonylation of Alkynes	1307
20.5.14.1.1.4	Variation 4:	Zirconium-Catalyzed Carboalumination/Alkoxy carbonylation of Alkynes	1308
20.5.14.1.1.5	Variation 5:	Palladium-Catalyzed Carbonylation/Alkoxylation of Alkenyl Electrophiles	1308
20.5.14.1.2	Method 2:	Elimination Reactions	1309
20.5.14.1.2.1	Variation 1:	Oxidative Elimination of Hydrogen from Alkanoic Acid Esters	1309
20.5.14.1.2.2	Variation 2:	Palladium-Mediated Oxidation of Silyl Enol Ethers	1310
20.5.14.1.2.3	Variation 3:	Elimination from β -Heteroatom-Substituted Alkanoic Acid Esters	1311
20.5.14.1.2.4	Variation 4:	Elimination from α -Heteroatom-Substituted Alkanoic Acid Esters	1312
20.5.14.1.2.5	Variation 5:	Pericyclic <i>syn</i> -Elimination from α -Acetoxy, α -Sulfinyl, and α -Seleninyl Alkanoic Acid Esters	1313
20.5.14.1.2.6	Variation 6:	Reductive Elimination of Vicinal Heteroatom Substituents ..	1314
20.5.14.1.2.7	Variation 7:	Conversion of α -Oxo Esters into 2-Alkoxy- and 2-Aminoalk-2-enoic Acid Esters	1315
20.5.14.1.2.8	Variation 8:	Conversion of β -Oxo Esters into 3-Alkoxy- and 3-Aminoalk-2-enoic Acid Esters	1316
20.5.14.1.3	Method 3:	Aldol-Type Condensations	1317
20.5.14.1.3.1	Variation 1:	Knoevenagel and Doebner-Modified Knoevenagel Condensations	1317
20.5.14.1.3.2	Variation 2:	Stobbe Condensation	1319
20.5.14.1.3.3	Variation 3:	Carbonyl Homologation by Siloxyalkynes and Alkoxyalkynes	1319
20.5.14.1.4	Method 4:	Wittig and Related Alkenylations	1320
20.5.14.1.4.1	Variation 1:	Wittig Reaction	1321
20.5.14.1.4.2	Variation 2:	Horner-Wittig Reaction	1322
20.5.14.1.4.3	Variation 3:	Horner-Wadsworth-Emmons Reaction	1322
20.5.14.1.4.4	Variation 4:	The Peterson Alkenation	1324
20.5.14.1.4.5	Variation 5:	Alkenation of α -Oxo Esters	1325
20.5.14.1.5	Method 5:	Eschenmoser Sulfide Contraction	1326

20.5.14.1.6	Method 6:	Semihydrogenation of Alk-2-ynoic Acid Esters	1326
20.5.14.1.7	Method 7:	Phosphine-Catalyzed Internal Redox Isomerization of Alk-2-ynoic Acid Esters to Dienoic Acid Esters	1328
20.5.14.1.8	Method 8:	Conjugate Addition to Alk-2-ynoic Acid Esters	1329
20.5.14.1.9	Method 9:	Cycloadditions of Alk-2-ynoic Acid Esters	1330
20.5.14.1.10	Method 10:	α -Alkylation of Preformed Alk-2-enoic Acid Esters	1332
20.5.14.1.11	Method 11:	Conjugate Addition–Elimination of 3-Heterosubstituted Alk-2-enoic Acid Esters	1333
20.5.14.1.12	Method 12:	Transition-Metal-Catalyzed Cross Couplings of Alk-2-enoic Acid Esters	1334
20.5.14.1.13	Method 13:	Heck Reaction	1336
20.5.14.1.14	Method 14:	Alkene Metathesis	1337
20.5.15	Product Subclass 15: 3-Oxo- and 3,3-Diheteroatom-Substituted Alkanoic Acid Esters J. Beignet		
20.5.15	Product Subclass 15: 3-Oxo- and 3,3-Diheteroatom-Substituted Alkanoic Acid Esters		
20.5.15.1	Synthesis of Product Subclass 15		1341
20.5.15.1.1	3-Oxoalkanoic Acid Esters		1341
20.5.15.1.1.1	Method 1:	Oxidation of 3-Hydroxyalkanoic Acid Esters	1341
20.5.15.1.1.2	Method 2:	Addition of Methyl Ketones to Carbonyl Compounds	1342
20.5.15.1.1.2.1	Variation 1:	Using Carbonates	1342
20.5.15.1.1.2.2	Variation 2:	Using Cyanoformates	1342
20.5.15.1.1.2.3	Variation 3:	Using Chloroformates	1343
20.5.15.1.1.3	Method 3:	Addition of 2,2-Dimethyl-1,3-dioxane-4,6-dione to Acylating Agents	1344
20.5.15.1.1.3.1	Variation 1:	Using Acid Chlorides	1344
20.5.15.1.1.3.2	Variation 2:	Using Activated Carboxylic Acids	1345
20.5.15.1.1.3.3	Variation 3:	Using Imidates	1346
20.5.15.1.1.4	Method 4:	Addition of Nitroalkanes to Ethyl Glyoxalate	1346
20.5.15.1.1.5	Method 5:	Addition of the Enolates of Acetates to Carbonyl Compounds	1347
20.5.15.1.1.5.1	Variation 1:	Using Acid Chlorides	1347
20.5.15.1.1.5.2	Variation 2:	Using Mixed Anhydrides	1348
20.5.15.1.1.5.3	Variation 3:	Using 1-Alkanoylimidazoles	1349
20.5.15.1.1.5.4	Variation 4:	Using <i>N</i> -Methoxy- <i>N</i> -methylamides	1349
20.5.15.1.1.5.5	Variation 5:	Using a Lithium (Trimethylsilyl)acetate and a 1-Acylimidazole	1350
20.5.15.1.1.6	Method 6:	Addition of Acetates to Acid Chlorides (via a Titanium Enolate)	1351
20.5.15.1.1.7	Method 7:	Addition of Acetates to Carbonyl Compounds (via a Formal Zinc Enolate)	1351
20.5.15.1.1.7.1	Variation 1:	Using a Reformatsky Reagent and an Acid Chloride	1351
20.5.15.1.1.7.2	Variation 2:	Using a Reformatsky Reagent and a Nitrile	1352
20.5.15.1.1.8	Method 8:	Claisen Condensation of Acetates	1353
20.5.15.1.1.9	Method 9:	Rearrangement of (Alkanoylsulfanyl)acetates	1353
20.5.15.1.1.10	Method 10:	Addition of Ethyl Diazoacetate to Aldehydes	1353

20.5.15.1.1.11	Method 11:	Reduction of Ethyl 3-Oxo-2-(triphenylphosphoranyl- idene)alkanoates	1354
20.5.15.1.1.12	Method 12:	Elimination of a Heterocyclic Substituent from a 3-Hetaryl-3-hydroxyalkanoate	1355
20.5.15.1.1.12.1	Variation 1:	Elimination of Pyrrole from 3-Hydroxy-3-(1 <i>H</i> -pyrrol-1- yl)alkanoates	1355
20.5.15.1.1.12.2	Variation 2:	Deprotection of <i>tert</i> -Butyl 3-Hydroxy-3-(1-methyl-1 <i>H</i> - imidazol-2-yl)nonanoate	1355
20.5.15.1.1.13	Method 13:	Pyrolysis of 3-Hydroxy-2-(phenylsulfinyl)alkanoic Acid Esters	1356
20.5.15.1.1.14	Method 14:	Acylation of 3-Oxoalkanoic Acid Esters	1356
20.5.15.1.1.14.1	Variation 1:	Acylation of Methyl Acetoacetate with Acid Chlorides	1356
20.5.15.1.1.14.2	Variation 2:	Acylation of 3-Oxoalkanoic Acid Esters with Nitriles	1357
20.5.15.1.1.15	Method 15:	Acylation of Malonates	1358
20.5.15.1.1.15.1	Variation 1:	Acylation of Dialkyl Malonates with Acid Chlorides	1358
20.5.15.1.1.15.2	Variation 2:	Acylation of Magnesium Methyl Malonate with 1-Acylimidazoles	1359
20.5.15.1.1.15.3	Variation 3:	Acylation of Ethyl Hydrogen Malonate	1359
20.5.15.1.1.15.4	Variation 4:	Acylation of Methyl Tetrahydro-2 <i>H</i> -pyran-2-yl Malonate	1360
20.5.15.1.1.16	Method 16:	Oxidation of Methyl Alk-2-ynoates	1360
20.5.15.1.1.17	Method 17:	Oxidation of Alk-2-enoates	1361
20.5.15.1.1.17.1	Variation 1:	Wacker Oxidation	1361
20.5.15.1.1.17.2	Variation 2:	Epoxidation and Rearrangement of Alk-2-enoic Esters	1362
20.5.15.1.1.18	Method 18:	Acetoacetylation of Alcohols Using Diketene	1362
20.5.15.1.1.19	Method 19:	Addition of Diketene to Aldehydes or Acetals	1363
20.5.15.1.1.19.1	Variation 1:	From Aldehydes	1363
20.5.15.1.1.19.2	Variation 2:	From Acetals	1364
20.5.15.1.1.20	Method 20:	Transesterification of 1,3-Dioxin-4-ones	1365
20.5.15.1.1.21	Method 21:	Alkylation of 3-Oxoalkanoic Acid Esters	1367
20.5.15.1.2		3,3-Difluoroalkanoic Acid Esters	1368
20.5.15.1.2.1	Method 1:	Fluorination of Ethyl 3-Oxoalkanoates	1368
20.5.15.1.2.2	Method 2:	Reaction of Fluorinated Alkenes and Trimethyl Orthoacetate	1368
20.5.15.1.2.3	Method 3:	Transesterification of 3,3-Difluoroalkanoic Acid Esters	1369
20.5.15.1.3		3,3-Dioxyalkanoic Acid Esters	1369
20.5.15.1.3.1	Method 1:	Addition of a Silyl Ketene Acetal to 2-Ethoxy-2-methyl-1,3- dioxolane	1369
20.5.15.1.3.2	Method 2:	Addition of a Silyl Ketene Acetal to a 1,3-Dioxolan-2-ylum Cation	1370
20.5.15.1.3.3	Method 3:	Addition of Pyrocatechol to Alkyl Penta-2,3-dienoates	1370
20.5.15.1.4		3-Oxy-3-sulfanylalkanoic Acid Esters	1371
20.5.15.1.4.1	Method 1:	Addition of 2-Sulfanylphenol to Alkyl Penta-2,3-dienoates ..	1371
20.5.15.1.5		3-Amino-3-oxyalkanoic Acid Esters	1371
20.5.15.1.5.1	Method 1:	Addition of the Lithium Enolate of an Ester to 1-Alkanoyl-1 <i>H</i> -pyrroles	1371
20.5.15.1.6		3,3-Disulfanylalkanoic Acid Esters	1372

20.5.15.1.6.1	Method 1: Addition of 4-Methylbenzene-1,2-dithiol to Methyl Penta-2,3-dienoate	1372
20.5.15.1.7	3-Amino-3-sulfanylalkanoic Acid Esters	1372
20.5.15.1.7.1	Method 1: Addition of 2-Aminoethanethiol to an Alk-2-ynoic Acid Ester	1372
20.5.16	Product Subclass 16: 3-Heteroatom-Substituted Alkanoic Acid Esters G. Sartori and R. Maggi	
20.5.16	Product Subclass 16: 3-Heteroatom-Substituted Alkanoic Acid Esters	1375
20.5.16.1	Synthesis of Product Subclass 16	1375
20.5.16.1.1	Haloalkanoic Acid Esters	1375
20.5.16.1.1.1	Method 1: C=C Addition Reactions	1375
20.5.16.1.1.2	Method 2: Nucleophilic Substitutions	1376
20.5.16.1.1.3	Method 3: Cycloaddition Reactions	1377
20.5.16.1.1.4	Method 4: Ring Opening	1379
20.5.16.1.2	Hydroxy- and Sulfanylalkanoic Acid Esters and Derivatives	1380
20.5.16.1.2.1	Method 1: Addition to α,β -Unsaturated Esters	1380
20.5.16.1.2.1.1	Variation 1: Michael Addition	1380
20.5.16.1.2.1.2	Variation 2: Oxidative Addition	1381
20.5.16.1.2.2	Method 2: Nucleophilic Substitutions	1383
20.5.16.1.2.3	Method 3: Cycloaddition Reactions	1386
20.5.16.1.2.3.1	Variation 1: Cyclopropanation of Functionalized Alkenes	1386
20.5.16.1.2.3.2	Variation 2: [2 + 2] Cycloaddition	1387
20.5.16.1.2.3.3	Variation 3: Diels–Alder Reaction	1389
20.5.16.1.2.4	Method 4: Ring Opening of Cyclic Precursors	1391
20.5.16.1.2.4.1	Variation 1: Ring Opening of Lactones	1391
20.5.16.1.2.4.2	Variation 2: Ring Opening of Epoxides	1392
20.5.16.1.2.5	Method 5: Reduction of β -Dicarbonyl Compounds	1393
20.5.16.1.2.5.1	Variation 1: Selective Reductions of β -Oxo Esters	1393
20.5.16.1.2.5.2	Variation 2: Monoreduction of Malonates	1395
20.5.16.1.2.6	Method 6: Oxidation Reactions	1397
20.5.16.1.2.6.1	Variation 1: Oxidation of a Preexisting Alcohol or Aldehyde Function	1397
20.5.16.1.2.6.2	Variation 2: “Ex-novo” Oxidative Insertion of the Ester Function	1399
20.5.16.1.2.6.3	Variation 3: Oxidative Insertion of the Hydroxy Function	1400
20.5.16.1.2.7	Method 7: Carboxylation Reactions	1401
20.5.16.1.2.8	Methods 8: Miscellaneous Reactions	1402
20.5.16.1.3	Amino- and Phosphorylalkanoic Esters and Derivatives	1402
20.5.16.1.3.1	Method 1: Addition to α,β -Unsaturated Esters	1402
20.5.16.1.3.1.1	Variation 1: Michael Addition	1402
20.5.16.1.3.1.2	Variation 2: Oxidative Addition	1408
20.5.16.1.3.2	Method 2: Nucleophilic Substitutions	1410
20.5.16.1.3.3	Method 3: Cycloaddition Reactions	1412
20.5.16.1.3.3.1	Variation 1: Cyclopropanation of Functionalized Alkenes	1412
20.5.16.1.3.3.2	Variation 2: [2 + 2] Cycloaddition	1413
20.5.16.1.3.4	Method 4: Ring Opening of Cyclic Precursors	1415

20.5.16.1.3.4.1	Variation 1:	Ring Opening of Lactams	1415
20.5.16.1.3.4.2	Variation 2:	Ring Opening of Epoxides	1416
20.5.16.1.3.4.3	Variation 3:	Ring Opening of Isoxazolidines	1417
20.6	Product Class 6: Lactones		
	M. E. Maier		
20.6	Product Class 6: Lactones		1421
20.6.1	Synthesis of Product Class 6		1424
20.6.1.1	Method 1:	Lactonization	1424
20.6.1.1.1	Variation 1:	Lactonization To Give Five-Membered Lactones	1424
20.6.1.2	Method 2:	Asymmetric Dihydroxylation Followed by Lactonization	1426
20.6.1.2.1	Variation 1:	Butyrolactones from 1,4-Unsaturated Esters	1426
20.6.1.2.2	Variation 2:	Butyrolactones from 1,3-Unsaturated Esters	1429
20.6.1.2.3	Variation 3:	Butyrolactones from Epoxides and C ₂ Building Blocks	1431
20.6.1.2.4	Variation 4:	Butyrolactones from the Addition of C ₃ Building Blocks to Carbonyl Compounds	1438
20.6.1.3	Method 3:	Metalation of Aromatic Carboxylic Acid Derivatives	1444
20.6.1.3.1	Variation 1:	Base-Induced Lactonization	1447
20.6.1.3.2	Variation 2:	Lactonization To Give Six-Membered Lactones	1449
20.6.1.3.3	Variation 3:	δ-Lactones from the Opening of Epoxides with C ₃ Building Blocks	1451
20.6.1.3.4	Variation 4:	δ-Lactones from the Addition of C ₄ Building Blocks to Carbonyl Compounds	1453
20.6.1.3.5	Variation 5:	Lactonization To Give Four-Membered Lactones	1455
20.6.1.4	Method 4:	Macrolactonization and Difficult Lactonizations	1456
20.6.1.4.1	Variation 1:	The Corey–Nicolaou Method	1456
20.6.1.4.2	Variation 2:	The Masamune Method	1459
20.6.1.4.3	Variation 3:	The Mukaiyama Method	1459
20.6.1.4.4	Variation 4:	The Steliou Method	1460
20.6.1.4.5	Variation 5:	The Yamaguchi Method	1462
20.6.1.4.6	Variation 6:	Using Other Benzoic Acid Anhydrides	1465
20.6.1.4.7	Variation 7:	The Keck Method	1466
20.6.1.4.8	Variation 8:	Cyclization of 9-Hydroxydecanoic Acid	1468
20.6.1.4.9	Variation 9:	The Trost Method	1468
20.6.1.4.10	Variation 10:	Other Routes	1470
20.6.1.5	Method 5:	Lactones by Cycloalkylating Reactions	1470
20.6.1.6	Method 6:	Mitsunobu Lactonization	1475
20.6.1.7	Method 7:	Lactonization of Unsaturated Carboxylic Acids	1481
20.6.1.7.1	Variation 1:	Proton-Catalyzed Lactonization	1482
20.6.1.7.2	Variation 2:	Halolactonization	1482
20.6.1.7.3	Variation 3:	(Phenylselenyl)- and (Phenylsulfanyl)lactonization	1493
20.6.1.8	Method 8:	Lactones by Intramolecular Epoxide Opening with Carboxy Functions	1495
20.6.1.9	Method 9:	Spiro Lactones by Oxidative Cyclization	1496
20.6.1.10	Method 10:	Lactones by Baeyer–Villiger Oxidation	1498
20.6.1.10.1	Variation 1:	Baeyer–Villiger Oxidation of Cyclobutanones	1498

20.6.1.10.2	Variation 2:	Baeyer–Villiger Oxidation of Monocyclic, Annulated, and Spirocyclic Ketones	1502
20.6.1.10.3	Variation 3:	Baeyer–Villiger Oxidation of Bi- and Polycyclic Ketones	1509
20.6.1.10.4	Variation 4:	Macrolactones by Baeyer–Villiger Oxidation	1513
20.6.1.10.5	Variation 5:	Enzymatic Baeyer–Villiger Reactions	1514
20.6.1.10.6	Variation 6:	Metal-Catalyzed Baeyer–Villiger Oxidation	1516
20.6.1.11	Method 11:	β -Lactones by [2 + 2]-Cycloaddition Reactions	1519
20.6.1.12	Method 12:	Lactones from Heterocyclic Precursors	1528
20.6.1.12.1	Variation 1:	Reduction of Cyclic Anhydrides to Lactones	1528
20.6.1.13	Method 13:	Butenolides from Furans	1531
20.6.1.13.1	Variation 1:	Unsaturated δ -Lactones from Glycals	1534
20.6.1.14	Methods 14:	Other Methods	1536
20.7	Product Class 7: Peroxy Acids and Derivatives		
	S. Mitra, S. R. Gurralla, and R. S. Coleman		
20.7	Product Class 7: Peroxy Acids and Derivatives		1553
20.7.1	Product Subclass 1: Peroxy Acids, Peroxy Acid Salts, and Peroxy Acid Es- ters		1553
20.7.1.1	Synthesis of Product Subclass 1		1553
20.7.1.1.1	Method 1:	Synthesis of Phthaloyl Peroxide	1553
20.7.1.2	Applications of Product Subclass 1 in Organic Synthesis		1554
20.7.1.2.1	Method 1:	Asymmetric Allylic Oxidation of Alkenes	1554
20.7.1.2.2	Method 2:	Diastereofacial Selective Epoxidation	1558
20.7.1.2.3	Method 3:	Hydrolysis of Peroxy Esters in the Presence of Bis(tributyltin) Oxide	1560
20.7.2	Product Subclass 2: O-Acylhydroxylamines and Related Compounds		1560
20.7.2.1	Synthesis of Product Subclass 2		1560
20.7.2.1.1	Method 1:	<i>N</i> -Aryl- <i>O</i> -benzoylhydroxylamines by Reaction of <i>N</i> -Arylhydroxylamines with Benzoyl Chloride	1560
20.7.2.1.2	Method 2:	<i>N</i> -Alkyl- <i>O</i> -benzoylhydroxylamines by Reduction of Oxime Benzoates	1561
20.7.2.1.3	Method 3:	<i>O</i> -Aroylhydroxylamines from Aroyl Cyanides or Aroyl Chlorides	1562
20.7.2.1.4	Method 4:	<i>O</i> -Acetyl- <i>N</i> -allyl- <i>N</i> -pent-4-enoylhydroxylamine from <i>O</i> -Acetyl- <i>N</i> -allylhydroxylamine	1564
20.7.2.1.5	Method 5:	Cysteine Protease Inhibitor	1564
20.7.2.1.6	Method 6:	Optically Active Isoxazolidin-5-ones from Nitrones	1565
20.7.2.1.7	Method 7:	3-Phenylcyclobutanone <i>O</i> -Benzoyloxime from Hydroxylamine and Benzoyl Chloride	1566
20.7.2.1.8	Method 8:	Optically Pure Spiro- λ^4 -sulfanes from Sulfides	1566
20.7.2.1.8.1	Variation 1:	Stereospecific Synthesis of Optically Active (Acylamino)(acyloxy)diarylspro- λ^4 -sulfanes	1567
20.7.2.1.8.2	Variation 2:	Bis(acyloxy)spiro- λ^4 -sulfanes from Sulfoxides	1568

20.7.2.1.9	Method 9:	Trihalomethanesulfenyl Acetates and Trifluoroacetates from Sulfenyl Chlorides	1568
20.7.2.1.10	Method 10:	(<i>R</i>)-Acetyl 1,1'-Binaphthyl-2,2'-diyl Phosphite	1569
20.7.2.1.11	Method 11:	Carboxyalkyl α -Aminoalkylphosphonic Acid Monoesters from Spirophosphoranes	1570
20.7.2.1.12	Method 12:	A (Benzoyloxy)(benzyl)phenylphosphine–Tungsten Complex via Phospha-Wittig Reaction	1571
20.7.2.1.12.1	Variation 1:	Synthesis of 1,2-Oxaphosphole–Pentacarbonyltungsten Complexes	1571
20.7.2.1.13	Method 13:	Spiro- λ^4 -selanes from Selenides	1572
20.7.2.1.13.1	Variation 1:	Acyloxy- λ^4 -selanes from Carboxylic Acids by Chlorination ...	1573
20.7.2.1.13.2	Variation 2:	Trifluoroacetoxy- λ^4 -selanes from Selenoxides	1573
20.7.2.1.14	Method 14:	A Phenylselanyl Ester in Roseophilin Synthesis	1573
20.7.2.1.15	Method 15:	Benzeneselenenyl Trifluoroacetate from Benzeneseleninic Anhydride and Diphenyl Diselenide	1574
20.7.2.1.16	Method 16:	Spiro- λ^4 -tellane Synthesis Using the 2- <i>exo</i> -Hydroxy-10-bornyl Group as a Chiral Ligand	1574
20.7.2.1.17	Method 17:	Macrocyclic Multi- λ^4 -tellanes by Reaction of a Telluronium Salt with Phthalate Salts	1575
20.7.2.2		Applications of Product Subclass 2 in Organic Synthesis	1576
20.7.2.2.1	Method 1:	Synthesis of Adenosine Derivatives	1576
20.7.2.2.2	Method 2:	Conversion of Cyclobutanone <i>O</i> -Benzoyloximes into Nitriles	1577
20.7.2.2.3	Method 3:	Synthesis of Secondary Amines	1577
20.7.2.2.4	Method 4:	Synthesis of <i>N</i> -Hydroxy Peptides	1578
20.7.2.2.5	Method 5:	Synthesis of the <i>N</i> - <i>tert</i> -Butyl- <i>N</i> -(3,5-dinitrobenzoyl)nitroxyl Radical	1578
20.7.2.2.6	Method 6:	Addition of Trihalomethanesulfenyl Acetates to Alkenes	1579
20.7.2.2.7	Method 7:	Synthesis of Thioacetylated Lactosides	1579
20.7.2.2.8	Method 8:	Reaction of Cyclic Phosphites with β -Dicarbonyl Compounds	1580
20.7.2.2.9	Method 9:	Applications of Benzeneselenenyl Trifluoroacetate	1581
20.7.2.2.10	Method 10:	One-Pot Method for Alkene Trifunctionalization	1582
20.7.2.2.11	Method 11:	Transformation of Allylsilanes into Allylamines via Phenyltellurinylation	1584
20.7.2.2.12	Method 12:	Cyclofunctionalization of Alkenyl Carbamates Using Benzenetellurinic Trifluoroacetate	1585
20.7.2.2.13	Method 13:	Diacetoxylation of Dienes by Acetoxytelluration Followed by Acetylation	1585
20.7.3		Product Subclass 3: Acetyl Hypohalites	1587
20.7.3.1		Synthesis of Product Subclass 3	1587
20.7.3.1.1	Method 1:	Synthesis of Acetyl Hypohalites	1587
20.7.3.2		Applications of Product Subclass 3 in Organic Synthesis	1588
20.7.3.2.1	Method 1:	Iodocyclization Using Acetyl Hypoiodite	1588
20.7.3.2.2	Method 2:	Fluorination Using Acetyl Hypofluorite	1589
20.7.3.2.2.1	Variation 1:	Direct Fluorination of Peptides Containing Tyrosine	1589
20.7.3.2.2.2	Variation 2:	Fluorination of 1,3-Dicarbonyl Derivatives	1589
20.7.3.2.2.3	Variation 3:	Fluorination of Nitro Compounds	1590

20.7.3.2.2.4	Variation 4: Synthesis of α -Fluorocarboxylates	1591
20.7.3.2.2.5	Variation 5: Acetoxylation of Nitrogen Heterocycles	1591
20.7.4	Product Subclass 4: Peroxy Esters of Sulfur, Nitrogen, and Phosphorus ..	1592
20.7.4.1	Synthesis of Product Subclass 4	1592
20.7.4.1.1	Method 1: Pentafluorosulfur Peroxy Esters from Acyl Fluorides and Pentafluoro- λ^6 -sulfane Hydroperoxide	1592
20.7.4.1.2	Method 2: 1-(Benzoylperoxy)-2,2,6,6-tetramethylpiperidine by Direct Reaction of Dibenzoyl Peroxide	1593
20.7.4.1.3	Method 2: Trifluoroacetyl Peroxynitrate by Nitration of Trifluoroperacetic Acid	1593
20.7.4.2	Applications of Product Subclass 4 in Organic Synthesis	1594
20.7.4.2.1	Method 1: As Radical Initiators Used in the Bulk Polymerization of Styrene	1594
20.8	Product Class 8: Thiocarboxylic S-Acids, Selenocarboxylic Se-Acids, Tellurocarboxylic Te-Acids, and Derivatives S. J. Collier	
20.8	Product Class 8: Thiocarboxylic S-Acids, Selenocarboxylic Se-Acids, Tellurocarboxylic Te-Acids, and Derivatives	1597
20.8.1	Product Subclass 1: Thiocarboxylic S-Acids and Their Salts	1597
20.8.1.1	Synthesis of Product Subclass 1	1598
20.8.1.1.1	Method 1: Acylation of a Sulfur Source	1598
20.8.1.1.2	Method 2: Direct Thiation of Carboxylic Acids	1600
20.8.1.1.3	Methods 3: Miscellaneous Procedures	1601
20.8.2	Product Subclass 2: Thioanhydrides (Diacyl Sulfides)	1603
20.8.2.1	Synthesis of Product Subclass 2	1604
20.8.2.1.1	Method 1: Reaction of an Acylating Agent with a Sulfide Source	1604
20.8.2.1.2	Method 2: Reaction of Thiocarboxylic Acids and an Acylating Agent ..	1607
20.8.2.1.3	Methods 3: Miscellaneous Procedures	1609
20.8.3	Product Subclass 3: Acyl Sulfones	1610
20.8.3.1	Synthesis of Product Subclass 3	1610
20.8.3.1.1	Method 1: Oxidation of Thiocarboxylic Acid S-Esters	1610
20.8.3.1.2	Methods 2: Miscellaneous Procedures	1611
20.8.4	Product Subclass 4: Thiocarboxylic Acid S-Esters	1611
20.8.4.1	Synthesis of Product Subclass 4	1612
20.8.4.1.1	Method 1: Synthesis from Thiocarboxylic Acids	1612
20.8.4.1.1.1	Variation 1: Alkylation of Thiocarboxylic Acids with Alkyl Halides or Related Compounds	1612
20.8.4.1.1.2	Variation 2: Addition Reactions	1616
20.8.4.1.1.3	Variation 3: Arylation of Thiocarboxylic Acids	1618
20.8.4.1.2	Method 2: Acylation of Thiols	1619
20.8.4.1.2.1	Variation 1: Acylation by Carboxylic Acid Halides	1619

20.8.4.1.2.2	Variation 2:	Acylation by Acid Anhydrides	1622
20.8.4.1.2.3	Variation 3:	Acylation by Carboxylic Acids	1624
20.8.4.1.2.4	Variation 4:	Acylation by Carboxylic Acid Esters	1627
20.8.4.1.3	Method 3:	Carbonylation Reactions	1630
20.8.4.1.4	Method 4:	Synthesis by Rearrangement	1634
20.8.4.1.5	Method 5:	Synthesis by Modification of the Acyl Group	1635
20.8.4.1.6	Method 6:	Synthesis by Modification of the Sulfur Unit	1638
20.8.4.1.7	Methods 7:	Miscellaneous Procedures	1639
20.8.5	Product Subclass 5: Acylsulfenyl Halides		1641
20.8.5.1	Synthesis of Product Subclass 5		1641
20.8.5.1.1	Method 1:	Direct Halogenation of Thiocarboxylic S-Acids or Their Salts	1641
20.8.6	Product Subclass 6: Acylsulfenic Acids and Derivatives		1643
20.8.7	Product Subclass 7: Diacyl Disulfides		1645
20.8.7.1	Synthesis of Product Subclass 7		1645
20.8.7.1.1	Method 1:	Oxidation of Thiocarboxylic S-Acids	1645
20.8.7.1.2	Method 2:	Reaction of Acid Chlorides and a Disulfide Source	1646
20.8.7.1.3	Method 3:	Reaction of Thiocarboxylic S-Acids and Electrophilic Acylsulfanyl Donors	1647
20.8.7.1.4	Methods 4:	Miscellaneous Procedures	1648
20.8.8	Product Subclass 8: Acyl Disulfides (Acyl Dithioperoxides)		1649
20.8.8.1	Synthesis of Product Subclass 8		1649
20.8.8.1.1	Method 1:	Synthesis from Thiocarboxylic S-Acids and Electrophilic Sulfur Species	1649
20.8.8.1.2	Method 2:	Synthesis from Acylsulfenyl Chlorides and Sulfur Nucleo- philes	1650
20.8.8.1.3	Methods 3:	Miscellaneous Procedures	1651
20.8.9	Product Subclass 9: S-Acyl Selenothioperoxides and Tellurothioperoxides		1652
20.8.9.1	Synthesis of Product Subclass 9		1653
20.8.9.1.1	Method 1:	Synthesis from a Thiocarboxylic S-Acid and an Electrophilic Selenium or Tellurium Fragment	1653
20.8.9.1.2	Method 2:	Synthesis from Acylsulfenyl Halides and Chalcogen Nucleo- philes	1654
20.8.9.1.3	Methods 3:	Miscellaneous Procedures	1655
20.8.10	Product Subclass 10: Acyl Sulfenamides and Related Compounds		1655
20.8.10.1	Synthesis of Product Subclass 10		1656
20.8.10.1.1	Method 1:	Synthesis from Thiocarboxylic S-Acids and Electrophilic Amine Sources	1656
20.8.11	Product Subclass 11: Selenocarboxylic Acid Se-Esters and Tellurocarboxylic Acid Te-Esters		1658
20.8.11.1	Synthesis of Product Subclass 11		1660
20.8.11.1.1	Method 1:	Selenocarboxylic Acid Se-Esters and Tellurocarboxylic Acid Te-Esters by Alkylation of Chalcogenocarboxylic Acids	1660

20.8.11.1.2	Method 2:	Synthesis from Carboxylic Acids	1662
20.8.11.1.3	Method 3:	Synthesis from Activated Esters	1665
20.8.11.1.4	Method 4:	Synthesis from Carboxylic Acid Esters	1668
20.8.11.1.5	Methods 5:	Miscellaneous Procedures	1670
20.8.12	Product Subclass 12: Other Acylselenium and Acyltellurium Compounds		1672
20.8.12.1	Synthesis of Product Subclass 12		1673
20.8.12.1.1	Method 1:	Synthesis of Selenocarboxylic <i>Se</i> -Acids and Tellurocarboxylic <i>Te</i> -Acids	1673
20.8.12.1.2	Method 2:	Synthesis of Diacyl Selenides (Selenoanhydrides) and Diacyl Tellurides (Telluroanhydrides)	1674
20.8.12.1.3	Method 3:	Synthesis of Acyl Diselenides, Acyl Ditellurides, and Mixed Chalcogen Derivatives	1674
20.8.12.1.4	Method 4:	Synthesis of Diacyl Diselenides and Diacyl Ditellurides	1675
20.8.12.1.5	Method 5:	Synthesis of Acylselenenyl Halides	1675
20.8.12.1.6	Method 6:	Synthesis of Acylselenium(IV) and Acyltellurium(IV) Compounds	1676
Keyword Index			1691
Author Index			1741
Abbreviations			1801