

---

**Volume 33:  
Ene—X Compounds (X = S, Se, Te, N, P)**

|                |   |      |
|----------------|---|------|
|                | <b>Preface</b> .....  | V    |
|                | <b>Volume Editor's Preface</b> .....  | VII  |
|                | <b>Table of Contents</b> .....  | XIII |
|                | <b>Introduction</b>   |      |
|                | G. A. Molander .....  | 1    |
| <b>33.1</b>    | <b>Product Class 1: Alk-1-enyl Sulfur Compounds</b>                                     |      |
| <b>33.1.1</b>  | <b>Product Subclass 1: Alk-1-enesulfonic Acids and Derivatives</b>                      |      |
|                | J. C. Carretero and R. G. Arrayás .....   | 13   |
| <b>33.1.2</b>  | <b>Product Subclass 2: Alk-1-enyl Sulfones</b>  |      |
|                | J. C. Carretero and R. G. Arrayás .....   | 19   |
| <b>33.1.3</b>  | <b>Product Subclass 3: S-Alk-1-enylsulfoximides</b>                                     |      |
|                | J. C. Carretero and R. G. Arrayás .....   | 51   |
| <b>33.1.4</b>  | <b>Product Subclass 4: Alk-1-enesulfinic Acids and Derivatives</b>                      |      |
|                | J. C. Carretero and R. G. Arrayás .....   | 59   |
| <b>33.1.5</b>  | <b>Product Subclass 5: Alk-1-enyl Sulfoxides, Sulfimides,<br/>and Related Compounds</b> |      |
|                | J. C. Carretero and R. G. Arrayás .....   | 65   |
| <b>33.1.6</b>  | <b>Product Subclass 6: Alk-1-enethiols</b>  |      |
|                | J. Drabowicz, P. Kielbasiński, and M. Mikołajczyk .....                                 | 101  |
| <b>33.1.7</b>  | <b>Product Subclass 7: Metal Alk-1-enethiolates</b>                                     |      |
|                | J. Drabowicz, P. Kielbasiński, and M. Mikołajczyk .....                                 | 109  |
| <b>33.1.8</b>  | <b>Product Subclass 8: Alk-1-enyl Sulfides</b>  |      |
|                | J. Drabowicz, P. Kielbasiński, and M. Mikołajczyk .....                                 | 113  |
| <b>33.1.9</b>  | <b>Product Subclass 9: Alk-1-enylsulfonium Salts</b>                                    |      |
|                | J. Drabowicz, P. Kielbasiński, and M. Mikołajczyk .....                                 | 169  |
| <b>33.1.10</b> | <b>Product Subclass 10: Alk-1-enesulfenic Acid Derivatives</b>                          |      |
|                | J. Drabowicz, P. Kielbasiński, and M. Mikołajczyk .....                                 | 177  |
| <b>33.1.11</b> | <b>Product Subclass 11: Alk-1-enyl Disulfides</b>                                       |      |
|                | J. Drabowicz, P. Kielbasiński, and M. Mikołajczyk .....                                 | 183  |

---

|         |   |     |
|---------|---|-----|
| 33.1.12 | <b>Product Subclass 12: Thietes and Derivatives</b><br>E. Block .....                                       | 187 |
| 33.1.13 | <b>Product Subclass 13: 2,3-Dihydrothiophenes and Derivatives</b><br>E. Block .....                         | 203 |
| 33.1.14 | <b>Product Subclass 14: 3,4-Dihydro-2H-thiopyrans and Derivatives</b><br>E. Block .....                     | 235 |
| 33.1.15 | <b>Product Subclass 15: 2,3,4,5-Tetrahydrothiepins, Larger Rings,<br/>and Derivatives</b><br>E. Block ..... | 259 |
| 33.2    | <b>Product Class 2: Alk-1-enyl Selenium Compounds</b><br>D. Avilov and D. Dittmer .....                     | 275 |
| 33.3    | <b>Product Class 3: Alk-1-enyl Tellurium Compounds</b><br>D. Avilov and D. Dittmer .....                    | 303 |
| 33.4    | <b>Product Class 4: Alk-1-enyl Nitrogen Compounds</b>   |     |
| 33.4.1  | <b>Product Subclass 1: 1-Nitroalkenes</b><br>N. Ono .....   | 337 |
| 33.4.2  | <b>Product Subclass 2: 1-Nitrosoalkenes</b><br>H.-U. Reissig and R. Zimmer .....                            | 371 |
| 33.4.3  | <b>Product Subclass 3: N-Alk-1-enyliminosulfur Compounds</b><br>H.-U. Reissig and R. Zimmer .....           | 391 |
| 33.4.4  | <b>Product Subclass 4: Alk-1-enediazonium Salts, Alkeneazoxy,<br/>and Alkeneazo Compounds</b> .....         | 395 |
| 33.4.5  | <b>Product Subclass 5: N-Alk-1-enyliminophosphorus Compounds</b><br>H.-U. Reissig and R. Zimmer .....       | 397 |
| 33.4.6  | <b>Product Subclass 6: Enamines</b><br>T. Sammakia, J. A. Abramite, and M. F. Sammons .....                 | 405 |
| 33.4.7  | <b>Product Subclass 7: Enammonium Salts</b><br>T. Sammakia, J. A. Abramite, and M. F. Sammons .....         | 443 |
| 33.4.8  | <b>Product Subclass 8: N-Silylenamines</b><br>S. J. Collier .....   | 451 |
| 33.4.9  | <b>Product Subclass 9: N-Borylenamines</b><br>S. J. Collier .....   | 475 |

---

|         |  |     |
|---------|--|-----|
| 33.4.10 | <b>Product Subclass 10: N-Haloenamines</b><br>S. J. Collier .....  | 487 |
| 33.4.11 | <b>Product Subclass 11: N-Alk-1-enylhydroxylamines</b><br>S. J. Collier .....  | 493 |
| 33.4.12 | <b>Product Subclass 12: N-Alk-1-enylaminosulfur Compounds</b><br>S. J. Collier .....   | 503 |
| 33.4.13 | <b>Product Subclass 13: Alk-1-enylhydrazines</b><br>S. J. Collier and M. D. McLaws .....   | 521 |
| 33.4.14 | <b>Product Subclass 14: Alk-1-enyl Azides</b><br>S. J. Collier .....   | 541 |
| 33.4.15 | <b>Product Subclass 15: N-Alk-1-enylaminophosphorus Compounds</b><br>S. J. Collier .....   | 565 |
| 33.4.16 | <b>Product Subclass 16: 1,2-Dihydroazetes and Derivatives</b><br>P. Jubault, E. Leclerc, and J.-C. Quirion .....                                 | 577 |
| 33.4.17 | <b>Product Subclass 17: 2,3-Dihydro-1H-pyrroles and Derivatives</b><br>P. Jubault, E. Leclerc, and J.-C. Quirion .....                           | 583 |
| 33.4.18 | <b>Product Subclass 18: 1,2-Dihydropyridines, 1,4-Dihydropyridines,<br/>and Derivatives</b><br>J.-C. Quirion, E. Leclerc, and P. Jubault .....   | 601 |
| 33.4.19 | <b>Product Subclass 19: 1,2,3,4-Tetrahydropyridines and Derivatives</b><br>J.-C. Quirion .....   | 629 |
| 33.4.20 | <b>Product Subclass 20: 2,3,4,5-Tetrahydro-1H-azepines, Larger Rings,<br/>and Derivatives</b><br>J.-C. Quirion, E. Leclerc, and P. Jubault ..... | 659 |
| 33.5    | <b>Product Class 5: Alk-1-enyl Phosphorus Compounds</b>  |     |
| 33.5.1  | <b>Product Subclass 1: Alk-1-enylphosphonic Acids and Derivatives</b><br>A. C. Gaumont and M. Gulea .....  | 665 |
| 33.5.2  | <b>Product Subclass 2: Alk-1-enylphosphinic Acids and Derivatives</b><br>A. C. Gaumont and M. Gulea .....  | 695 |
| 33.5.3  | <b>Product Subclass 3: Alk-1-enylphosphine Oxides and Derivatives</b><br>A. C. Gaumont and M. Gulea .....  | 701 |
| 33.5.4  | <b>Product Subclass 4: Alk-1-enylphosphines</b><br>A. C. Gaumont and M. Gulea .....  | 711 |

|         |  |     |
|---------|--|-----|
| 33.5.5  | <b>Product Subclass 5: Alk-1-enylphosphonium Salts</b><br>A. C. Gaumont and M. Gulea .....                     | 725 |
| 33.5.6  | <b>Product Subclass 6: P-Heteroatom-Substituted Alk-1-enylphosphines</b><br>A. C. Gaumont and M. Gulea .....   | 731 |
| 33.5.7  | <b>Product Subclass 7: 1,2-Dihydrophosphetes and Derivatives</b><br>Gy. Keglevich and H. Szelke .....          | 737 |
| 33.5.8  | <b>Product Subclass 8: 2,3-Dihydro-1H-phospholes and Derivatives</b><br>Gy. Keglevich and H. Szelke .....      | 745 |
| 33.5.9  | <b>Product Subclass 9: 1,2,3,4-Tetrahydrophosphinines and Derivatives</b><br>Gy. Keglevich and H. Szelke ..... | 759 |
| 33.5.10 | <b>Product Subclass 10: 1,4-Dihydrophosphinines and Derivatives</b><br>Gy. Keglevich and H. Szelke .....       | 765 |
|         | <b>Keyword Index</b> .....   | 773 |
|         | <b>Author Index</b> .....  | 817 |
|         | <b>Abbreviations</b> .....   | 861 |

## Table of Contents

### Introduction

G. A. Molander

|                           |   |
|---------------------------|---|
| <b>Introduction</b> ..... | 1 |
|---------------------------|---|

### 33.1 Product Class 1: Alk-1-enyl Sulfur Compounds

#### 33.1.1 Product Subclass 1: Alk-1-enesulfonic Acids and Derivatives

J. C. Carretero and R. G. Arrayás

|                     |  |    |
|---------------------|--|----|
| <b>33.1.1</b>       | <b>Product Subclass 1: Alk-1-enesulfonic Acids and Derivatives</b> .....                                   | 13 |
| <b>33.1.1.1</b>     | Synthesis of Product Subclass 1 .....  | 13 |
| <b>33.1.1.1.1</b>   | Method 1: Synthesis from 2-Chloroalkanesulfonic Acid Derivatives .....                                     | 13 |
| <b>33.1.1.1.2</b>   | Method 2: Condensations of the Carbanions of Sulfonic Acid Derivatives with Carbonyl Compounds .....       | 14 |
| <b>33.1.1.1.2.1</b> | Variation 1: Aldol-Type Condensations and Related Processes .....  | 14 |
| <b>33.1.1.1.2.2</b> | Variation 2: Wadsworth–Emmons Alkenation Reactions .....   | 15 |
| <b>33.1.1.1.3</b>   | Method 3: Cyclic Alk-1-enesulfonic Esters and Sulfonamides by Metathesis Reactions .....                   | 16 |
| <b>33.1.1.1.4</b>   | Methods 4: Miscellaneous Syntheses of Alk-1-enesulfonic Acid Derivatives from Other Sulfur Compounds ..... | 17 |

#### 33.1.2 Product Subclass 2: Alk-1-enyl Sulfones

J. C. Carretero and R. G. Arrayás

|                     |   |    |
|---------------------|---|----|
| <b>33.1.2</b>       | <b>Product Subclass 2: Alk-1-enyl Sulfones</b> .....  | 19 |
| <b>33.1.2.1</b>     | Synthesis of Product Subclass 2 .....   | 19 |
| <b>33.1.2.1.1</b>   | Method 1: Sulfonylation of Nucleophilic Alkenyl Reagents .....                                  | 19 |
| <b>33.1.2.1.2</b>   | Method 2: Condensation of Sulfonyl Carbanions with Carbonyl Compounds .....                     | 20 |
| <b>33.1.2.1.2.1</b> | Variation 1: Aldol-Type Condensation and Dehydration .....                                      | 20 |
| <b>33.1.2.1.2.2</b> | Variation 2: Knoevenagel Condensation of Activated Sulfones .....                               | 22 |
| <b>33.1.2.1.2.3</b> | Variation 3: Condensation of Sulfinyl(sulfonyl)methanes with Aldehydes                          | 23 |
| <b>33.1.2.1.2.4</b> | Variation 4: Horner–Wadsworth–Emmons Alkenation of $\alpha$ -Sulfonyl Phosphonates .....        | 24 |
| <b>33.1.2.1.2.5</b> | Variation 5: Peterson Alkenation of $\alpha$ -Silylalkyl Sulfones .....                         | 26 |
| <b>33.1.2.1.3</b>   | Method 3: Sulfonylation of Alkenes Followed by Elimination .....                                | 28 |
| <b>33.1.2.1.3.1</b> | Variation 1: Chlorosulfonylation of Alkenes, Followed by Sulfur Oxidation and Elimination ..... | 28 |
| <b>33.1.2.1.3.2</b> | Variation 2: Sulfonomercuration of Alkenes Followed by Demercuration                            | 29 |
| <b>33.1.2.1.3.3</b> | Variation 3: Selenosulfonylation of Alkenes Followed by Selenium Oxidation .....                | 30 |

|              |  |   |    |
|--------------|--|---|----|
| 33.1.2.1.3.4 | Variation 4:   | Iodosulfonylation of Alkenes Followed by Dehydroiodination  | 31 |
| 33.1.2.1.4   | Method 4:  | Sulfonylation of Alkynes  | 33 |
| 33.1.2.1.5   | Method 5:  | Functionalization of Alk-1-ynyl Sulfones  | 34 |
| 33.1.2.1.5.1 | Variation 1:   | Addition Reactions  | 35 |
| 33.1.2.1.5.2 | Variation 2:   | Cycloaddition Reactions   | 37 |
| 33.1.2.1.6   | Method 6:  | Oxidation of Alk-1-enyl Sulfides and Sulfoxides   | 37 |
| 33.1.2.1.7   | Method 7:  | Functionalization of Allyl Sulfones and Derivatives   | 38 |
| 33.1.2.1.8   | Method 8:  | Functionalization of Simple Alk-1-enyl Sulfones   | 40 |
| 33.1.2.1.8.1 | Variation 1:   | $\alpha$ -Functionalization   | 40 |
| 33.1.2.1.8.2 | Variation 2:   | Heck Reaction   | 42 |
| 33.1.2.1.8.3 | Variation 3:   | Cross-Metathesis Reactions  | 43 |
| 33.1.2.1.8.4 | Variation 4:   | Diels–Alder Reactions of Dienyl Sulfones  | 44 |
| 33.1.2.1.8.5 | Variation 5:   | Substitution of $\beta$ -Functionalized Alk-1-enyl Sulfones   | 45 |
| 33.1.3       | <b>Product Subclass 3: S-Alk-1-enylsulfoximides</b>  |   |    |
|              | J. C. Carretero and R. G. Arrayás  |   |    |
| 33.1.3       | <b>Product Subclass 3: S-Alk-1-enylsulfoximides</b> ..... 51                                 |   |    |
| 33.1.3.1     | Synthesis of Product Subclass 3 ..... 51   |   |    |
| 33.1.3.1.1   | Method 1:  | Condensation of Sulfonimidoyl Carbanions with Carbonyl Compounds  | 51 |
| 33.1.3.1.1.1 | Variation 1:   | Aldol-Type Condensations of $\alpha$ -Sulfonimidoyl Carbanions and the Dehydration of the Intermediate $\beta$ -Hydroxylated Sulfoximides | 52 |
| 33.1.3.1.1.2 | Variation 2:   | Peterson and Wadsworth–Emmons Alkenation Reactions  | 54 |
| 33.1.3.1.2   | Method 2:  | Imination of Alk-1-enyl Sulfoxides  | 55 |
| 33.1.3.1.3   | Method 3:  | Functionalization of Simple S-Alk-1-enyl- and S-Alk-2-enylsulfoximides  | 56 |
| 33.1.4       | <b>Product Subclass 4: Alk-1-enesulfinic Acids and Derivatives</b>                           |   |    |
|              | J. C. Carretero and R. G. Arrayás  |   |    |
| 33.1.4       | <b>Product Subclass 4: Alk-1-enesulfinic Acids and Derivatives</b> ..... 59                  |   |    |
| 33.1.4.1     | Synthesis of Product Subclass 4 ..... 59   |   |    |
| 33.1.4.1.1   | Method 1:  | Reaction of Allenes and Alkynes with Sulfur Dioxide   | 59 |
| 33.1.4.1.2   | Method 2:  | Oxidative Fragmentation of Alk-1-enyl Benzyl Sulfoxides   | 60 |
| 33.1.4.1.3   | Method 3:  | S-Oxidation of Isothiazol-3(2H)-ones  | 61 |
| 33.1.5       | <b>Product Subclass 5: Alk-1-enyl Sulfoxides, Sulfimides, and Related Compounds</b>          |   |    |
|              | J. C. Carretero and R. G. Arrayás  |   |    |
| 33.1.5       | <b>Product Subclass 5: Alk-1-enyl Sulfoxides, Sulfimides, and Related Compounds</b> ..... 65 |   |    |
| 33.1.5.1     | Synthesis of Product Subclass 5 ..... 66   |   |    |

|              |              |  |    |
|--------------|--------------|--|----|
| 33.1.5.1.1   | Method 1:    | Sulfinylation of Nucleophilic Alkenyl Reagents                                     | 66 |
| 33.1.5.1.1.1 | Variation 1: | Sulfinylation with Menthyl 4-Toluenesulfinate                                      | 66 |
| 33.1.5.1.1.2 | Variation 2: | Sulfinylation with Other Enantiopure Sulfinylating Reagents                        | 67 |
| 33.1.5.1.2   | Method 2:    | Condensations of Sulfinyl Carbanions (and Related Species) with Carbonyl Compounds | 69 |
| 33.1.5.1.2.1 | Variation 1: | Aldol-Type Condensations and Dehydrations  | 69 |
| 33.1.5.1.2.2 | Variation 2: | Mannich-Type Reactions   | 72 |
| 33.1.5.1.2.3 | Variation 3: | Knoevenagel-Type Condensations   | 73 |
| 33.1.5.1.2.4 | Variation 4: | Wadsworth–Emmons Alkenation  | 75 |
| 33.1.5.1.2.5 | Variation 5: | Wittig and Horner–Wittig Reactions   | 79 |
| 33.1.5.1.2.6 | Variation 6: | Peterson Alkenation  | 80 |
| 33.1.5.1.3   | Method 3:    | Conversions of Alkynes into Alkenyl and Allenyl Sulfoxides                         | 81 |
| 33.1.5.1.3.1 | Variation 1: | Additions of Sulfenic Acids to Alkynes   | 82 |
| 33.1.5.1.3.2 | Variation 2: | Reactions of Sulfenyl Chlorides with Propargylic Alcohols                          | 83 |
| 33.1.5.1.4   | Method 4:    | Addition Reactions to Alkynyl Sulfoxides   | 84 |
| 33.1.5.1.5   | Method 5:    | Oxidation of Alkenyl Sulfides  | 86 |
| 33.1.5.1.6   | Method 6:    | Functionalization of Alkenyl Sulfoxides and Derivatives                            | 88 |
| 33.1.5.1.6.1 | Variation 1: | $\alpha$ -Functionalization  | 88 |
| 33.1.5.1.6.2 | Variation 2: | The Heck Reaction  | 90 |
| 33.1.5.1.6.3 | Variation 3: | The Stille and Other Palladium-Catalyzed Cross-Coupling Reactions                  | 92 |
| 33.1.5.1.6.4 | Variation 4: | Synthesis from Other Alkenyl Sulfoxides  | 93 |

33.1.6

**Product Subclass 6: Alk-1-enethiols**

J. Drabowicz, P. Kielbasiński, and M. Mikołajczyk

|            |  |   |     |
|------------|--|---|-----|
| 33.1.6     | <b>Product Subclass 6: Alk-1-enethiols</b> | 101   |     |
| 33.1.6.1   | Synthesis of Product Subclass 6            | 101   |     |
| 33.1.6.1.1 | Method 1:                                  | Reaction of Alkenes with Elemental Sulfur                                   | 101 |
| 33.1.6.1.2 | Method 2:                                  | C–S Bond Cleavage of Alkenyl Sulfides                                       | 101 |
| 33.1.6.1.3 | Method 3:                                  | Reaction of <i>E</i> -Alkenyl(phenyl)- $\lambda^3$ -iodanes with Thioamides | 102 |
| 33.1.6.1.4 | Method 4:                                  | Reaction of Haloalkenes with Hydrogen Sulfide                               | 102 |
| 33.1.6.1.5 | Method 5:                                  | Retro-Diels–Alder Reactions of 9,10-Ethano-9,10-dihydroanthracene-11-thiols | 103 |
| 33.1.6.1.6 | Method 6:                                  | Pyrolysis of 1,2-Ethanedithiol or Thiirane                                  | 103 |
| 33.1.6.1.7 | Method 7:                                  | Addition of Hydrogen Sulfide to Alkynes                                     | 103 |
| 33.1.6.1.8 | Method 8:                                  | Enethiolization of Thiocarbonyl Compounds                                   | 104 |

33.1.7

**Product Subclass 7: Metal Alk-1-enethiolates**

J. Drabowicz, P. Kielbasiński, and M. Mikołajczyk

|            |   |  |     |
|------------|---|--|-----|
| 33.1.7     | <b>Product Subclass 7: Metal Alk-1-enethiolates</b> | 109  |     |
| 33.1.7.1   | Synthesis of Product Subclass 7                     | 109  |     |
| 33.1.7.1.1 | Method 1:   | Alkali Metal Cleavage of Alk-1-enyl Alkyl Sulfides | 109 |
| 33.1.7.1.2 | Method 2:   | Hydrolysis of Alk-1-enyl Thiolacetates             | 109 |

|                       |   |   |     |
|-----------------------|---|---|-----|
| 33.1.7.1.3            | Method 3:   | Transformations of Thiiranes and Thiirane S-Oxides                                    | 110 |
| 33.1.7.1.4            | Method 4:   | Deprotonation of Thiocarbonyl Compounds   | 111 |
| <b>33.1.8</b>         | <b>Product Subclass 8: Alk-1-enyl Sulfides</b>    |   |     |
|                       | J. Drabowicz, P. Kiełbasiński, and M. Mikołajczyk |   |     |
| <b>33.1.8</b>         | <b>Product Subclass 8: Alk-1-enyl Sulfides</b>    |   |     |
| <b>33.1.8.1</b>       | Synthesis of Product Subclass 8                   |   |     |
| <b>33.1.8.1.1</b>     | Synthesis of Acyclic Alk-1-enyl Sulfides          |   |     |
| <b>33.1.8.1.1.1</b>   | Method 1:   | Alkylation of Alk-1-enethiolates  | 113 |
| <b>33.1.8.1.1.2</b>   | Method 2:   | Transformations of 1-Haloalkenes and Their Analogues                                  | 114 |
| <b>33.1.8.1.1.2.1</b> | Variation 1:                                      | Nucleophilic Substitution by Thiolate Anions and Their Analogues                      | 114 |
| <b>33.1.8.1.1.2.2</b> | Variation 2:                                      | Reactions of 1-Bromoalkenes with Trialkylstannyl Sulfides                             | 115 |
| <b>33.1.8.1.1.2.3</b> | Variation 3:                                      | Reactions with Copper Thiolates   | 116 |
| <b>33.1.8.1.1.2.4</b> | Variation 4:                                      | Palladium-Catalyzed Reactions with Thiolanes and Their Equivalents                    | 116 |
| <b>33.1.8.1.1.2.5</b> | Variation 5:                                      | Photochemical Reactions between 1-Bromoalk-1-enes and Sulfides                        | 119 |
| <b>33.1.8.1.1.2.6</b> | Variation 6:                                      | Using Alk-1-enylmercury(II) Halides   | 119 |
| <b>33.1.8.1.1.2.7</b> | Variation 7:                                      | Using Alk-1-enyltributylstannanes   | 120 |
| <b>33.1.8.1.1.2.8</b> | Variation 8:                                      | Using (Trimethylsilyloxy)alkenes  | 121 |
| <b>33.1.8.1.1.3</b>   | Method 3:   | Syntheses from Alkyl Sulfides   | 121 |
| <b>33.1.8.1.1.3.1</b> | Variation 1:                                      | Dehydrohalogenation of Haloalkyl Sulfides   | 121 |
| <b>33.1.8.1.1.3.2</b> | Variation 2:                                      | Manganese(IV) Oxide Promoted Reactions of Sulfides with Acetyl Chloride               | 125 |
| <b>33.1.8.1.1.3.3</b> | Variation 3:                                      | Peterson Reactions of $\alpha$ -Silyl Derivatives                                     | 125 |
| <b>33.1.8.1.1.3.4</b> | Variation 4:                                      | Decarboxylation of 2-(Methylsulfanyl)propanoic Acid                                   | 127 |
| <b>33.1.8.1.1.4</b>   | Method 4:   | Syntheses from Dithioacetals and Trithioorthoformates                                 | 128 |
| <b>33.1.8.1.1.4.1</b> | Variation 1:                                      | Reactions with Sulfonyl Chlorides   | 128 |
| <b>33.1.8.1.1.4.2</b> | Variation 2:                                      | Copper- or Lewis Acid Mediated Cleavages of Sulfides                                  | 129 |
| <b>33.1.8.1.1.4.3</b> | Variation 3:                                      | Stereoselective Reduction of Ketene Dithioacetals                                     | 129 |
| <b>33.1.8.1.1.4.4</b> | Variation 4:                                      | Phosphite-Mediated Elimination Reactions  | 130 |
| <b>33.1.8.1.1.4.5</b> | Variation 5:                                      | From Trithioorthoformates   | 130 |
| <b>33.1.8.1.1.5</b>   | Method 5:   | Aldol Condensations of Sulfides Bearing an Electron-Withdrawing $\alpha$ -Substituent | 131 |
| <b>33.1.8.1.1.6</b>   | Method 6:   | Syntheses via Organophosphorus Reagents   | 131 |
| <b>33.1.8.1.1.6.1</b> | Variation 1:                                      | From Phosphorus Ylides  | 131 |
| <b>33.1.8.1.1.6.2</b> | Variation 2:                                      | Wadsworth–Emmons–Horner Reactions   | 132 |
| <b>33.1.8.1.1.7</b>   | Method 7:   | Synthesis from Alkyl Sulfoxides   | 134 |
| <b>33.1.8.1.1.7.1</b> | Variation 1:                                      | Pummerer-Type Rearrangement of $\alpha$ -Chloroalkyl Sulfoxides                       | 134 |
| <b>33.1.8.1.1.7.2</b> | Variation 2:                                      | Iodotrimethylsilane-Induced Elimination–Deoxygenation of Sulfoxides                   | 135 |
| <b>33.1.8.1.1.8</b>   | Method 8:   | Deoxygenation of Alk-1-enyl Sulfoxides  | 135 |
| <b>33.1.8.1.1.9</b>   | Method 9:   | Synthesis from Alkynyl Sulfides   | 136 |
| <b>33.1.8.1.1.9.1</b> | Variation 1:                                      | Reduction of Alkynyl Sulfides   | 136 |

|                 |              |  |     |
|-----------------|--------------|--|-----|
| 33.1.8.1.1.9.2  | Variation 2: | Hydroboration of Alkynyl Sulfides  | 137 |
| 33.1.8.1.1.9.3  | Variation 3: | Tantalum-Mediated Additions to Alkynyl Sulfides  | 137 |
| 33.1.8.1.1.9.4  | Variation 4: | Stereoselective Addition of Grignard Reagents to Alkynyl Sulfides                                    | 138 |
| 33.1.8.1.1.9.5  | Variation 5: | Addition of Organocopper Reagents to Alkynyl Sulfides  | 138 |
| 33.1.8.1.1.10   | Method 10:   | Addition of Thiols or Their Derivatives to Alkynes   | 139 |
| 33.1.8.1.1.10.1 | Variation 1: | Free-Radical Additions   | 139 |
| 33.1.8.1.1.10.2 | Variation 2: | Addition of Thiolates to Alkynes   | 141 |
| 33.1.8.1.1.10.3 | Variation 3: | Metal-Catalyzed Addition of Thiols and Their Borabicyclo Derivatives to Alkynes                      | 143 |
| 33.1.8.1.1.10.4 | Variation 4: | Addition of Sulfenyl Halides or Sulfenamides to Alkynes  | 147 |
| 33.1.8.1.1.11   | Method 11:   | Ring Opening of Epoxy Sulfides   | 149 |
| 33.1.8.1.1.12   | Method 12:   | Reaction of Benzyne with Thiiranes   | 151 |
| 33.1.8.1.1.13   | Method 13:   | Reaction of <i>N</i> -Tosylsulfimides with Potassium <i>tert</i> -Butoxide                           | 151 |
| 33.1.8.1.2      |              | Synthesis of Cyclic Alk-1-enyl Sulfides  | 151 |
| 33.1.8.1.2.1    | Method 1:    | Reaction of Chlorotropylium Salts with Thiols  | 152 |
| 33.1.8.1.2.2    | Method 2:    | Alkylation of Cycloalk-1-ene-1-thiolates   | 152 |
| 33.1.8.1.2.3    | Method 3:    | Dehydrochlorination of Cyclic Sulfides   | 152 |
| 33.1.8.1.2.3.1  | Variation 1: | Chlorosulfonylation–Dehydrochlorination of Cycloalkenes  | 152 |
| 33.1.8.1.2.3.2  | Variation 2: | Addition of Thiols to Cycloalk-2-enones, Followed by Chlorination–Dehydrochlorination of the Adducts | 153 |
| 33.1.8.1.2.4    | Method 4:    | Synthesis from Cycloalkanones and Dithioacetals or Thiols  | 154 |
| 33.1.8.1.2.5    | Method 5:    | Pummerer Reaction of Cyclic Sulfoxides   | 155 |
| 33.1.8.1.2.6    | Method 6:    | Intramolecular Cyclization of Sulfines Derived from <i>S</i> -Unsaturated Dithioesters               | 156 |
| 33.1.8.1.2.7    | Method 7:    | Intramolecular Trapping Reactions of Enethiols Functionalized by a Silyl Group                       | 157 |
| 33.1.8.1.3      |              | Synthesis of Polyenyl Sulfides   | 157 |
| 33.1.8.1.3.1    | Method 1:    | Sulfanylbuta-1,3-dienes via Elimination Reactions  | 157 |
| 33.1.8.1.3.1.1  | Variation 1: | Elimination of a Thiol from Bis(dithioacetals)   | 157 |
| 33.1.8.1.3.1.2  | Variation 2: | Removal of Methanol from Aryl 4,4-Dimethoxybut-2-enyl Sulfides                                       | 158 |
| 33.1.8.1.3.1.3  | Variation 3: | Extrusion of Sulfur Dioxide from 3-Sulfanyl-2,5-dihydrothiophene 1,1-Dioxides                        | 160 |
| 33.1.8.1.3.1.4  | Variation 4: | Flash-Vacuum Pyrolysis of Sulfur-Containing Cyclic Derivatives                                       | 160 |
| 33.1.8.1.3.1.5  | Variation 5: | Elimination Reactions of Aryl 2-Chlorobut-3-enyl Sulfides  | 161 |
| 33.1.8.1.3.1.6  | Variation 6: | Elimination Reactions of 2-Methyl-4-sulfanylbut-3-en-2-ols   | 161 |
| 33.1.8.1.3.2    | Method 2:    | Addition of Thiols to But-1-en-3-yne   | 162 |
| 33.1.8.1.3.3    | Method 3:    | Reduction of (1 <i>E</i> )-But-1-en-3-ynyl Ethyl Sulfides  | 163 |
| 33.1.8.1.3.4    | Method 4:    | Base-Catalyzed Ring-Opening Reactions of Sulfur-Containing Heterocycles                              | 163 |
| 33.1.8.1.3.5    | Method 5:    | Horner–Wittig Reaction of Alkenyl Phosphine Oxides Functionalized with a Phenylsulfanyl Substituent  | 165 |

|                      |   |     |
|----------------------|---|-----|
| <b>33.1.9</b>        | <b>Product Subclass 9: Alk-1-enylsulfonium Salts</b><br>J. Drabowicz, P. Kiełbasiński, and M. Mikołajczyk           |     |
| <b>33.1.9</b>        | <b>Product Subclass 9: Alk-1-enylsulfonium Salts</b> .....  | 169 |
| <b>33.1.9.1</b>      | Synthesis of Product Subclass 9 .....   | 169 |
| <b>33.1.9.1.1</b>    | Method 1: Dehydrohalogenation of (2-Haloalkyl)sulfonium Salts .....   | 169 |
| <b>33.1.9.1.2</b>    | Method 2: S-Alkylation of Alk-1-enyl Sulfides .....   | 172 |
| <b>33.1.9.1.3</b>    | Method 3: Synthesis from Dithioacetals .....  | 173 |
| <b>33.1.9.1.4</b>    | Method 4: Synthesis from Alkenes .....  | 173 |
| <b>33.1.9.1.5</b>    | Method 5: Synthesis from Sulfonium Ylides Stabilized by<br>a Phosphoryl Substituent .....                           | 174 |
| <b>33.1.10</b>       | <b>Product Subclass 10: Alk-1-enesulfenic Acid Derivatives</b><br>J. Drabowicz, P. Kiełbasiński, and M. Mikołajczyk |     |
| <b>33.1.10</b>       | <b>Product Subclass 10: Alk-1-enesulfenic Acid Derivatives</b> .....  | 177 |
| <b>33.1.10.1</b>     | Synthesis of Product Subclass 10 .....  | 177 |
| <b>33.1.10.1.1</b>   | Method 1: Alk-1-enesulfenyl Chlorides by Chlorination of Enethiols or<br>Alk-1-enyl Sulfides .....                  | 177 |
| <b>33.1.10.1.2</b>   | Method 2: Alk-1-enesulfenyl Chlorides from Allenes and Sulfur Dichloride  | 178 |
| <b>33.1.10.1.3</b>   | Method 3: Alk-1-enesulfenyl Chlorides from Alkynes and<br>Sulfur Dichloride .....                                   | 178 |
| <b>33.1.10.1.4</b>   | Method 4: Alkenesulfenamides by Addition of Amidosulfenyl Chlorides<br>to Alkynes .....                             | 179 |
| <b>33.1.10.1.5</b>   | Method 5: Alk-1-enesulfenamides from Alk-1-enesulfenate Anions .....  | 180 |
| <b>33.1.10.1.6</b>   | Method 6: Alk-1-enesulfenic Acids by the Enethiolization of Sulfines .....  | 181 |
| <b>33.1.11</b>       | <b>Product Subclass 11: Alk-1-enyl Disulfides</b><br>J. Drabowicz, P. Kiełbasiński, and M. Mikołajczyk              |     |
| <b>33.1.11</b>       | <b>Product Subclass 11: Alk-1-enyl Disulfides</b> .....   | 183 |
| <b>33.1.11.1</b>     | Synthesis of Product Subclass 11 .....  | 183 |
| <b>33.1.11.1.1</b>   | Method 1: Sulfenylation of Alkenethiolate Anions .....  | 183 |
| <b>33.1.11.1.2</b>   | Method 2: Addition of Nucleophiles to Sulfines .....  | 185 |
| <b>33.1.12</b>       | <b>Product Subclass 12: Thietes and Derivatives</b><br>E. Block   |     |
| <b>33.1.12</b>       | <b>Product Subclass 12: Thietes and Derivatives</b> .....   | 187 |
| <b>33.1.12.1</b>     | Synthesis of Product Subclass 12 .....  | 188 |
| <b>33.1.12.1.1</b>   | Synthesis by Ring-Closure Reactions .....   | 188 |
| <b>33.1.12.1.1.1</b> | Method 1: Reaction of Sulfenes and Ynamines or Ketene <i>O,N</i> -Acetals .....                                     | 188 |
| <b>33.1.12.1.1.2</b> | Method 2: Photocycloaddition of Thiones to Alkynes .....  | 189 |
| <b>33.1.12.1.1.3</b> | Method 3: Reaction of a Perfluorinated Alkene and <i>tert</i> -Butanethiol .....                                    | 190 |

|                 |   |     |
|-----------------|---|-----|
| 33.1.12.1.1.4   | Method 4: Electrocyclic Ring Closure of Enethiones  | 191 |
| 33.1.12.1.2     | Synthesis by Ring Transformation  | 191 |
| 33.1.12.1.2.1   | Method 1: Ring Enlargement of Diazothiiranimes  | 191 |
| 33.1.12.1.2.2   | Method 2: Ring Enlargement of Thiirenes   | 192 |
| 33.1.12.1.2.2.1 | Variation 1: Reaction of a Sulfonium Ylide with Diphenylthiirene Dioxide                                      | 192 |
| 33.1.12.1.2.2.2 | Variation 2: From an <i>S</i> -Methylthiirenium Ion   | 192 |
| 33.1.12.1.2.3   | Method 3: Ring Contraction of Thiophene 1,1-Dioxides  | 192 |
| 33.1.12.1.2.4   | Method 4: Synthesis from Thiophenones   | 193 |
| 33.1.12.1.3     | Elimination Reactions from Thietanes  | 194 |
| 33.1.12.1.3.1   | Method 1: Cope and Hofmann Eliminations   | 194 |
| 33.1.12.1.3.2   | Method 2: Elimination of a Hydrogen Halide or Ethanol   | 195 |
| 33.1.12.1.4     | Synthesis by Substituent Modification   | 197 |
| 33.1.12.1.4.1   | Substitution of Hydrogen  | 197 |
| 33.1.12.1.4.1.1 | Method 1: Addition and Elimination of Halogen   | 197 |
| 33.1.12.1.4.2   | Substitution of Halogens  | 197 |
| 33.1.12.1.4.2.1 | Method 1: Michael Addition  | 197 |
| 33.1.12.1.4.3   | Modification of Substituents  | 197 |
| 33.1.12.1.4.3.1 | Method 1: Enolization/Acylation of Thietan-3-one Derivatives  | 197 |
| 33.1.12.1.4.3.2 | Method 2: Double-Bond Isomerization   | 198 |
| 33.1.12.1.4.3.3 | Method 3: Hydrogenation of 2-Methylenethietes   | 198 |
| 33.1.12.1.4.3.4 | Method 4: [4 + 2] and [2 + 2] Cycloadditions of 2-Methylenethietes  | 198 |
| 33.1.12.1.5     | Addition Reactions  | 199 |
| 33.1.12.1.5.1   | Method 1: <i>S</i> -Alkylation Using Methyl Trifluoromethanesulfonate   | 199 |
| 33.1.12.1.5.2   | Method 2: <i>S</i> -Oxidation Using Monoperoxyphthalic Acid   | 199 |
| 33.1.12.2       | Applications of Product Subclass 12 in Organic Synthesis  | 200 |
| 33.1.12.2.1     | Method 1: Ring Opening to Propenethial <i>S,S</i> -Dioxides and Subsequent Cycloaddition or Rearrangement     | 200 |
| 33.1.13         | <b>Product Subclass 13: 2,3-Dihydrothiophenes and Derivatives</b><br>E. Block                                 |     |
| 33.1.13         | <b>Product Subclass 13: 2,3-Dihydrothiophenes and Derivatives</b>   | 203 |
| 33.1.13.1       | Synthesis of Product Subclass 13  | 204 |
| 33.1.13.1.1     | Synthesis by Ring-Closure Reactions   | 204 |
| 33.1.13.1.1.1   | Method 1: Reaction of Zirconacycles with Sulfur Monochloride  | 204 |
| 33.1.13.1.1.2   | Method 2: Reaction of 1-(1-Adamantylcarbonylmethyl)pyridinium Bromide with (Arylmethylene)cyanothioacetamides | 204 |
| 33.1.13.1.1.3   | Method 3: 1,3-Dipolar Cycloaddition of Mesoionic Thiazolium-4-olates to Nitroalkenes                          | 205 |
| 33.1.13.1.1.4   | Method 4: Heating Dialk-1-enyl Disulfides   | 205 |
| 33.1.13.1.1.5   | Method 5: Enethiolization of $\omega$ -Halothioacylsilanes  | 206 |
| 33.1.13.1.1.6   | Method 6: Synthesis from But-3-ynethiols and Derivatives  | 206 |

|                          |   |   |     |
|--------------------------|---|---|-----|
| <b>33.1.13.1.1.6.1</b>   | Variation 1:  | Using Base or Hexacarbonylchromium Catalysis  | 206 |
| <b>33.1.13.1.1.6.2</b>   | Variation 2:  | From Halocyclizations   | 207 |
| <b>33.1.13.1.1.7</b>     | Method 7:   | Synthesis from 4,4-Dihalobut-3-enethiols  | 208 |
| <b>33.1.13.1.1.7.1</b>   | Variation 1:  | From 3-(Difluoromethylene)-2-methyl-6-phenylhexane-1-thiol                              | 208 |
| <b>33.1.13.1.1.7.2</b>   | Variation 2:  | From 4,4-Dibromo-3-methylbut-3-ene-1-thiol  | 208 |
| <b>33.1.13.1.1.8</b>     | Method 8:   | Synthesis from 5-Substituted Pentan-2-ones  | 208 |
| <b>33.1.13.1.1.8.1</b>   | Variation 1:  | From 5-Sulfanylated Pentan-2-ones or 5-Bromopentan-2-ones                               | 208 |
| <b>33.1.13.1.1.8.2</b>   | Variation 2:  | From O-Ethyl S-(4-Oxobutyl) Dithiocarbonates  | 209 |
| <b>33.1.13.1.1.9</b>     | Method 9:   | Intramolecular Michael Additions  | 210 |
| <b>33.1.13.1.1.10</b>    | Method 10:  | Cyclization of $\alpha$ -Phosphonovinyl Radicals  | 210 |
| <b>33.1.13.1.1.11</b>    | Method 11:  | Base-Induced Cyclizations of Alkynyl Benzyl Sulfides                                    | 211 |
| <b>33.1.13.1.1.12</b>    | Method 12:  | Intramolecular Wittig Reactions of Thioesters   | 212 |
| <b>33.1.13.1.1.13</b>    | Method 13:  | Intramolecular Titanocene(II)-Promoted Alkenations of Thioesters                        | 212 |
| <b>33.1.13.1.1.14</b>    | Method 14:  | Photocyclization of Bis(2-phenylvinyl) Sulfide  | 213 |
| <b>33.1.13.1.2</b>       | Synthesis by Ring Transformation                    |   | 214 |
| <b>33.1.13.1.2.1</b>     | Method 1:   | Formal Exchange of Ring Members with Retention of Ring Size                             | 214 |
| <b>33.1.13.1.2.2</b>     | Method 2:   | Light-Induced Ring Contraction of 1,2-Dithiins  | 214 |
| <b>33.1.13.1.2.3</b>     | Method 3:   | Electrocyclic Ring Closure of Thionins  | 215 |
| <b>33.1.13.1.3</b>       | Synthesis by the Elimination Reactions of Thiolanes |   | 215 |
| <b>33.1.13.1.3.1</b>     | Method 1:   | Synthesis from 2-Acetoxy- and 2-(Benzoyloxy)tetrahydrothiophenes                        | 215 |
| <b>33.1.13.1.3.2</b>     | Method 2:   | Synthesis from 2- or 3-Hydroxy-, 3-Bromo-, or 2-(Alkylsulfanyl)tetrahydrothiophenes     | 216 |
| <b>33.1.13.1.3.3</b>     | Method 3:   | Bamford–Stevens Elimination of the Tosylhydrazone of Dihydrothiophen-3(2 <i>H</i> )-one | 217 |
| <b>33.1.13.1.4</b>       | Synthesis by Substituent Modification               |   | 218 |
| <b>33.1.13.1.4.1</b>     | Substitution of Hydrogen or Metals                  |   | 218 |
| <b>33.1.13.1.4.1.1</b>   | Method 1:   | Lithiation of 2,3-Dihydrothiophene and Its Reactions with Electrophiles                 | 218 |
| <b>33.1.13.1.4.1.2</b>   | Method 2:   | Replacement of Tin by Hydroxyalkyl Groups   | 218 |
| <b>33.1.13.1.4.2</b>     | Substitution of Heteroatoms                         |   | 219 |
| <b>33.1.13.1.4.2.1</b>   | Method 1:   | Nucleophilic Substitutions of 3-Bromo-2,3-dihydrothiophene 1,1-Dioxide                  | 219 |
| <b>33.1.13.1.4.2.2</b>   | Method 2:   | Substitution of a Trifluoromethylsulfonyloxy Group by a Metal                           | 220 |
| <b>33.1.13.1.4.3</b>     | Addition Reactions                                  |   | 221 |
| <b>33.1.13.1.4.3.1</b>   | Method 1:   | Reduction of Thiophenes   | 221 |
| <b>33.1.13.1.4.3.1.1</b> | Variation 1:  | Birch Reduction   | 221 |
| <b>33.1.13.1.4.3.1.2</b> | Variation 2:  | Samarium(II) Iodide Mediated Double Electrophilic Reduction                             | 221 |
| <b>33.1.13.1.4.3.2</b>   | Method 2:   | Dimerization of 2,3-Dihydrothiophene and Its 1,1-Dioxide                                | 222 |
| <b>33.1.13.1.4.3.3</b>   | Method 3:   | Addition Reactions Involving Thiophene 1-Oxides   | 223 |
| <b>33.1.13.1.4.3.3.1</b> | Variation 1:  | Dihydrodiol Formation or Oxidation/Dimerization   | 223 |
| <b>33.1.13.1.4.3.4</b>   | Method 4:   | Nucleophilic Additions to Thiophene 1-Oxides or 1,1-Dioxides                            | 224 |

|                 |           |  |     |
|-----------------|-----------|--|-----|
| 33.1.13.1.4.3.5 | Method 5: | Electrophilic Additions to Thiophene 1,1-Dioxides  | 225 |
| 33.1.13.1.4.3.6 | Method 6: | Diels–Alder Additions  | 226 |
| 33.1.13.1.4.3.7 | Method 7: | Ylide Formation  | 226 |
| 33.1.13.1.4.3.8 | Method 8: | Oxidation of the Sulfur Atom   | 227 |
| 33.1.13.1.4.3.9 | Method 9: | Sulfilimine Formation  | 227 |
| 33.1.13.1.4.4   |           | Modification of Substituents   | 228 |
| 33.1.13.1.4.4.1 | Method 1: | Reduction of the Sulfoxide Group   | 228 |
| 33.1.13.1.4.4.2 | Method 2: | 4,5-Dihydro-2-thienyl 2-Trifluoromethanesulfonate by<br>Enolization of Thiophen-2(3 <i>H</i> )-one                             | 228 |
| 33.1.13.1.4.4.3 | Method 3: | Isomerization of 2,5-Dihydrothiophenes   | 228 |
| 33.1.13.1.4.4.4 | Method 4: | Base-Catalyzed Isomerization of 2,5-Dihydrothiophene<br>1,1-Dioxides   | 229 |
| 33.1.13.2       |           | Applications of Product Subclass 13 in Organic Synthesis   | 229 |
| 33.1.13.2.1     | Method 1: | Use as a Protecting Group for Alcohols   | 229 |
| 33.1.13.2.2     | Method 2: | Nickel-Catalyzed Replacement of a Vinylic C–S Bond with<br>a C–C Bond  | 230 |
| 33.1.13.2.3     | Method 3: | Aromatization of 2,3-Dihydrothiophenes   | 230 |
| 33.1.13.2.4     | Method 4: | Photoisomerism of 2,3-Dihydrothiophenes to<br>2-Alkylidenetetrahydrothiophenes   | 230 |
| 33.1.13.2.5     | Method 5: | Conversion of 2,3-Dihydrothiophenes into<br>6-Oxo-2-thiabicyclo[3.2.0]heptane-4-carboxylic Acids                               | 230 |
| 33.1.13.2.6     | Method 6: | [2 + 2]-Photochemical Cycloadditions to<br>2,3-Dihydrothiophene 1,1-Dioxide  | 231 |
| 33.1.13.2.7     | Method 7: | 3,4-Dihydro-2 <i>H</i> -thiopyrans from 2,3-Dihydrothiophenium<br>Methylides   | 232 |
| 33.1.14         |           | <b>Product Subclass 14: 3,4-Dihydro-2<i>H</i>-thiopyrans and Derivatives</b><br>E. Block                                       |     |
| 33.1.14         |           | <b>Product Subclass 14: 3,4-Dihydro-2<i>H</i>-thiopyrans and Derivatives</b>   | 235 |
| 33.1.14.1       |           | Synthesis of Product Subclass 14   | 235 |
| 33.1.14.1.1     |           | Synthesis by Ring-Closure Reactions  | 235 |
| 33.1.14.1.1.1   | Method 1: | Synthesis from 1,5-Diketones and Hydrogen Sulfide/<br>Hydrogen Chloride, Phosphorus Pentasulfide,<br>or Hexamethyldisilathiane | 236 |
| 33.1.14.1.1.2   | Method 2: | Synthesis from 1,4-Dien-3-ones and 1-En-4-yn-3-ones by<br>Michael Addition   | 237 |
| 33.1.14.1.1.3   | Method 3: | Synthesis from Propenethial  | 238 |
| 33.1.14.1.1.4   | Method 4: | Synthesis from Propenethial <i>S,S</i> -Dioxide  | 239 |
| 33.1.14.1.1.5   | Method 5: | Synthesis from Other Enethiones  | 239 |
| 33.1.14.1.1.6   | Method 6: | Synthesis from Benzothietes  | 242 |
| 33.1.14.1.1.7   | Method 7: | Double Michael Additions of Malonate Anions to<br>Alk-1-enyl Alk-1-ynyl Sulfones   | 242 |
| 33.1.14.1.1.8   | Method 8: | Combination of Enones and Two Three-Atom Fragments   | 243 |
| 33.1.14.1.1.9   | Method 9: | Photolysis of Pent-4-ynethiol  | 243 |

|                 |  |  |     |
|-----------------|--|--|-----|
| 33.1.14.1.1.10  | Method 10:   | Synthesis from $\omega$ -Halothioacysilanes  | 243 |
| 33.1.14.1.1.11  | Method 11:   | Synthesis from 3-Methyl-6-sulfanylhexan-2-ones   | 244 |
| 33.1.14.1.1.12  | Method 12:   | Synthesis from a 5,5-Dibromopent-4-enethiol or<br>a 5,5-Dibromopent-4-enyl Sulfide   | 244 |
| 33.1.14.1.1.13  | Method 13:   | Synthesis from 1-(Arenesulfonyl)-5-iodobut-1-enyl<br>Methyl Sulfides   | 244 |
| 33.1.14.1.1.14  | Method 14:   | Thermal Rearrangement of Prop-2-ynyl Vinyl Sulfide   | 245 |
| 33.1.14.1.1.15  | Method 15:   | Cope Rearrangement of Thiocarbonyl Compounds   | 245 |
| 33.1.14.1.1.16  | Method 16:   | Electrocyclic Ring Closure of (3 <i>E</i> ,5 <i>Z</i> )-1,1,1,7,7,7-Hexafluoro-<br>3,4,5-tris(trifluoromethyl)hepta-3,5-diene-2-thione | 246 |
| 33.1.14.1.1.17  | Method 17:   | Cyclization of <i>S</i> -Allyl $\alpha$ -Phosphonovinyl Radicals   | 246 |
| 33.1.14.1.2     | Synthesis by Ring Transformation                         |  | 247 |
| 33.1.14.1.2.1   | Method 1:  | Ring Enlargement of Acyldihydrothiophenes  | 247 |
| 33.1.14.1.2.2   | Method 2:  | Ring Enlargement of 4,5-Dihydrothiophenium and<br>Thiophenium 1-Methylides   | 248 |
| 33.1.14.1.3     | Synthesis from Dihydro- and Tetrahydrothiopyrans         |  | 248 |
| 33.1.14.1.3.1   | Method 1:  | Rearrangement and/or Elimination Reactions   | 248 |
| 33.1.14.1.4     | Synthesis by Substituent Modification                    |  | 250 |
| 33.1.14.1.4.1   | Substitution of Hydrogen                                 |  | 250 |
| 33.1.14.1.4.1.1 | Method 1:  | Lithiation of 3,4-Dihydro-2 <i>H</i> -thiopyrans, 2 <i>H</i> -Thiopyrans,<br>and 4 <i>H</i> -Thiopyrans                                | 250 |
| 33.1.14.1.4.2   | Substitution of Metals                                   |  | 250 |
| 33.1.14.1.4.2.1 | Method 1:  | Replacement of Lithium by Organostannyl and<br>Organosilyl Groups  | 250 |
| 33.1.14.1.4.3   | Addition Reactions                                       |  | 250 |
| 33.1.14.1.4.3.1 | Method 1:  | Dimerization of 3,4-Dihydro-2 <i>H</i> -thiopyran  | 250 |
| 33.1.14.1.4.3.2 | Method 2:  | Oxidation of the Sulfur Atom   | 251 |
| 33.1.14.1.4.3.3 | Method 3:  | Sulfilimine Formation  | 251 |
| 33.1.14.1.4.4   | Modification of Substituents                             |  | 251 |
| 33.1.14.1.4.4.1 | Method 1:  | Enolization of Dihydrothiopyranones  | 251 |
| 33.1.14.1.4.4.2 | Method 2:  | Cationic Interconversion of 4 <i>H</i> -Thiopyrans into 2 <i>H</i> -Thiopyrans   | 252 |
| 33.1.14.1.4.4.3 | Method 3:  | Base-Induced Conversions of 2 <i>H</i> -Thiopyrans into<br>4 <i>H</i> -Thiopyrans  | 252 |
| 33.1.14.1.4.4.4 | Method 4:  | Photochemical Conversion of a 2 <i>H</i> -Thiopyran into<br>a 4 <i>H</i> -Thiopyran  | 254 |
| 33.1.14.2       | Applications of Product Subclass 14 in Organic Synthesis |  | 254 |
| 33.1.14.2.1     | Method 1:  | Nickel-Catalyzed Replacement of a Vinylic C—S Bond with<br>a C—C Bond  | 254 |
| 33.1.14.2.2     | Method 2:  | Synthesis of Thiopyrylium Salts  | 255 |
| 33.1.14.2.3     | Method 3:  | Synthesis of 4-Methylene-2,6-diphenyl-4 <i>H</i> -thiopyrans   | 255 |
| 33.1.14.2.4     | Method 4:  | Synthesis of Chiral Auxiliaries for<br>Corey–Chaykovsky Epoxidation  | 255 |
| 33.1.14.2.5     | Method 5:  | Protecting Group for Alcohols  | 256 |

|                        |  |     |
|------------------------|--|-----|
| <b>33.1.15</b>         | <b>Product Subclass 15: 2,3,4,5-Tetrahydrothiepins, Larger Rings, and Derivatives</b>                                      |     |
|                        | E. Block   |     |
| <hr/>                  |  |     |
| <b>33.1.15</b>         | <b>Product Subclass 15: 2,3,4,5-Tetrahydrothiepins, Larger Rings, and Derivatives</b>                                      | 259 |
| <b>33.1.15.1</b>       | Synthesis of Product Subclass 15   | 259 |
| <b>33.1.15.1.1</b>     | Synthesis by Ring-Closure Reactions  | 259 |
| <b>33.1.15.1.1.1</b>   | Method 1: Synthesis from 1,6-Bis(acylsilanes)  | 259 |
| <b>33.1.15.1.1.2</b>   | Method 2: Cyclopalladation of Benzyl Methyl Sulfide  | 259 |
| <b>33.1.15.1.1.3</b>   | Method 3: Synthesis from Diphenylthiirene 1,1-Dioxide and 1-Cyclohex-1-enylpyrrolidine                                     | 260 |
| <b>33.1.15.1.1.4</b>   | Method 4: Synthesis from 1-(Arylsulfonyl)-6-halopent-1-enyl Methyl Sulfides  | 260 |
| <b>33.1.15.1.1.5</b>   | Method 5: Synthesis from $\omega$ -Halothioacylsilanes   | 260 |
| <b>33.1.15.1.1.6</b>   | Method 6: Synthesis of a 1,2-Dihydro-2-benzothiepin by Cathodic Reduction of a Benzyl Dithiopivaloate                      | 261 |
| <b>33.1.15.1.2</b>     | Synthesis by Ring Transformation   | 262 |
| <b>33.1.15.1.2.1</b>   | Method 1: Ring Enlargement of Three-Membered Rings   | 262 |
| <b>33.1.15.1.2.2</b>   | Method 2: Ring Enlargement of Five-Membered Rings  | 263 |
| <b>33.1.15.1.2.2.1</b> | Variation 1: Two-Carbon-Atom Ring Expansion with Dimethyl Acetylenedicarboxylate   | 263 |
| <b>33.1.15.1.2.2.2</b> | Variation 2: [2,3]-Sigmatropic Rearrangements of Ylides Obtained from 1-[(Ethoxycarbonyl)methyl]-2-ethynylthiacycloalkanes | 263 |
| <b>33.1.15.1.2.3</b>   | Method 3: Ring Enlargement of Six-Membered Rings   | 264 |
| <b>33.1.15.1.2.3.1</b> | Variation 1: Two-Carbon-Atom Ring Expansion with Dimethyl Acetylenedicarboxylate   | 264 |
| <b>33.1.15.1.2.3.2</b> | Variation 2: Reaction of 6-Acyl-3,6-dihydro-2 <i>H</i> -thiopyrans with Zinc/Chlorotrimethylsilane                         | 265 |
| <b>33.1.15.1.2.3.3</b> | Variation 3: [2,3]-Sigmatropic Rearrangements of 1-[(Ethoxycarbonyl)methyl]-2-ethynylthiepane Sulfonium Ylides             | 265 |
| <b>33.1.15.1.2.3.4</b> | Variation 4: Rearrangement of Bicyclic Sulfonium Ylides  | 266 |
| <b>33.1.15.1.2.3.5</b> | Variation 5: Pyrolyses of Sulfoxides   | 266 |
| <b>33.1.15.1.2.4</b>   | Method 4: Ring Enlargement of Seven-Membered Rings   | 267 |
| <b>33.1.15.1.2.4.1</b> | Variation 1: [2,3]-Sigmatropic Rearrangement of 1-[(Ethoxycarbonyl)methyl]-2-ethynylthiocane Sulfonium Ylides              | 267 |
| <b>33.1.15.1.3</b>     | Elimination Reactions Leading to Thiacyclohept-2-enes, Thiacyclooct-2-enes, and Related Systems                            | 267 |
| <b>33.1.15.1.3.1</b>   | Method 1: Ring-Opening Reactions of Thiaoxabicyclo[3.2.1]octanes and Thiaoxabicyclo[3.3.1]nonanes                          | 267 |
| <b>33.1.15.1.3.2</b>   | Method 2: Pummerer Reactions   | 269 |
| <b>33.1.15.1.4</b>     | Synthesis by Substituent Modification  | 270 |
| <b>33.1.15.1.4.1</b>   | Substitution of Hydrogen   | 270 |
| <b>33.1.15.1.4.1.1</b> | Method 1: Lithiation of 2,3,4,5-Tetrahydrothiepin 1-Oxide  | 270 |
| <b>33.1.15.1.4.1.2</b> | Method 2: Allylic Bromination of 4,5-Dihydrothiepin 1,1-Dioxide  | 270 |

|                 |  |     |
|-----------------|--|-----|
| 33.1.15.1.4.2   | Substitution of Metals   | 270 |
| 33.1.15.1.4.2.1 | Method 1: Replacement of Lithium by Alkyl and Hydroxyalkyl Groups  | 270 |
| 33.1.15.1.4.3   | Addition Reactions   | 271 |
| 33.1.15.1.4.3.1 | Method 1: Oxidation of the Sulfur Atom   | 271 |
| <b>33.2</b>     | <b>Product Class 2: Alk-1-enyl Selenium Compounds</b>  |     |
|                 | D. Avilov and D. Dittmer   |     |
| <b>33.2</b>     | <b>Product Class 2: Alk-1-enyl Selenium Compounds</b>  | 275 |
| <b>33.2.1</b>   | <b>Product Subclass 1: Alk-1-enyl Selenones</b>  | 275 |
| 33.2.1.1        | Synthesis of Product Subclass 1  | 275 |
| 33.2.1.1.1      | Method 1: Oxidation of Alk-1-enyl Selenides  | 275 |
| <b>33.2.2</b>   | <b>Product Subclass 2: Alk-1-enyl Selenoxides</b>  | 276 |
| 33.2.2.1        | Synthesis of Product Subclass 2  | 276 |
| 33.2.2.1.1      | Method 1: Oxidation of Alk-1-enyl Selenides  | 276 |
| <b>33.2.3</b>   | <b>Product Subclass 3: Alk-1-eneselenols</b>   | 277 |
| 33.2.3.1        | Synthesis of Product Subclass 3  | 277 |
| 33.2.3.1.1      | Method 1: Reaction of Divinyl Diselenides with Tributyltin Hydride   | 277 |
| <b>33.2.4</b>   | <b>Product Subclass 4: Metal Alk-1-eneselenolates</b>  | 277 |
| 33.2.4.1        | Synthesis of Product Subclass 4  | 278 |
| 33.2.4.1.1      | Method 1: Reaction of Metal Complexes with 1,2,3-Selenadiazoles  | 278 |
| 33.2.4.1.2      | Method 2: Addition of Metal Complexes Containing Selenium Ligands to Alkynes   | 279 |
| 33.2.4.1.3      | Method 3: Exchange of Selenolate Ligands in Metal Complexes  | 279 |
| 33.2.4.1.4      | Methods 4: Other Methods   | 280 |
| <b>33.2.5</b>   | <b>Product Subclass 5: Alk-1-enyl Selenides</b>  | 280 |
| 33.2.5.1        | Synthesis of Product Subclass 5  | 281 |
| 33.2.5.1.1      | Method 1: Coupling of Organoselenenyl Halides or Diorgano Diselenides with Alk-1-enyl Heteroatom Derivatives                             | 281 |
| 33.2.5.1.1.1    | Variation 1: Reaction of Organoselenenyl Halides with Alk-1-enylmagnesium Halides  | 281 |
| 33.2.5.1.1.2    | Variation 2: Reaction of Areneselenenyl Halides and Related Compounds with Alk-1-enylzirconocenes  | 282 |
| 33.2.5.1.1.3    | Variation 3: Reaction of an Areneselenenyl Halide with Vinylboronic Acids and Esters   | 282 |
| 33.2.5.1.1.4    | Variation 4: Reaction of Areneselenenyl Halides with Alk-1-enyl(trialkyl)stannanes and Related Reactions                                 | 283 |
| 33.2.5.1.1.5    | Variation 5: Reaction of Areneselenenyl Halides and Related Compounds with Alk-1-enyllithiums  | 283 |
| 33.2.5.1.2      | Method 2: Coupling of Metal Selenides or Metal Alkane- or Arene-selenolates with Alk-1-enyl Heteroatom Derivatives and Related Reactions | 283 |

|              |   |   |     |
|--------------|---|---|-----|
| 33.2.5.1.3   | Method 3:   | Addition–Elimination of Organoselenium Compounds to Alkenes   | 284 |
| 33.2.5.1.3.1 | Variation 1:  | Addition–Elimination of Organoselenenyl Halides and Related Compounds                                 | 285 |
| 33.2.5.1.3.2 | Variation 2:  | Addition–Elimination of Selenols  | 285 |
| 33.2.5.1.4   | Method 4:   | Wittig, Horner–Wadsworth–Emmons, and Related Reactions of Selenium Precursors with Carbonyl Compounds | 286 |
| 33.2.5.1.5   | Method 5:   | Addition of Selenium Compounds to Alkynes   | 287 |
| 33.2.5.1.5.1 | Variation 1:  | Addition of Selenols  | 287 |
| 33.2.5.1.5.2 | Variation 2:  | Addition of Arene- or Alkaneselenenyl Halides, Selenosulfonates, and Related Compounds                | 288 |
| 33.2.5.1.5.3 | Variation 3:  | Addition of Diselenides   | 289 |
| 33.2.5.1.5.4 | Variation 4:  | Addition of Other Compounds Containing a Selenium–Heteroatom Bond                                     | 290 |
| 33.2.5.1.5.5 | Variations 5:   | Other Variations  | 291 |
| 33.2.5.1.6   | Method 6:   | Addition of Selenium Compounds to Allenes   | 291 |
| 33.2.5.1.7   | Method 7:   | Addition to Alk-1-ynylselenium Compounds  | 291 |
| 33.2.5.1.7.1 | Variation 1:  | Addition to Alk-1-ynyl Selenides  | 291 |
| 33.2.5.1.7.2 | Variation 2:  | Addition to Metal Alk-1-yneselenolates  | 294 |
| 33.2.5.1.8   | Method 8:   | Double Bond Shift of Allyl Selenides and Related Reactions  | 295 |
| 33.2.5.1.9   | Methods 9:  | Other Methods   | 295 |
| 33.2.6       | <b>Product Subclass 6: Alk-1-enylselenonium Salts</b>                 |   | 295 |
| 33.2.6.1     | Synthesis of Product Subclass 6                                       |   | 295 |
| 33.2.6.1.1   | Method 1:   | Alkylation of Alken-1-yl Selenides  | 295 |
| 33.2.6.1.2   | Method 2:   | Addition of Nucleophiles to Alk-1-ynylselenonium Salts  | 296 |
| 33.2.7       | <b>Product Subclass 7: Alk-1-enyl Polyselenides</b>                   |   | 296 |
| 33.2.7.1     | Synthesis of Product Subclass 7                                       |   | 296 |
| 33.2.7.1.1   | Method 1:   | Oxidation of Metal Alk-1-eneselenolates   | 297 |
| 33.3         | <b>Product Class 3: Alk-1-enyl Tellurium Compounds</b>                |   |     |
|              | D. Avilov and D. Dittmer  |   |     |
| 33.3         | <b>Product Class 3: Alk-1-enyl Tellurium Compounds</b>                |   | 303 |
| 33.3.1       | <b>Product Subclass 1: Alk-1-enyl-<math>\lambda^6</math>-tellanes</b> |   | 303 |
| 33.3.1.1     | Synthesis of Product Subclass 1                                       |   | 303 |
| 33.3.1.1.1   | Method 1:   | Substitution of Pentaaryltellurium Trifluoromethanesulfonates   | 303 |
| 33.3.2       | <b>Product Subclass 2: Alk-1-enyl Telluroxides</b>                    |   | 304 |
| 33.3.2.1     | Synthesis of Product Subclass 2                                       |   | 304 |
| 33.3.2.1.1   | Method 1:   | Addition of Benzenetelluranyl Trifluoromethanesulfonate to Alkynes                                    | 304 |
| 33.3.2.1.2   | Method 2:   | Oxidation of Alk-1-enyl Tellurides  | 304 |
| 33.3.3       | <b>Product Subclass 3: Alk-1-enyl-<math>\lambda^4</math>-tellanes</b> |   | 305 |

|              |   |     |
|--------------|---|-----|
| 33.3.3.1     | Synthesis of Product Subclass 3   | 305 |
| 33.3.3.1.1   | Method 1: Metal–Tellurium Exchange  | 305 |
| 33.3.3.1.2   | Method 2: Addition of Halogens to Alk-1-enyl Tellurides   | 305 |
| 33.3.3.1.3   | Method 3: Addition of Tellurium(IV) Halides or Organotellurium Trihalides to Alkynes  | 306 |
| 33.3.3.1.4   | Method 4: Exchange of Groups on Tellurium in Alk-1-enyl- $\lambda^4$ -tellanes  | 307 |
| 33.3.3.2     | Applications of Product Subclass 3 in Organic Synthesis   | 308 |
| 33.3.4       | <b>Product Subclass 4: Alk-1-enyl Tellurides</b>  | 308 |
| 33.3.4.1     | Synthesis of Product Subclass 4   | 308 |
| 33.3.4.1.1   | Method 1: Coupling of Organotellurenyl Halides or Diorganoditellanes with Alk-1-enyl Anions or Radical Equivalents  | 308 |
| 33.3.4.1.1.1 | Variation 1: Reaction of Organotellurenyl Halides with Grignard Reagents  | 309 |
| 33.3.4.1.1.2 | Variation 2: Reaction of Organotellurenyl Halides with Alkynylboranes or Vinylaluminum Compounds  | 309 |
| 33.3.4.1.1.3 | Variation 3: Reaction of Organotellurenyl Halides with Alk-1-enyl Zirconocenes  | 310 |
| 33.3.4.1.1.4 | Variation 4: Reaction of Organotellurenyl Halides and Derivatives with Alk-1-enyl Cuprates or Alk-1-enyl Mercury Derivatives  | 311 |
| 33.3.4.1.1.5 | Variation 5: Reaction of 1,2-Bis[(Z)-2-lithiovinyl]benzene Derivatives and [(1Z,3Z)-1-Lithio-4-(2-lithiophenyl)buta-1,3-dienyl]- (trimethyl)silane with Tellurium Tetrachloride | 312 |
| 33.3.4.1.1.6 | Variation 6: Intramolecular Baylis–Hillman Reactions of Organotellurenyl Bromides   | 313 |
| 33.3.4.1.2   | Method 2: Alkylation of Alk-1-enyltelluride Anions  | 313 |
| 33.3.4.1.3   | Method 3: Displacement Reactions on Alk-1-enyl Derivatives by Telluride Anions  | 314 |
| 33.3.4.1.4   | Method 4: Wittig and Related Reactions  | 315 |
| 33.3.4.1.5   | Method 5: Addition of Tellurium Compounds to Alkynes or Allenes   | 316 |
| 33.3.4.1.5.1 | Variation 1: Addition of Telluroles and Metal Tellurides  | 316 |
| 33.3.4.1.5.2 | Variation 2: Addition of Organotellurenyl Halides and Amides  | 318 |
| 33.3.4.1.5.3 | Variation 3: Free-Radical Additions of Tellurium Species  | 319 |
| 33.3.4.1.5.4 | Variation 4: Addition of Iron–Telluride Complexes   | 320 |
| 33.3.4.1.6   | Method 6: Reductions of Tellurium Compounds   | 320 |
| 33.3.4.1.6.1 | Variation 1: Reduction of Alk-1-enyl Telluroxides   | 320 |
| 33.3.4.1.6.2 | Variation 2: Reduction of Alk-1-enyltellurium Halides   | 321 |
| 33.3.4.1.6.3 | Variation 3: Reduction of Alk-1-enylditellanes  | 322 |
| 33.3.4.1.6.4 | Variation 4: Reduction of Alkynyl Tellurides  | 322 |
| 33.3.4.1.7   | Method 7: Additions to Alkynyl Tellurides   | 322 |
| 33.3.4.1.8   | Method 8: Modifications of Existing Alk-1-enyl Tellurium Species  | 323 |
| 33.3.4.1.8.1 | Variation 1: Addition Reactions to the C=C Bond of Alk-1-enyl Tellurides  | 323 |
| 33.3.4.1.8.2 | Variation 2: Replacement or Modification of Substituents on the C=C Bond of Alk-1-enyl Tellurides   | 324 |
| 33.3.4.1.9   | Methods 9: Other Methods  | 326 |
| 33.3.4.2     | Applications of Product Subclass 4 in Organic Synthesis   | 327 |
| 33.3.5       | <b>Product Subclass 5: Alk-1-enyltelluronium Salts</b>  | 328 |
| 33.3.5.1     | Synthesis of Product Subclass 5   | 328 |

|              |  |     |
|--------------|--|-----|
| 33.3.5.1.1   | Method 1: Alkylation of Alk-1-enyl Tellurides  | 328 |
| 33.3.5.1.2   | Method 2: Displacement of Stannanes, Boronic Acids, and Iodophenyl Groups                | 328 |
| 33.3.6       | <b>Product Subclass 6: Dialk-1-enylditellanes</b>  | 329 |
| 33.3.6.1     | Synthesis of Product Subclass 5  | 329 |
| 33.3.6.1.1   | Method 1: Oxidation of Alk-1-enyl Metal Tellurides                                       | 329 |
| 33.3.6.1.2   | Methods 2: Other Methods   | 329 |
| 33.4         | <b>Product Class 4: Alk-1-enyl Nitrogen Compounds</b>                                    |     |
| 33.4.1       | <b>Product Subclass 1: 1-Nitroalkenes</b><br>N. Ono                                      |     |
| 33.4.1       | <b>Product Subclass 1: 1-Nitroalkenes</b>  | 337 |
| 33.4.1.1     | Synthesis of Product Subclass 1  | 337 |
| 33.4.1.1.1   | Method 1: Nitration of Alkenes   | 337 |
| 33.4.1.1.1.1 | Variation 1: Nitration of Vinylsilanes or Vinylstannanes                                 | 342 |
| 33.4.1.1.1.2 | Variation 2: Nitration of $\alpha,\beta$ -Unsaturated Carboxylic Acids                   | 343 |
| 33.4.1.1.2   | Method 2: Oxidation of Oximes and Amines   | 344 |
| 33.4.1.1.3   | Method 3: Elimination Reactions of $\beta$ -Substituted Nitro Compounds                  | 345 |
| 33.4.1.1.3.1 | Variation 1: Dehydration of $\beta$ -Nitro Alcohols                                      | 346 |
| 33.4.1.1.3.2 | Variation 2: Elimination of Acids from $\beta$ -Nitro Esters                             | 350 |
| 33.4.1.1.3.3 | Variation 3: Elimination of HX from $\beta$ -Nitro Halides                               | 353 |
| 33.4.1.1.3.4 | Variation 4: Wittig-Type Reaction  | 354 |
| 33.4.1.1.3.5 | Variation 5: Elimination from $\beta$ -Nitro Sulfides and Sulfoxides                     | 355 |
| 33.4.1.1.3.6 | Variation 6: Elimination from $\alpha$ -Nitro Selenoxides and $\beta$ -Nitro Selenoxides | 356 |
| 33.4.1.1.4   | Method 4: Synthesis from $\alpha$ -Nitro Ketones   | 357 |
| 33.4.1.1.4.1 | Variation 1: Synthesis of $\beta$ -Nitroenamines and $\beta$ -Nitrovinyl Sulfides        | 359 |
| 33.4.1.1.5   | Method 5: Addition–Elimination Reactions of Nitroalkenes                                 | 360 |
| 33.4.1.1.5.1 | Variation 1: Using Carbon Nucleophiles   | 360 |
| 33.4.1.1.5.2 | Variation 2: Using Heteroatom Nucleophiles   | 365 |
| 33.4.2       | <b>Product Subclass 2: 1-Nitrosoalkenes</b><br>H.-U. Reissig and R. Zimmer               |     |
| 33.4.2       | <b>Product Subclass 2: 1-Nitrosoalkenes</b>  | 371 |
| 33.4.2.1     | Synthesis of Product Subclass 2  | 371 |
| 33.4.2.1.1   | Method 1: Nitrosation Reactions  | 371 |
| 33.4.2.1.1.1 | Variation 1: Nitrosation of Alkenes  | 371 |
| 33.4.2.1.1.2 | Variation 2: Nitrosation of Alkynes  | 372 |
| 33.4.2.1.1.3 | Variation 3: Nitrosation of Allenes  | 372 |
| 33.4.2.1.2   | Method 2: Elimination Reactions  | 372 |
| 33.4.2.1.2.1 | Variation 1: Dehydrohalogenation of $\alpha$ -Halooximes                                 | 372 |

|              |              |   |     |
|--------------|--------------|---|-----|
| 33.4.2.1.2.2 | Variation 2: | Elimination of Trialkylsilanol from Silyl Nitronates                                      | 373 |
| 33.4.2.1.2.3 | Variation 3: | Elimination of Nitrous Acid   | 374 |
| 33.4.2.1.2.4 | Variation 4: | Elimination of Sulfuric Acid  | 374 |
| 33.4.2.1.3   | Method 3:    | Thermolysis Reactions   | 375 |
| 33.4.2.1.4   | Method 4:    | Photolysis Reactions  | 375 |
| 33.4.2.1.5   | Method 5:    | Reductions of Nitroalkenes  | 376 |
| 33.4.2.1.5.1 | Variation 1: | Electrochemical Reduction   | 376 |
| 33.4.2.1.5.2 | Variation 2: | Reduction with Phosphorus Compounds   | 376 |
| 33.4.2.1.6   | Method 6:    | Oxidation Reactions   | 377 |
| 33.4.2.1.7   | Method 7:    | Ring-Opening Reactions  | 377 |
| 33.4.2.1.7.1 | Variation 1: | From Epoxides   | 377 |
| 33.4.2.1.7.2 | Variation 2: | From Isoxazoles   | 378 |
| 33.4.2.1.8   | Method 8:    | Isomerization Reactions   | 378 |
| 33.4.2.1.9   | Method 9:    | Skeletal Rearrangement Reactions  | 379 |
| 33.4.2.1.10  | Method 10:   | Alkylations of Oximes   | 379 |
| 33.4.2.1.11  | Method 11:   | Derivatization of Stable Nitrosoalkenes   | 380 |
| 33.4.2.2     |              | Applications of Product Subclass 2 in Organic Synthesis                                   | 381 |
| 33.4.2.2.1   | Method 1:    | Reactions with Nucleophiles   | 381 |
| 33.4.2.2.2   | Method 2:    | Synthesis of $\alpha,\beta$ -Unsaturated Oximes   | 382 |
| 33.4.2.2.3   | Method 3:    | [4 + 2] Cycloadditions  | 383 |
| 33.4.2.2.4   | Method 4:    | Electrocyclic Ring-Closure Reactions  | 385 |
| 33.4.3       |              | <b>Product Subclass 3: N-Alk-1-enyliminosulfur Compounds</b>                              |     |
|              |              | H.-U. Reissig and R. Zimmer   |     |
| 33.4.3       |              | <b>Product Subclass 3: N-Alk-1-enyliminosulfur Compounds</b>                              | 391 |
| 33.4.3.1     |              | Synthesis of Product Subclass 3   | 391 |
| 33.4.3.1.1   | Method 1:    | Reaction of $\beta$ -Alkoxy Michael Acceptors with Sulfoximides and Sulfodiimines         | 391 |
| 33.4.3.1.1.1 | Variation 1: | Reactions with Sulfoximides   | 391 |
| 33.4.3.1.1.2 | Variation 2: | Reactions with Sulfodiimines  | 392 |
| 33.4.3.1.2   | Method 2:    | Reaction of Alkynes with Dialkylsulfoxonium Salts   | 392 |
| 33.4.3.1.3   | Method 3:    | Reaction of Ethyl Bromoacetate with Sulfoximides  | 393 |
| 33.4.3.1.4   | Method 4:    | Reaction of 4-Amino-1,2-dihydropyrazol-3-one with Thionyl Chloride                        | 393 |
| 33.4.4       |              | <b>Product Subclass 4: Alk-1-enediazonium Salts, Alkeneazoxy, and Alkeneazo Compounds</b> |     |
| 33.4.4       |              | <b>Product Subclass 4: Alk-1-enediazonium Salts, Alkeneazoxy, and Alkeneazo Compounds</b> | 395 |

|                     |   |     |
|---------------------|---|-----|
| <b>33.4.5</b>       | <b>Product Subclass 5: <i>N</i>-Alk-1-enyliminophosphorus Compounds</b><br>H.-U. Reissig and R. Zimmer                  |     |
| <hr/>               |   |     |
| <b>33.4.5</b>       | <b>Product Subclass 5: <i>N</i>-Alk-1-enyliminophosphorus Compounds</b> .....   | 397 |
| <b>33.4.5.1</b>     | Synthesis of Product Subclass 5 .....   | 397 |
| <b>33.4.5.1.1</b>   | Method 1: Reactions of $\beta$ -Alkoxy Michael Acceptors with Triphenylphosphine Imide .....                            | 397 |
| <b>33.4.5.1.2</b>   | Method 2: Reactions of Azides with Triarylphosphines and Triorganyl Phosphites .....                                    | 397 |
| <b>33.4.5.1.2.1</b> | Variation 1: With Triarylphosphines .....   | 398 |
| <b>33.4.5.1.2.2</b> | Variation 2: With Triorganyl Phosphites .....   | 398 |
| <b>33.4.5.1.3</b>   | Method 3: Reactions of Nitriles with Triarylphosphines .....  | 399 |
| <b>33.4.5.1.4</b>   | Method 4: Reactions of Heterocycles Bearing $\beta$ -Acceptor-Substituted Enamine Moieties with Triarylphosphines ..... | 399 |
| <b>33.4.5.1.5</b>   | Method 5: Elimination Reactions of ( $\alpha$ -Azidoalkyl)benzotriazoles .....  | 400 |
| <b>33.4.5.2</b>     | Applications of Product Subclass 5 in Organic Synthesis .....   | 400 |
| <b>33.4.5.2.1</b>   | Method 1: Aza-Wittig Reactions .....  | 400 |
| <b>33.4.5.2.2</b>   | Method 2: Synthesis of Heterocycles .....   | 401 |
| <br>                |   |     |
| <b>33.4.6</b>       | <b>Product Subclass 6: Enamines</b><br>T. Sammakia, J. A. Abramite, and M. F. Sammons                                   |     |
| <hr/>               |   |     |
| <b>33.4.6</b>       | <b>Product Subclass 6: Enamines</b> .....   | 405 |
| <b>33.4.6.1</b>     | Synthesis of Product Subclass 6 .....   | 405 |
| <b>33.4.6.1.1</b>   | Method 1: Condensation of a Ketone or Aldehyde with an Amine .....  | 405 |
| <b>33.4.6.1.1.1</b> | Variation 1: Via Benzotriazole Aminals .....  | 406 |
| <b>33.4.6.1.1.2</b> | Variation 2: Using Azeotropic Removal of Water .....  | 408 |
| <b>33.4.6.1.1.3</b> | Variation 3: By the Action of Protic Acid Catalysis .....   | 409 |
| <b>33.4.6.1.1.4</b> | Variation 4: By the Action of Molecular Sieves as Catalysts and Desiccants .....  | 410 |
| <b>33.4.6.1.1.5</b> | Variation 5: By the Action of Calcium Chloride as a Desiccant .....   | 411 |
| <b>33.4.6.1.1.6</b> | Variation 6: By the Action of Titanium(IV) Chloride as a Promoter .....   | 412 |
| <b>33.4.6.1.1.7</b> | Variation 7: By the Action of Boron Trifluoride–Diethyl Ether Complex as a Catalyst .....                               | 413 |
| <b>33.4.6.1.2</b>   | Method 2: Oxidative Amination .....   | 414 |
| <b>33.4.6.1.3</b>   | Method 3: Cross-Coupling Reactions .....  | 415 |
| <b>33.4.6.1.3.1</b> | Variation 1: Of Bromides .....  | 416 |
| <b>33.4.6.1.3.2</b> | Variation 2: Of Chlorides .....   | 418 |
| <b>33.4.6.1.3.3</b> | Variation 3: Of Sulfonates .....  | 419 |
| <b>33.4.6.1.4</b>   | Method 4: Substitution and Addition–Elimination Reactions .....   | 420 |
| <b>33.4.6.1.5</b>   | Method 5: Elimination of Hydrogen .....   | 421 |
| <b>33.4.6.1.5.1</b> | Variation 1: Dehydrogenation .....  | 421 |
| <b>33.4.6.1.5.2</b> | Variation 2: Transfer Dehydrogenation .....   | 421 |
| <b>33.4.6.1.6</b>   | Method 6: Elimination of a Metal Hydroxide .....  | 422 |
| <b>33.4.6.1.7</b>   | Method 7: Addition of Hydrogen .....  | 422 |
| <b>33.4.6.1.7.1</b> | Variation 1: Reduction of Enamides .....  | 422 |

|                 |   |   |     |
|-----------------|---|---|-----|
| 33.4.6.1.7.2    | Variation 2:  | Dissolving Metal Reduction of Aromatic Amines                             | 423 |
| 33.4.6.1.8      | Method 8:   | Hydroamination  | 423 |
| 33.4.6.1.9      | Method 9:   | Addition of Organometallic Reagents to Nitriles                           | 426 |
| 33.4.6.1.10     | Method 10:  | Hydroaminomethylation   | 428 |
| 33.4.6.1.11     | Method 11:  | Isomerization   | 429 |
| 33.4.6.1.12     | Method 12:  | Wittig Reaction of Amides   | 432 |
| 33.4.6.1.13     | Method 13:  | Horner–Wittig Reaction of Ketones and Aldehydes                           | 433 |
| 33.4.6.1.14     | Method 14:  | Alkylidenation of Carbonyl Groups via Titanium Carbenes                   | 434 |
| 33.4.6.1.14.1   | Variation 1:  | Using Dialkyltitanocenes  | 435 |
| 33.4.6.1.14.2   | Variation 2:  | Using Tebbe’s Reagent   | 436 |
| 33.4.6.1.14.3   | Variation 3:  | Takai Alkylidenation  | 436 |
| 33.4.6.1.14.4   | Variation 4:  | Alkylidenation of Amides with Thioacetals Using<br>a Titanium(II) Complex | 437 |
| <b>33.4.7</b>   | <b>Product Subclass 7: Enammonium Salts</b>           |   |     |
|                 | T. Sammakia, J. A. Abramite, and M. F. Sammons        |   |     |
| <b>33.4.7</b>   | <b>Product Subclass 7: Enammonium Salts</b> 443       |   |     |
| <b>33.4.7.1</b> | Synthesis of Product Subclass 7 443                   |   |     |
| 33.4.7.1.1      | Method 1:   | Alkylation of Enamines  | 443 |
| 33.4.7.1.2      | Method 2:   | Conjugate Addition/Elimination  | 444 |
| 33.4.7.1.3      | Method 3:   | Alkylation/Elimination  | 445 |
| 33.4.7.1.4      | Method 4:   | Copper-Catalyzed $S_N2'$ Substitution of Propargyl Chlorides              | 445 |
| 33.4.7.1.5      | Method 5:   | Elimination of a Hydrogen Halide or Water                                 | 446 |
| 33.4.7.1.6      | Method 6:   | Addition of Trialkylammonium Salts to Activated Alkynes                   | 447 |
| 33.4.7.1.7      | Method 7:   | Cyclopropyliminium Ion Rearrangement                                      | 447 |
| <b>33.4.8</b>   | <b>Product Subclass 8: <i>N</i>-Silylenamines</b>     |   |     |
|                 | S. J. Collier   |   |     |
| <b>33.4.8</b>   | <b>Product Subclass 8: <i>N</i>-Silylenamines</b> 451 |   |     |
| <b>33.4.8.1</b> | Synthesis of Product Subclass 8 453                   |   |     |
| 33.4.8.1.1      | Method 1:   | Synthesis from Imines   | 453 |
| 33.4.8.1.1.1    | Variation 1:  | Direct Silylation of Imines or Enamines                                   | 453 |
| 33.4.8.1.1.2    | Variation 2:  | Other Approaches Involving Imines   | 458 |
| 33.4.8.1.2      | Method 2:   | Synthesis from Nitriles   | 460 |
| 33.4.8.1.2.1    | Variation 1:  | Nucleophilic Attack on Nitriles   | 460 |
| 33.4.8.1.2.2    | Variation 2:  | Other Approaches Involving Nitriles                                       | 466 |
| 33.4.8.1.3      | Method 3:   | Isomerization Reactions   | 467 |
| 33.4.8.1.4      | Methods 4:  | Miscellaneous Methods   | 469 |

|                      |   |     |
|----------------------|---|-----|
| <b>33.4.9</b>        | <b>Product Subclass 9: <i>N</i>-Borylenamines</b><br>S. J. Collier  |     |
| <hr/>                |   |     |
| <b>33.4.9</b>        | <b>Product Subclass 9: <i>N</i>-Borylenamines</b> .....   | 475 |
| <b>33.4.9.1</b>      | Synthesis of Product Subclass 9 .....   | 477 |
| <b>33.4.9.1.1</b>    | Method 1: Direct Borylation of Imines (or Enamines) .....   | 477 |
| <b>33.4.9.1.2</b>    | Method 2: Synthesis from 1,2-Azaborolium Salts .....  | 480 |
| <b>33.4.9.1.3</b>    | Method 3: Synthesis from Other <i>N</i> -Borylenamines .....  | 481 |
| <b>33.4.9.1.4</b>    | Methods 4: Miscellaneous Procedures .....   | 483 |
| <br>                 |   |     |
| <b>33.4.10</b>       | <b>Product Subclass 10: <i>N</i>-Haloenamines</b><br>S. J. Collier  |     |
| <hr/>                |   |     |
| <b>33.4.10</b>       | <b>Product Subclass 10: <i>N</i>-Haloenamines</b> .....   | 487 |
| <b>33.4.10.1</b>     | Synthesis of Product Subclass 10 .....  | 487 |
| <b>33.4.10.1.1</b>   | Method 1: Halogenation of Enamides .....  | 487 |
| <b>33.4.10.1.2</b>   | Method 2: <i>N</i> -Halopyridinones and Related Compounds by<br>Direct Halogenation .....                     | 488 |
| <br>                 |   |     |
| <b>33.4.11</b>       | <b>Product Subclass 11: <i>N</i>-Alk-1-enylhydroxylamines</b><br>S. J. Collier                                |     |
| <hr/>                |   |     |
| <b>33.4.11</b>       | <b>Product Subclass 11: <i>N</i>-Alk-1-enylhydroxylamines</b> .....   | 493 |
| <b>33.4.11.1</b>     | Synthesis of Product Subclass 11 .....  | 494 |
| <b>33.4.11.1.1</b>   | Method 1: Conjugate Addition Reactions of Hydroxylamines .....  | 494 |
| <b>33.4.11.1.1.1</b> | Variation 1: With Alkenes .....   | 494 |
| <b>33.4.11.1.1.2</b> | Variation 2: With Alkynes .....   | 496 |
| <b>33.4.11.1.2</b>   | Method 2: Synthesis from Hydroxylamines and Aldehydes or Ketones  | 498 |
| <b>33.4.11.1.3</b>   | Methods 3: Miscellaneous Methods .....  | 500 |
| <br>                 |   |     |
| <b>33.4.12</b>       | <b>Product Subclass 12: <i>N</i>-Alk-1-enylaminosulfur Compounds</b><br>S. J. Collier                         |     |
| <hr/>                |   |     |
| <b>33.4.12</b>       | <b>Product Subclass 12: <i>N</i>-Alk-1-enylaminosulfur Compounds</b> .....                                    | 503 |
| <b>33.4.12.1</b>     | Synthesis of Product Subclass 12 .....  | 504 |
| <b>33.4.12.1.1</b>   | Method 1: Synthesis from Imines and Enamines and<br>Electrophilic Sulfur Agents .....                         | 504 |
| <b>33.4.12.1.2</b>   | Method 2: Synthesis from <i>N</i> -Sulfonylimines and Related Compounds ...                                   | 505 |
| <b>33.4.12.1.2.1</b> | Variation 1: Through Deprotonation and Quenching of <i>N</i> -Sulfonyl- and<br><i>N</i> -Sulfinylimines ..... | 505 |
| <b>33.4.12.1.2.2</b> | Variation 2: Through Nucleophilic Attack on <i>N</i> -Sulfonylimines .....                                    | 506 |
| <b>33.4.12.1.3</b>   | Method 3: Synthesis from Primary and Secondary Sulfonamides .....   | 509 |
| <b>33.4.12.1.4</b>   | Method 4: Synthesis through 1,2-Elimination Reactions of Amines .....   | 511 |
| <b>33.4.12.1.5</b>   | Method 5: Synthesis through Cross-Coupling Reactions .....  | 512 |

|               |  |     |
|---------------|--|-----|
| 33.4.12.1.6   | Method 6: Synthesis by Isomerization and Rearrangement   | 515 |
| 33.4.12.1.7   | Methods 7: Miscellaneous Methods   | 517 |
| 33.4.13       | <b>Product Subclass 13: Alk-1-enylhydrazines</b><br>S. J. Collier and M. D. McLaws                         |     |
| 33.4.13       | <b>Product Subclass 13: Alk-1-enylhydrazines</b>   | 521 |
| 33.4.13.1     | Synthesis of Product Subclass 13   | 524 |
| 33.4.13.1.1   | Method 1: Synthesis from Hydrazines and Carbonyl Compounds   | 524 |
| 33.4.13.1.1.1 | Variation 1: Monosubstituted or N,N-Disubstituted Hydrazines   | 524 |
| 33.4.13.1.1.2 | Variation 2: N,N'-Disubstituted Hydrazines or Trisubstituted Hydrazines                                    | 526 |
| 33.4.13.1.2   | Method 2: Synthesis by Conjugate Addition  | 528 |
| 33.4.13.1.2.1 | Variation 1: Of Hydrazines to Alkynes  | 528 |
| 33.4.13.1.2.2 | Variation 2: Of Hydrazines to $\beta$ -Substituted Alkenes   | 530 |
| 33.4.13.1.3   | Methods 3: Miscellaneous Methods   | 534 |
| 33.4.14       | <b>Product Subclass 14: Alk-1-enyl Azides</b><br>S. J. Collier   |     |
| 33.4.14       | <b>Product Subclass 14: Alk-1-enyl Azides</b>  | 541 |
| 33.4.14.1     | Synthesis of Product Subclass 14   | 544 |
| 33.4.14.1.1   | Method 1: Condensation of Arylaldehydes with $\alpha$ -Azido-Esters  | 544 |
| 33.4.14.1.2   | Method 2: 1,2-Elimination Reactions  | 549 |
| 33.4.14.1.3   | Method 3: 1,4-Addition Reactions   | 553 |
| 33.4.14.1.4   | Methods 4: Miscellaneous Methods   | 556 |
| 33.4.15       | <b>Product Subclass 15: N-Alk-1-enylaminophosphorus Compounds</b><br>S. J. Collier                         |     |
| 33.4.15       | <b>Product Subclass 15: N-Alk-1-enylaminophosphorus Compounds</b>  | 565 |
| 33.4.15.1     | Synthesis of Product Subclass 15   | 565 |
| 33.4.15.1.1   | Method 1: Synthesis from Imines or Enamines and Phosphorus Electrophiles                                   | 565 |
| 33.4.15.1.2   | Method 2: Synthesis from Phosphamides and Aldehydes  | 567 |
| 33.4.15.1.3   | Method 3: Synthesis from N-Allylphosphoric Triamides   | 569 |
| 33.4.15.1.4   | Method 4: Synthesis from Nitriles  | 571 |
| 33.4.15.1.5   | Methods 5: Miscellaneous Methods   | 572 |
| 33.4.16       | <b>Product Subclass 16: 1,2-Dihydroazetes and Derivatives</b><br>P. Jubault, E. Leclerc, and J.-C. Quirion |     |
| 33.4.16       | <b>Product Subclass 16: 1,2-Dihydroazetes and Derivatives</b>  | 577 |
| 33.4.16.1     | Synthesis of Product Subclass 16   | 577 |
| 33.4.16.1.1   | Synthesis by Ring-Closure Reactions  | 577 |

|                 |              |  |     |
|-----------------|--------------|--|-----|
| 33.4.16.1.1.1   | Method 1:    | Addition of Amines to a Perfluoroenone   | 577 |
| 33.4.16.1.1.2   | Method 2:    | Addition of Amines to Hexafluoropropene Trimers  | 578 |
| 33.4.16.1.1.3   | Method 3:    | [2 + 2] Cycloaddition between an Imine and a Ketene Aminal   | 579 |
| 33.4.16.1.2     |              | Elimination Reactions from Azetidines  | 579 |
| 33.4.16.1.2.1   | Method 1:    | Elimination of a Methanesulfonate Group  | 579 |
| 33.4.16.1.2.1.1 | Variation 1: | Synthesis of <i>N</i> -Acyl-1,2-dihydroazetes  | 579 |
| 33.4.16.1.2.1.2 | Variation 2: | Synthesis of <i>N</i> -Mesityl- and <i>N</i> -Nitro-1,2-dihydroazetes  | 580 |
| 33.4.16.1.2.2   | Method 2:    | 1,2-Photoaromatization Reaction of<br>an Azabicyclohexane-Type Diels–Alder Adduct  | 580 |
| 33.4.16.1.3     |              | Synthesis by Substituent Modification  | 581 |
| 33.4.16.1.3.1   |              | Addition Reactions   | 581 |
| 33.4.16.1.3.1.1 | Method 1:    | Addition of Malonate Derivatives to Azetes   | 581 |
| 33.4.17         |              | <b>Product Subclass 17: 2,3-Dihydro-1<i>H</i>-pyrroles and Derivatives</b><br>P. Jubault, E. Leclerc, and J.-C. Quirion                  |     |
| 33.4.17         |              | <b>Product Subclass 17: 2,3-Dihydro-1<i>H</i>-pyrroles and Derivatives</b>   | 583 |
| 33.4.17.1       |              | Synthesis of Product Subclass 17   | 583 |
| 33.4.17.1.1     |              | Synthesis by Ring-Closure Reactions  | 583 |
| 33.4.17.1.1.1   | Method 1:    | Addition/Cyclization of Sulfonamide Anions with<br>Alkynyliodonium Trifluoromethanesulfonates  | 583 |
| 33.4.17.1.1.2   | Method 2:    | Iodocyclization of Alk-3-ynylsulfonamides  | 584 |
| 33.4.17.1.1.3   | Method 3:    | Palladium-Catalyzed Cyclization of $\alpha$ -Propargyl<br>$\alpha$ -Amino Esters   | 585 |
| 33.4.17.1.1.4   | Method 4:    | Ring-Closing Metathesis of <i>N</i> -Alk-3-enyl-<br><i>N</i> -alk-1-ynylsulfonamides   | 585 |
| 33.4.17.1.1.5   | Method 5:    | Ring-Closing Metathesis of <i>N</i> -Alk-3-enylenamines  | 586 |
| 33.4.17.1.2     |              | Elimination Reactions from Pyrrolidines  | 587 |
| 33.4.17.1.2.1   | Method 1:    | Reduction of Lactams Followed by Elimination   | 587 |
| 33.4.17.1.2.2   | Method 2:    | Dehydration of Pyrrolidin-3-ols  | 591 |
| 33.4.17.1.3     |              | Synthesis by Substituent Modification  | 592 |
| 33.4.17.1.3.1   | Method 1:    | Heck Reactions of 2,3-Dihydropyrroles  | 592 |
| 33.4.17.1.3.2   | Method 2:    | Isomerizing Heck Reactions of 2,5-Dihydropyrroles  | 593 |
| 33.4.17.1.3.3   | Method 3:    | Coupling Reactions of Lactam-Derived Alkenyl<br>Trifluoromethanesulfonates   | 595 |
| 33.4.18         |              | <b>Product Subclass 18: 1,2-Dihydropyridines, 1,4-Dihydropyridines,<br/>and Derivatives</b><br>J.-C. Quirion, E. Leclerc, and P. Jubault |     |
| 33.4.18         |              | <b>Product Subclass 18: 1,2-Dihydropyridines, 1,4-Dihydropyridines,<br/>and Derivatives</b>  | 601 |
| 33.4.18.1       |              | Synthesis of Product Subclass 18   | 601 |

|                   |  |     |
|-------------------|--|-----|
| 33.4.18.1.1       | Synthesis by Ring-Closure Reactions  | 601 |
| 33.4.18.1.1.1     | Method 1: Three-Component Hantzsch Synthesis   | 601 |
| 33.4.18.1.1.1.1   | Variation 1: Classical Hantzsch Reaction   | 601 |
| 33.4.18.1.1.1.2   | Variation 2: Microwave Activation  | 602 |
| 33.4.18.1.1.1.3   | Variation 3: Miscellaneous Approaches  | 603 |
| 33.4.18.1.1.1.4   | Variation 4: Solid-Phase Hantzsch Synthesis  | 604 |
| 33.4.18.1.1.2     | Method 2: Addition/Cyclization of Nitrogen Nucleophiles to<br>Dicarbonyl Compounds             | 605 |
| 33.4.18.1.1.2.1   | Variation 1: Condensation of Amines with Dialdehydes   | 605 |
| 33.4.18.1.1.2.2   | Variation 2: Condensation of Amides with Dialdehydes   | 606 |
| 33.4.18.1.1.2.3   | Variation 3: Condensation of Ammonia with 1,5-Diketones  | 606 |
| 33.4.18.1.1.3     | Method 3: Aza-Diels–Alder Reaction of 1-Azadienes  | 607 |
| 33.4.18.1.1.4     | Method 4: Asymmetric Two-Component Hantzsch Reaction   | 609 |
| 33.4.18.1.1.5     | Method 5: $6\pi$ -Electrocyclization of 1-Azatrienes   | 610 |
| 33.4.18.1.2       | Synthesis by Ring Transformation   | 611 |
| 33.4.18.1.2.1     | Method 1: Rearrangement of a 3,6,7-Triazatricyclo[3.2.1.0 <sup>2,4</sup> ]octane<br>Derivative | 611 |
| 33.4.18.1.2.2     | Method 2: Radical Deoxygenation of 3-Azatricyclo[2.2.1.0 <sup>2,6</sup> ]-<br>heptan-5-ols     | 612 |
| 33.4.18.1.3       | Synthesis by Substituent Modification  | 612 |
| 33.4.18.1.3.1     | Addition Reactions   | 612 |
| 33.4.18.1.3.1.1   | Method 1: Hydride Reductions   | 612 |
| 33.4.18.1.3.1.2   | Method 2: Dissolving-Metal Reductions  | 614 |
| 33.4.18.1.3.1.3   | Method 3: Dithionite Reductions  | 615 |
| 33.4.18.1.3.1.4   | Method 4: Addition of Grignard Reagents  | 615 |
| 33.4.18.1.3.1.5   | Method 5: Addition of Organotin Reagents   | 617 |
| 33.4.18.1.3.1.6   | Method 6: Addition of Organocopper and Organocuprate Reagents                                  | 618 |
| 33.4.18.1.3.1.7   | Method 7: Addition of Enolates and Enol Ethers   | 620 |
| 33.4.18.1.3.1.8   | Method 8: Addition of Other Carbon Nucleophiles  | 621 |
| 33.4.18.1.3.1.9   | Method 9: Asymmetric Addition of Nucleophiles to Pyridinium Salts                              | 622 |
| 33.4.18.1.3.1.9.1 | Variation 1: Chirality on the Nitrogen Atom  | 622 |
| 33.4.18.1.3.1.9.2 | Variation 2: Addition to Chiral Nicotinic Acid Derivatives                                     | 624 |
| 33.4.18.1.3.1.9.3 | Variation 3: Catalytic Asymmetric Reissert Reaction  | 625 |
| 33.4.19           | <b>Product Subclass 19: 1,2,3,4-Tetrahydropyridines and Derivatives</b><br>J.-C. Quirion       |     |
| 33.4.19           | <b>Product Subclass 19: 1,2,3,4-Tetrahydropyridines and Derivatives</b>                        | 629 |
| 33.4.19.1         | Synthesis of Product Subclass 19   | 629 |
| 33.4.19.1.1       | Synthesis by Ring-Closure Reactions  | 629 |
| 33.4.19.1.1.1     | Method 1: [4 + 2]-Cycloaddition Reactions of 1-Azabutadienes                                   | 630 |
| 33.4.19.1.1.1.1   | Variation 1: Cyclization of <i>N</i> -Acyl-2-cyano-1-azabutadienes                             | 630 |
| 33.4.19.1.1.1.2   | Variation 2: Cyclization of <i>N</i> -Phenyl-2-cyano-1-azabutadienes                           | 631 |
| 33.4.19.1.1.1.3   | Variation 3: Cyclization of 2-Cyano- <i>N</i> -(ethoxycarbonyl)-1-azabutadienes                | 632 |

|                 |              |   |     |
|-----------------|--------------|---|-----|
| 33.4.19.1.1.2   | Method 2:    | Photochemical Cycloaddition of 3-Aminopropenals and Alkenes                     | 632 |
| 33.4.19.1.1.3   | Method 3:    | Cyclization/Isomerization of $\delta$ -Chloroimines                             | 633 |
| 33.4.19.1.1.3.1 | Variation 1: | In Situ Preparation of $\delta$ -Chloroimines                                   | 633 |
| 33.4.19.1.1.3.2 | Variation 2: | Cyclization after Isolation of $\delta$ -Chloroimines                           | 633 |
| 33.4.19.1.1.3.3 | Variation 3: | Nucleophile-Induced Cyclization of $\delta$ -Chloroimines                       | 634 |
| 33.4.19.1.1.4   | Method 4:    | Intramolecular Cyclization of Aminoaldehydes and Derivatives                    | 635 |
| 33.4.19.1.1.4.1 | Variation 1: | Intramolecular Cyclization of Amino Acetals                                     | 635 |
| 33.4.19.1.1.4.2 | Variation 2: | Intramolecular Cyclization of an Amide and an Aldehyde or Acetal                | 636 |
| 33.4.19.1.1.4.3 | Variation 3: | Intramolecular Cyclization of Carbamates and Aldehydes                          | 637 |
| 33.4.19.1.1.4.4 | Variation 4: | Intramolecular Condensation of Tosylamines and Acetals                          | 638 |
| 33.4.19.1.1.5   | Method 5:    | Palladium-Induced Intramolecular Cyclization of an $\omega$ -Alkenic Tosylamide | 639 |
| 33.4.19.1.1.6   | Method 6:    | Transition-Metal-Catalyzed Cyclization  | 639 |
| 33.4.19.1.1.6.1 | Variation 1: | Platinum-Mediated Cycloisomerization of Ene-Ynamides                            | 639 |
| 33.4.19.1.1.6.2 | Variation 2: | Ring-Closing Metathesis of Ene-Ynamides   | 640 |
| 33.4.19.1.1.6.3 | Variation 3: | Ring-Closing Metathesis of Ene-Enamides   | 640 |
| 33.4.19.1.1.7   | Method 7:    | Intramolecular Cyclization of Enamino Esters, Ketones, or Sulfones              | 641 |
| 33.4.19.1.1.7.1 | Variation 1: | Cyclization Involving a Halogen Leaving Group                                   | 641 |
| 33.4.19.1.2     |              | Synthesis by Transformation of a Cyclic Substrate                               | 643 |
| 33.4.19.1.2.1   | Method 1:    | Reduction/Elimination of a Lactam   | 643 |
| 33.4.19.1.2.1.1 | Variation 1: | Reduction of Unsaturated Lactams  | 643 |
| 33.4.19.1.2.2   | Method 2:    | Elimination of a Phenylselenanyl Group  | 644 |
| 33.4.19.1.2.3   | Method 3:    | Hydrogenation of Pyridine, Pyridinium Salts, and Dihydropyridines               | 644 |
| 33.4.19.1.2.4   | Method 4:    | Hydride Reduction of Pyridines and Dihydropyridines                             | 646 |
| 33.4.19.1.2.5   | Method 5:    | Addition Reactions to 2,3-Dihydropyridinium Salts                               | 647 |
| 33.4.19.1.2.5.1 | Variation 1: | Addition of Organometallic Compounds  | 648 |
| 33.4.19.1.2.5.2 | Variation 2: | Addition of Alcohols, Thiols, and Amines  | 649 |
| 33.4.19.1.2.5.3 | Variation 3: | Addition of $\beta$ -Dicarbonyl Anions  | 650 |
| 33.4.19.1.2.6   | Method 6:    | 2-Carbamoylation of 1,4-Dihydropyridines  | 650 |
| 33.4.19.1.3     |              | Functionalization of 1,2,3,4-Tetrahydropyridines                                | 651 |
| 33.4.19.1.3.1   | Method 1:    | Carboxymethylation of Substituted Vinyl Trifluoromethanesulfonates              | 652 |
| 33.4.19.1.3.2   | Method 2:    | Suzuki Reactions of Vinyl Trifluoromethanesulfonates                            | 653 |
| 33.4.19.1.3.3   | Method 3:    | Functionalization of Boronates  | 654 |
| 33.4.19.1.3.4   | Method 4:    | Coupling Reactions of Vinyl Phosphates  | 655 |

|                      |  |     |
|----------------------|--|-----|
| <b>33.4.20</b>       | <b>Product Subclass 20: 2,3,4,5-Tetrahydro-1<i>H</i>-azepines, Larger Rings, and Derivatives</b> |     |
|                      | J.-C. Quirion, E. Leclerc, and P. Jubault  |     |
| <hr/>                |  |     |
| <b>33.4.20</b>       | <b>Product Subclass 20: 2,3,4,5-Tetrahydro-1<i>H</i>-azepines, Larger Rings, and Derivatives</b> | 659 |
| <b>33.4.20.1</b>     | Synthesis of Product Subclass 20   | 659 |
| <b>33.4.20.1.1</b>   | Synthesis by Ring-Closure Reactions  | 659 |
| <b>33.4.20.1.1.1</b> | Method 1: Rhodium-Catalyzed Alkene–Allene Carbocyclization                                       | 659 |
| <b>33.4.20.1.2</b>   | Elimination Reactions  | 660 |
| <b>33.4.20.1.2.1</b> | Method 1: Elimination Reactions of 2-Hydroxyazepanes and Derivatives                             | 660 |
| <b>33.4.20.1.3</b>   | Synthesis by Substituent Modification  | 660 |
| <b>33.4.20.1.3.1</b> | Method 1: Hydrodesulfurization of a Thiolactam-Derived Enol Ether                                | 660 |
| <b>33.4.20.1.3.2</b> | Method 2: Coupling Reactions of Lactam-Derived Vinyl Trifluoromethanesulfonates                  | 661 |
| <b>33.4.20.1.3.3</b> | Method 3: Reduction and Suzuki Coupling Reactions of Lactam-Derived Vinyl Phosphates             | 662 |
| <br>                 |  |     |
| <b>33.5</b>          | <b>Product Class 5: Alk-1-enyl Phosphorus Compounds</b>  |     |
| <hr/>                |  |     |
| <b>33.5.1</b>        | <b>Product Subclass 1: Alk-1-enylphosphonic Acids and Derivatives</b>                            |     |
|                      | A. C. Gaumont and M. Gulea   |     |
| <hr/>                |  |     |
| <b>33.5.1</b>        | <b>Product Subclass 1: Alk-1-enylphosphonic Acids and Derivatives</b>                            | 665 |
| <b>33.5.1.1</b>      | Synthesis of Product Subclass 1  | 665 |
| <b>33.5.1.1.1</b>    | Method 1: Hydrophosphorylation of Alkynes  | 665 |
| <b>33.5.1.1.1.1</b>  | Variation 1: Metal-Catalyzed Hydrophosphorylation  | 665 |
| <b>33.5.1.1.1.2</b>  | Variation 2: Base-Catalyzed Hydrophosphorylation   | 666 |
| <b>33.5.1.1.2</b>    | Method 2: P–C Bond Formation from Dialkyl Phosphonates or Trialkyl Phosphites and Vinyl Halides  | 667 |
| <b>33.5.1.1.2.1</b>  | Variation 1: Michaelis–Arbuzov-Type Reaction   | 668 |
| <b>33.5.1.1.2.2</b>  | Variation 2: Metal-Catalyzed Reaction of Dialkyl Phosphonates and Vinyl Halides                  | 668 |
| <b>33.5.1.1.3</b>    | Method 3: Wittig–Horner-Type Alkenation  | 669 |
| <b>33.5.1.1.3.1</b>  | Variation 1: Deprotonation of Methylenebis(phosphonates)   | 669 |
| <b>33.5.1.1.3.2</b>  | Variation 2: Halogen–Lithium Exchange from (Halomethyl)phosphonates                              | 671 |
| <b>33.5.1.1.3.3</b>  | Variation 3: Synthesis from (Dialkoxyphosphoryl)phosphoniomethanides                             | 672 |
| <b>33.5.1.1.4</b>    | Method 4: Peterson-Type Alkenylation   | 673 |
| <b>33.5.1.1.4.1</b>  | Variation 1: Synthesis from (1-Silylalkyl)phosphonates   | 673 |
| <b>33.5.1.1.4.2</b>  | Variation 2: Synthesis from Alkylphosphonates by In Situ Silylation                              | 673 |
| <b>33.5.1.1.4.3</b>  | Variation 3: Synthesis from Bis-silylated Methylphosphonates                                     | 674 |
| <b>33.5.1.1.5</b>    | Method 5: Other Alkenation Reactions   | 675 |
| <b>33.5.1.1.5.1</b>  | Variation 1: Synthesis from $\alpha$ -Stannylated Carbanions                                     | 675 |

|               |              |   |     |
|---------------|--------------|---|-----|
| 33.5.1.1.5.2  | Variation 2: | Synthesis from $\alpha$ -Sulfinyl Carbanions                                      | 676 |
| 33.5.1.1.6    | Method 6:    | Knoevenagel-Type Reactions  | 677 |
| 33.5.1.1.6.1  | Variation 1: | Using an Aldehyde and a Base–Titanium(IV) Chloride System                         | 677 |
| 33.5.1.1.6.2  | Variation 2: | Using Bis-aminals and $\alpha$ -Haloacetic Acids                                  | 678 |
| 33.5.1.1.6.3  | Variation 3: | Using Aldehydes and Tributylarsine  | 679 |
| 33.5.1.1.7    | Method 7:    | Mannich-Type Reaction   | 679 |
| 33.5.1.1.8    | Method 8:    | Oxidative Elimination of Sulfonyl or Selenyl Moieties                             | 680 |
| 33.5.1.1.9    | Method 9:    | Elimination from $\beta$ -Heteroatom-Substituted Alkylphosphonates                | 680 |
| 33.5.1.1.9.1  | Variation 1: | Dehydrohalogenation   | 680 |
| 33.5.1.1.9.2  | Variation 2: | Dehydration   | 681 |
| 33.5.1.1.9.3  | Variation 3: | Elimination of Nitrous Acid   | 681 |
| 33.5.1.1.10   | Method 10:   | Hydrogenation of Alk-1-ynylphosphonates   | 682 |
| 33.5.1.1.11   | Method 11:   | 1,4-Addition of Nucleophiles to Alk-1-ynylphosphonates                            | 683 |
| 33.5.1.1.12   | Method 12:   | Synthesis from Organometallic Intermediates Generated from Alk-1-ynylphosphonates | 683 |
| 33.5.1.1.12.1 | Variation 1: | Synthesis from (Borylalk-1-enyl)phosphonates                                      | 684 |
| 33.5.1.1.12.2 | Variation 2: | Synthesis from (Phosphorylalk-1-enyl)copper(I) Compounds                          | 685 |
| 33.5.1.1.12.3 | Variation 3: | Synthesis from (Tellanylalk-1-enyl)phosphonates                                   | 686 |
| 33.5.1.1.12.4 | Variation 4: | Synthesis from Zirconacyclic and Titanacyclic Phosphonates                        | 686 |
| 33.5.1.1.13   | Method 13:   | Modification of the Existing Double Bond in Alk-1-enylphosphonates                | 688 |
| 33.5.1.1.13.1 | Variation 1: | Metal-Catalyzed Cross-Coupling Reactions  | 689 |
| 33.5.1.1.13.2 | Variation 2: | Alkene Cross Metathesis   | 690 |
| 33.5.1.1.14   | Method 14:   | Transformation of Alk-1-enylphosphonates into the Corresponding Phosphonic Acids  | 690 |
| 33.5.1.1.14.1 | Variation 1: | Acidic Hydrolysis   | 691 |
| 33.5.1.1.14.2 | Variation 2: | Using Bromotrimethylsilane  | 691 |

### 33.5.2 Product Subclass 2: Alk-1-enylphosphinic Acids and Derivatives

A. C. Gaumont and M. Gulea

|            |   |  |     |
|------------|---|--|-----|
| 33.5.2     | <b>Product Subclass 2: Alk-1-enylphosphinic Acids and Derivatives</b> | 695  |     |
| 33.5.2.1   | Synthesis of Product Subclass 2                                       | 695  |     |
| 33.5.2.1.1 | Method 1:   | Hydrophosphinylation of Alkynes  | 695 |
| 33.5.2.1.2 | Method 2:   | Synthesis from Alkylphosphonochloridoates and Vinylic Organometallic Compounds | 696 |
| 33.5.2.1.3 | Method 3:   | Metal-Catalyzed Phosphorus–Carbon Cross-Coupling Reactions                     | 697 |
| 33.5.2.1.4 | Method 4:   | Alkenylation Reactions   | 698 |
| 33.5.2.1.5 | Method 5:   | Elimination from $\beta$ -Heteroatom-Substituted Alkylphosphinic Esters        | 699 |

|                     |  |     |
|---------------------|--|-----|
| <b>33.5.3</b>       | <b>Product Subclass 3: Alk-1-enylphosphine Oxides and Derivatives</b><br>A. C. Gaumont and M. Gulea      |     |
| <hr/>               |  |     |
| <b>33.5.3</b>       | <b>Product Subclass 3: Alk-1-enylphosphine Oxides and Derivatives</b> .....                              | 701 |
| <b>33.5.3.1</b>     | Synthesis of Product Subclass 3 .....  | 701 |
| <b>33.5.3.1.1</b>   | Method 1: Hydrophosphinylation of Alkynes .....  | 701 |
| <b>33.5.3.1.2</b>   | Method 2: Metal-Catalyzed Phosphorus–Carbon<br>Cross-Coupling Reaction .....                             | 702 |
| <b>33.5.3.1.3</b>   | Method 3: Alkenation Reactions .....   | 703 |
| <b>33.5.3.1.4</b>   | Method 4: Elimination from $\alpha$ -Oxygenated Alkylphosphine Oxides .....                              | 704 |
| <b>33.5.3.1.4.1</b> | Variation 1: From (1-Hydroxyalkyl)phosphine Oxides .....   | 704 |
| <b>33.5.3.1.4.2</b> | Variation 2: From (1,2-Epoxyalkyl)phosphine Oxides .....   | 704 |
| <b>33.5.3.1.5</b>   | Method 5: Elimination from $\beta$ -Heteroatom-Substituted<br>Alkylphosphine Oxides .....                | 705 |
| <b>33.5.3.1.6</b>   | Method 6: Nucleophilic 1,4-Addition to Alk-1-ynylphosphine Oxides .....                                  | 705 |
| <b>33.5.3.1.7</b>   | Method 7: Synthesis from Organometallic Intermediates Generated<br>from Alk-1-ynylphosphine Oxides ..... | 706 |
| <b>33.5.3.1.8</b>   | Method 8: Modification of an Existing Double Bond .....  | 707 |
| <b>33.5.3.1.9</b>   | Method 9: Oxidation of Alk-1-enylphosphines .....  | 708 |
| <b>33.5.3.1.10</b>  | Method 10: Acidic Hydrolysis of <i>P</i> -Alk-1-enylphosphinous Amides .....                             | 709 |
| <br>                |  |     |
| <b>33.5.4</b>       | <b>Product Subclass 4: Alk-1-enylphosphines</b><br>A. C. Gaumont and M. Gulea                            |     |
| <hr/>               |  |     |
| <b>33.5.4</b>       | <b>Product Subclass 4: Alk-1-enylphosphines</b> .....  | 711 |
| <b>33.5.4.1</b>     | Synthesis of Product Subclass 4 .....  | 711 |
| <b>33.5.4.1.1</b>   | Method 1: Hydrophosphination of Alkynes with Primary or<br>Secondary Phosphines .....                    | 711 |
| <b>33.5.4.1.1.1</b> | Variation 1: Hydrophosphination under Basic Conditions .....   | 712 |
| <b>33.5.4.1.1.2</b> | Variation 2: Radical-Catalyzed Hydrophosphination .....  | 713 |
| <b>33.5.4.1.1.3</b> | Variation 3: Thermal Hydrophosphination .....  | 714 |
| <b>33.5.4.1.1.4</b> | Variation 4: Metal-Catalyzed Hydrophosphination .....  | 714 |
| <b>33.5.4.1.2</b>   | Method 2: Metal-Catalyzed Phosphorus–Carbon<br>Cross-Coupling Reactions .....                            | 716 |
| <b>33.5.4.1.2.1</b> | Variation 1: Palladium-Catalyzed Phosphorus–Carbon<br>Cross-Coupling Reactions .....                     | 716 |
| <b>33.5.4.1.2.2</b> | Variation 2: Nickel-Catalyzed Phosphorus–Carbon<br>Cross-Coupling Reactions .....                        | 718 |
| <b>33.5.4.1.3</b>   | Method 3: Reaction between Halophosphines and<br>Vinyllic Organometallic Derivatives .....               | 719 |
| <b>33.5.4.1.4</b>   | Method 4: Reduction of Phosphorus Compounds .....  | 720 |
| <b>33.5.4.1.4.1</b> | Variation 1: Reduction of Phosphonates and Phosphinates .....  | 720 |
| <b>33.5.4.1.4.2</b> | Variation 2: Reduction of Chlorophosphines .....   | 721 |
| <b>33.5.4.1.5</b>   | Methods 5: Miscellaneous Methods .....   | 722 |

|                     |   |     |
|---------------------|---|-----|
| <b>33.5.5</b>       | <b>Product Subclass 5: Alk-1-enylphosphonium Salts</b><br>A. C. Gaumont and M. Gulea  |     |
| <hr/>               |   |     |
| <b>33.5.5</b>       | <b>Product Subclass 5: Alk-1-enylphosphonium Salts</b> .....  | 725 |
| <b>33.5.5.1</b>     | Synthesis of Product Subclass 5 .....   | 725 |
| <b>33.5.5.1.1</b>   | Method 1: Alkenylation of Tertiary Phosphines .....   | 725 |
| <b>33.5.5.1.1.1</b> | Variation 1: Nucleophilic Addition of Triphenylphosphine to<br>Activated Alkynes .....  | 725 |
| <b>33.5.5.1.1.2</b> | Variation 2: Metal-Catalyzed Addition of Triphenylphosphine to Alkynes  | 726 |
| <b>33.5.5.1.2</b>   | Method 2: Modification of Phosphoranes or Phosphonium Salts .....   | 727 |
| <b>33.5.5.1.2.1</b> | Variation 1: Addition–Elimination Reactions of Phosphoranes .....   | 727 |
| <b>33.5.5.1.2.2</b> | Variation 2: Elimination–Addition from Vinylidene Bisphosphonium Salts  | 727 |
| <b>33.5.5.1.3</b>   | Methods 3: Miscellaneous Methods .....  | 728 |
| <b>33.5.6</b>       | <b>Product Subclass 6: P-Heteroatom-Substituted Alk-1-enylphosphines</b><br>A. C. Gaumont and M. Gulea  |     |
| <hr/>               |   |     |
| <b>33.5.6</b>       | <b>Product Subclass 6: P-Heteroatom-Substituted Alk-1-enylphosphines</b> ...  | 731 |
| <b>33.5.6.1</b>     | Synthesis of Product Subclass 6 .....   | 731 |
| <b>33.5.6.1.1</b>   | Method 1: Alk-1-enyl(amino)phosphines by Vinylation of<br>Halophosphines .....  | 731 |
| <b>33.5.6.1.1.1</b> | Variation 1: Synthesis from Amino(chloro)phosphines .....   | 731 |
| <b>33.5.6.1.1.2</b> | Variation 2: Synthesis from Amino(chloro)phosphines Generated In Situ   | 732 |
| <b>33.5.6.1.2</b>   | Method 2: Alk-1-enylphosphonous Diamides by Reaction between<br>Enamines, Phosphorus Trihalides, and Amines .....                                 | 733 |
| <b>33.5.6.1.3</b>   | Method 3: Alk-1-enylphosphonous Dihalides by the Reaction of<br>Phosphorus Trihalides and Organometallic Derivatives .....                        | 734 |
| <b>33.5.6.1.4</b>   | Method 4: Alk-1-enyl(halo)phosphines by the Reaction of<br>Tungsten–Phosphinidene Complexes and Chloroalkenes ....                                | 734 |
| <b>33.5.7</b>       | <b>Product Subclass 7: 1,2-Dihydrophosphetes and Derivatives</b><br>Gy. Keglevich and H. Szelke   |     |
| <hr/>               |   |     |
| <b>33.5.7</b>       | <b>Product Subclass 7: 1,2-Dihydrophosphetes and Derivatives</b> .....  | 737 |
| <b>33.5.7.1</b>     | Synthesis of Product Subclass 7 .....   | 737 |
| <b>33.5.7.1.1</b>   | Synthesis by Ring-Closure Reactions .....   | 737 |
| <b>33.5.7.1.1.1</b> | Method 1: Ring-Fused 1,2-Dihydrophosphetes by Cycloaddition of<br>1,2-Thiaphospholes and Ynamines .....   | 737 |
| <b>33.5.7.1.1.2</b> | Method 2: A 1-Imino-1,2-dihydro-1 $\lambda^5$ -phosphet-1-amine by Cyclo-<br>addition of an Imino(methylene)phosphorane and<br>an Acetylene ..... | 738 |
| <b>33.5.7.1.1.3</b> | Method 3: A 1-Imino-1,2-dihydro-1 $\lambda^5$ -phosphet-1-amine by Ring Closure<br>of a Phosphabuta-1,3-diene Effected by an Azide .....          | 739 |
| <b>33.5.7.1.1.4</b> | Method 4: Phosphetium Salts of Ring-Fused 1,2-Dihydrophosphetes by<br>Ring Closure of (Arylmethylene)chlorophosphoranes .....                     | 739 |

|                |  |  |     |
|----------------|--|--|-----|
| 33.5.7.1.1.5   | Method 5:  | Synthesis of a 2-Methylene-1,2-dihydrophosphete via a Zirconium-Containing Tricyclic 1,2-Dihydrophosphete . . . . .                                | 740 |
| 33.5.7.1.2     |  | Synthesis by Ring Transformation . . . . .   | 740 |
| 33.5.7.1.2.1   | Method 1:  | Ring Expansion of Cycloprop-2-enylidene phosphines with Azides . . . . .   | 740 |
| 33.5.7.1.2.2   | Method 2:  | 1,2-Dihydrophosphetes by Titanium–Phosphorus Exchange of a Titanacyclobutene . . . . .   | 741 |
| 33.5.7.1.2.3   | Method 3:  | A 1,2-Dihydrophosphete 1-Oxide by Ring Contraction of a 2,3-Dihydro-1,2-thiaphosphole Using Ethanol . . . . .                                      | 742 |
| 33.5.8         | <b>Product Subclass 8: 2,3-Dihydro-1H-phospholes and Derivatives</b>                     |  |     |
|                | Gy. Keglevich and H. Szelke  |  |     |
| 33.5.8         | <b>Product Subclass 8: 2,3-Dihydro-1H-phospholes and Derivatives</b> . . . . .           |  | 745 |
| 33.5.8.1       | Synthesis of Product Subclass 8 . . . . .  |  | 745 |
| 33.5.8.1.1     | Synthesis by Ring-Closure Reactions . . . . .  |  | 745 |
| 33.5.8.1.1.1   | Method 1:  | 1-Alkoxy-2,3-dihydro-1H-phospholes via McCormack Cycloaddition of Phosphorous Acid Derivatives and Buta-1,3-dienes                                 | 745 |
| 33.5.8.1.1.1.1 | Variation 1:   | Reaction of Phosphorus Trihalides and Buta-1,3-dienes Followed by Reaction with Alcohols . . . . .   | 745 |
| 33.5.8.1.1.1.2 | Variation 2:   | Reaction of a Dichlorophosphite and a Buta-1,3-diene . . . . .   | 746 |
| 33.5.8.1.1.2   | Method 2:  | 1-Chloro-4-methyl-2,3-dihydro-1H-phospholes by Reduction of the Phosphorus Trichloride–Isoprene McCormack Cycloadduct . . . . .                    | 747 |
| 33.5.8.1.1.3   | Method 3:  | 1-Phenyl-2,3-dihydro-1H-phosphole 1-Oxides by McCormack Reaction of Dichloro(phenyl)phosphine and Buta-1,3-dienes Followed by Hydrolysis . . . . . | 747 |
| 33.5.8.1.1.4   | Method 4:  | 1-Substituted 2,3-Dihydro-1H-phosphole 1-Oxides by Cyclization of Benzylphosphine Oxides and $\alpha,\beta$ -Unsaturated Ketones . . . . .         | 748 |
| 33.5.8.1.1.5   | Method 5:  | 1-Phenyl-2,3-dihydro-1H-phospholes by Intramolecular Cyclization of But-3-enylchloro(phenyl)phosphines . . . . .                                   | 749 |
| 33.5.8.1.2     | Synthesis by Double-Bond Rearrangement of 2,5-Dihydro-1H-phosphole Derivatives . . . . . |  | 749 |
| 33.5.8.1.2.1   | Method 1:  | 1-Methyl-2,3-dihydro-1H-phosphole 1-Oxides and Sulfides by Acid- or Base-Catalyzed Isomerization . . . . .   | 749 |
| 33.5.8.1.2.2   | Method 2:  | A 5-(Diphenylphosphoryl)-2,3-dihydro-1H-phosphole 1-Oxide by Isomerization with Substitution of a 2,5-Dihydro-1H-phosphole 1-Oxide . . . . .       | 750 |
| 33.5.8.1.2.3   | Method 3:  | Annulated 2,3-Dihydro-1H-phospholes by Isomerization with Substitution of 2,5-Dihydro-1H-phospholes Followed by Ring Closure . . . . .             | 750 |
| 33.5.8.1.2.4   | Method 4:  | 3-Aryl-2,3-dihydro-1H-phosphole 1-Oxides by Isomerization with Arylation of 2,5-Dihydro-1H-phosphole 1-Oxides . . . . .                            | 751 |

|              |   |   |     |
|--------------|---|---|-----|
| 33.5.8.1.2.5 | Method 5:   | 3-Bromo-1-phenyl-2,3-dihydro-1 <i>H</i> -phosphole 1-Oxide by Isomerization with Bromination of 1-Phenyl-2,5-dihydro-1 <i>H</i> -phosphole 1-Oxide .....                    | 751 |
| 33.5.8.1.2.6 | Method 6:   | 4-Methoxy-1-methyl-2,3-dihydro-1 <i>H</i> -phosphole 1-Oxide by Isomerization with Chloro Substitution of 3-Chloro-1-methyl-2,5-dihydro-1 <i>H</i> -phosphole 1-Oxide ..... | 752 |
| 33.5.8.1.3   | Synthesis by Elimination Reactions .....  |   | 752 |
| 33.5.8.1.3.1 | Method 1:   | 2,3-Dihydro-1 <i>H</i> -phosphole 1-Oxides by Base-Catalyzed Rearrangement of 6-Oxa-3-phosphabicyclo[3.1.0]hexanes ....   | 752 |
| 33.5.8.1.3.2 | Method 2:   | A 3-Substituted 2,3-Dihydro-1 <i>H</i> -phosphole 1-Oxide by Reaction of a 6-Oxa-3-phosphabicyclo[3.1.0]hexane with a Malonic Ester Derivative .....                        | 753 |
| 33.5.8.1.3.3 | Method 3:   | A 2,3-Dihydro-1 <i>H</i> -phosphole 1-Oxide by Dehydration of a 2,3,4,5-Tetrahydro-1 <i>H</i> -phosphol-2-ol 1-Oxide .....  | 753 |
| 33.5.8.1.4   | Synthesis by Double-Bond Rearrangement of Phosphole Derivatives .....                                     |   | 754 |
| 33.5.8.1.4.1 | Method 1:   | 3-Methylene-2,3-dihydro-1 <i>H</i> -phosphole Sulfides by Isomerization of 3-Methyl-1 <i>H</i> -phosphole 1-Sulfides .....  | 754 |
| 33.5.8.1.4.2 | Method 2:   | 3-Methylene-2,3-dihydro-1 <i>H</i> -phosphole 1-Oxides by Thallium Ethoxide Mediated Conversion of 1-Benzyl-3-methyl-1 <i>H</i> -phospholium Salts .....                    | 754 |
| 33.5.8.1.5   | Synthesis of Fused 2,3-Dihydro-1 <i>H</i> -phospholes by Cyclopropanation of 1 <i>H</i> -Phospholes ..... |   | 755 |
| 33.5.8.1.5.1 | Method 1:   | 2-Phosphabicyclo[3.1.0]hex-3-ene 2-Oxides by Cyclopropanation of 1 <i>H</i> -Phospholes with Diazomethane ....  | 755 |
| 33.5.8.1.5.2 | Method 2:   | A 2-Phosphabicyclo[3.1.0]hex-3-ene 2-Oxide by Intramolecular Cyclopropanation of a 1-(Iodomethyl)phospholium Salt .....   | 756 |
| 33.5.8.1.5.3 | Method 3:   | 2-Phosphabicyclo[3.1.0]hex-3-ene 2-Sulfides by Cyclopropanation of 1 <i>H</i> -Phosphole 1-Sulfides with Ethyl Diazoacetate .....   | 756 |
| 33.5.9       | <b>Product Subclass 9: 1,2,3,4-Tetrahydrophosphinines and Derivatives</b><br>Gy. Keglevich and H. Szelke  |   |     |
| 33.5.9       | <b>Product Subclass 9: 1,2,3,4-Tetrahydrophosphinines and Derivatives</b> ....                            |   | 759 |
| 33.5.9.1     | Synthesis of Product Subclass 9 .....   |   | 759 |
| 33.5.9.1.1   | Synthesis by Ring-Closure Reactions .....   |   | 759 |
| 33.5.9.1.1.1 | Method 1:   | 1,2,3,4-Tetrahydrophosphinines by Cycloaddition of an In Situ Formed Phosphabuta-1,3-diene and Unsaturated Esters .....   | 759 |
| 33.5.9.1.1.2 | Method 2:   | A 1,2,3,4-Tetrahydrophosphinine 1-Oxide by Cyclization of a Diallylphosphine Oxide with Isomerization .....   | 759 |
| 33.5.9.1.2   | Synthesis by Double-Bond Rearrangement of Tetrahydrophosphinines .....                                    |   | 760 |
| 33.5.9.1.2.1 | Method 1:   | 1,2,3,4-Tetrahydrophosphinines via Bromination of the Corresponding 1,2,3,6-Tetrahydrophosphinines .....  | 760 |

|               |   |     |
|---------------|---|-----|
| 33.5.9.1.3    | Synthesis by Selective Saturation   | 761 |
| 33.5.9.1.3.1  | Method 1: A 1,2,3,4-Tetrahydrophosphinine 1-Oxide by Hydrogenation of a 1,2-Dihydrophosphinine 1-Oxide  | 761 |
| 33.5.9.1.3.2  | Method 2: A 4-(Dichloromethylene)-1,2,3,4-tetrahydrophosphinine 1-Oxide via Hydroboration of the Corresponding 1,4-Dihydrophosphinine 1-Oxide           | 761 |
| 33.5.9.1.3.3  | Method 3: A 1,2,3,4-Tetrahydrophosphinin-4-one 1-Oxide by Hydrolysis of a $\lambda^5$ -Phosphinine  | 761 |
| 33.5.10       | <b>Product Subclass 10: 1,4-Dihydrophosphinines and Derivatives</b><br>Gy. Keglevich and H. Szelke  |     |
| 33.5.10       | <b>Product Subclass 10: 1,4-Dihydrophosphinines and Derivatives</b>   | 765 |
| 33.5.10.1     | Synthesis of Product Subclass 10  | 765 |
| 33.5.10.1.1   | Synthesis by Ring-Closure Reactions   | 765 |
| 33.5.10.1.1.1 | Method 1: 1,4-Dihydrophosphinines by Reaction of 1,4-Diynes with Arylphosphines   | 765 |
| 33.5.10.1.1.2 | Method 2: 1,4-Dihydrophosphinines by Reaction of Dilithiated Penta-1,4-dienes with Dichlorophosphines   | 766 |
| 33.5.10.1.2   | Synthesis by Ring Transformation  | 766 |
| 33.5.10.1.2.1 | Method 1: A Biphosphinin-4(1 <i>H</i> )-ylidene 1,1'-Dioxide by Photolysis of a 2-Phosphabicyclo[3.1.0]hexane Oxide                                     | 766 |
| 33.5.10.1.3   | Synthesis from $\lambda^5$ -Phosphinines and $\lambda^3$ -Phosphinines  | 767 |
| 33.5.10.1.3.1 | Method 1: 1,4-Dihydrophosphinine 1-Oxides by Isomerization of $\lambda^5$ -Phosphinines   | 767 |
| 33.5.10.1.3.2 | Method 2: A 1,4-Dihydrophosphinine 1-Oxide via the Chlorination of a $\lambda^3$ -Phosphinine   | 767 |
| 33.5.10.1.3.3 | Method 3: A 4-Methylene-1,4-dihydrophosphinine 1-Oxide by a Lewis Acid Catalyzed Rearrangement of a 4-Methyl- $\lambda^5$ -phosphinine                  | 768 |
| 33.5.10.1.3.4 | Method 4: 4-Methylene-1,4-dihydrophosphinine 1-Oxides via Enolization of a $\lambda^5$ -Phosphinine-4-carbaldehyde                                      | 768 |
| 33.5.10.1.3.5 | Method 5: A 1',4'-Dihydro-2,4'-biphosphinine by Special Reaction of a $\lambda^3$ -Phosphinine in the Presence of Lithium 2,2,6,6-Tetramethylpiperidide | 769 |
| 33.5.10.1.4   | Synthesis by Substituent Modification   | 770 |
| 33.5.10.1.4.1 | Method 1: A Biphosphinin-4(1 <i>H</i> )-ylidene 1,1'-Dioxide by Coupling of Two Units of a Phosphinin-4(1 <i>H</i> )-one 1-Oxide                        | 770 |
|               | <b>Keyword Index</b>  | 773 |
|               | <b>Author Index</b>   | 817 |
|               | <b>Abbreviations</b>  | 861 |